# **GranQuartz EVERYTHING** For The Concrete Professional

## Over 10,000 Products!

- NEW! Dust Control & Elimination Products
- NEW! Trowel Equipment
   <u>& Tooling</u>

1-800-458-6222 GranQuartz.com





Surface Pro® Assassin 10-Segment Grinding Discs p. 2 Prosoco<sup>®</sup> Chemicals p. 52-54

Consolideck

INVINE



32

Klindex<sup>®</sup> Planetary Polisher p. 68



V32->-400

Ameriapolish<sup>®</sup> Chemicals p. 47-51

Granouartz 2020 Concrete & Stone Care Catalog

# Surface Pro<sup>®</sup> Black Magic Transitional Polishing Pads

Want to make to scratches DISAPPEAR faster? Surface Pro Black Magic is a revolutionary transitional diamond pad used between metal bond and resin bond for high quality, aggressive scratch removal. **See Page 6** 



200

Black Magic Transitional Polishing Pads • For Wet or Dry Polishing • 9mm Thickness X 3" (80mm) Diameter Put some MAGIC in your work!



Stock No.	Grit/Bond	Price
105340	16, Medium	\$59.99
105332	30, Medium	59.99
105333	50, Medium	59.99
105334	70, Medium	59.99
105335	100, Medium	59.99
105341	16, Soft	59.99
105336	30, Soft	59.99
105337	50, Soft	59.99
105338	70, Soft	59.99
105339	100, Soft	59.99

New 10 segment grinding discs with extremely versatile connection hole pattern & pins for use on a wide range of grinding equipment including SASE and HTC grinders. Use wet only.

For Fast, Aggressive Wet Grinding

- Post-backed with Versatile Connection Pattern
- In Medium or Soft bonds, Grits from 16 100
- · For Use On a Wide Variety of Grinding Equipment

#### Surface Pro<sup>®</sup> GOLD Wet/Dry Metal Pads

- Wet or dry use
- Long life up to 20,000 ft<sup>2</sup> or more
- 8mm thick 3" (82mm) Diameter
- For floor buffers or planetary machines
- Used for initial grind and as a transition disc
- Consult your GQ specialist for dry use applications

Stock No.	Description	Grit	Color	Price
400101	Metal Bond	6	Blue	\$110.25
400090	Metal Bond	24	Lime Green	82.95
400100	Metal Bond	46	Green	
400102	Metal Bond	70	Gray	72.95
400105	Metal Bond	120	Black	72.95
400107	Metal Bond	220	Red	72.95

## Surface Pro<sup>®</sup> GOLD Eraser Hybrid Pads

- Wet or drv use
- Available in 3", 5" and 7" diameters
- Works on the hardest concrete
- Best for first cut on edges
- Erase hard-troweled, burned finishes
- Aggressively grinds through hard-troweled finishes without the common glazing problems associated with competitive diamonds
- Superb results: even inexperienced operators grind and polish quickly without leaving gouges



Surface Pro<sup>®</sup> PLUS Semi Metal Hybrid Pads



• Wet or dry use

3" Dia

5" Dia

7" Dia

- 6mm thick 3" (82mm) Diameter
- Designed to transition from metal segments to resin pads

Stock No.	Grit	Color	Price
400350	50	Green	\$29.95
400351	100	Black	



.39.30

.39.30

.39.30

Stock No.	Grit	Color	Price
400350	50	Green	\$29.95
400351	100	Black	

401016

401017

401018

Stock No.	Size	#	Color	Price
401027	3″	1	Green	\$43.45
401028	3″	2	Black	
401029	3″	3	Red	
401030	3″	4	Yellow	
401001	5″	1	Green	
401002	5″		Black	
401003	5″	3	Red	
401004	5"	4	Yellow	
401015	7"	1	Green	

7".....Black.....

7"......Yellow.....

7".....Red .....



#### Surface Pro<sup>®</sup> PLUS Phenolic Hybrid Polishing Dry Pads

Made of Propriety Phenolic Resin Hybrid Formula exclusively from GranQuartz. Provides a higher quality shine at the better price.

- Dry Use
- 9mm thick 3" (80mm) Diameter
- Excellent reflectivity and clarity Convenient Packaging
- Reusable storage container



T

DRY

Stock No.	Grit	Color	Price
401800	30	Blue	\$17.25
401801	50	Light Green	17.25
401802	100	Red	17.25
401803	200	Yellow	17.25
401804	400	Light Blue	17.25
401805		Green	
401806	1500	Orange	
401807		Pink	

#### Surface Pro<sup>®</sup> PLUS Wet/Dry Polishing Pads

- Wet/Dry use
- 12mm Thick 3" (82 mm) Diameter
- Professional quality diamond polishing discs for concrete
- 400 and 800 grit deliver great shine under any machine



Stock No.	Grit	Color	Price	Stock No.	Grit	Color	Price
400800	30	Lime Green	. \$18.25	400808	400	Yellow	\$18.25
400802	50	Green		400810	800	White	18.25
400804	100	Black		400812	1500	Blue	18.25
400806	200	Red		400814	3000	Gray	

#### Surface Pro<sup>®</sup> PLUS Wet Polishing Pads

- 12mm thick 3" (82mm) Diameter
- Professional quality diamond polishing discs for concrete, marble, granite & terrazzo
- · Beveled edges for smooth cutting
- Unique labyrinth design with large water channels

Stock No.	Grit	Color	Price	Stock No.	Grit	Color	Price
400200	50	Green	\$21.95	400208	800	White	\$21.95
400202	120	Black	21.95	400210	1800	Blue	21.95
400204	220	Red	21.95	400212	3500	Gray	21.95
400206	400	Yellow	21.95	400214	8500	Purple	21.95



- Wet or dry use
- 8mm thick 3"(82mm) Diameter
- Optimal RPM when running dry is 350 to 500 RPM
- Excellent transition diamond from metal bond to resin bond
- Aggressive scratch removal
- Great starter tool for salt and pepper finish on hard troweled slabs.

Stock No.	Grit	Price
400629	30	\$31.95
400630	50	
400627	100	
400628	200	

#### Surface Pro<sup>®</sup> GOLD Phenolic Dry Polishing Pads

Proprietary phenolic bond for aggressive polishing & longer life. Provides maximum color depth and highest gloss on medium and hard concrete surfaces.

- Dry use
- 6mm thick 3" (82mm) Diameter
- Excellent results under heavy grinding equipment

Stock No.	Grit	Color	Price	Stock No.	Grit	Color	Price
400742	30	Lime Green	\$21.95	400746	400	Yellow	\$21.95
400743	50	Green	21.95	400747	800	White	21.95
400744	120	Black	21.95	400748	1800	Blue	21.95
400745	220	Red	21.95	400749	3500	Gray	21.95

#### Surface Pro<sup>®</sup> SELECT Wet Pads

- 6mm thick 3" (82mm) Diam.
- Professional quality diamond polishing discs for concrete, marble, granite & terrazzo
- Unique labyrinth design with large water channels
- Beveled edges for smooth cutting

	-		
Stock No.	Grit	Color	Price
400500	50	Green	\$17.95
400502	120	Black	
400504	220	Red	
400506	400	Yellow	
400508	800	White	
400510	1800	Blue	
400512		Gray	
400514		Purple	



WEI



DRY

WEI

# Surface Pro® **Black MAGIC Transitional Polishing Pads**

Make scratches **DISAPPEAR** faster! NEW Surface Pro Black Magic is a revolutionary transitional diamond pad used between metal bond and resin bond for high quality aggressive scratch removal.

Stock No.	Grit	Price
401808	30 Grit	\$24.99
401809	50 Grit	
401810	100 Grit	
401811	200 Grit	

- For Wet or Dry Polishing
- · 9mm Thickness X 3" (80mm) Diameter
- · Convenient Packaging, Each Cannister Contains **9 Black Magic Pads**

WET on D

#### Surface Pro<sup>®</sup> PLUS Wet/Dry Pads

- Wet or dry use
- 12mm thick 3"(82mm) Diameter
- Unique hard bond formula for superior results
- Longer life on soft concrete
- Excellent results under heavy grinders
- Most aggressive cutting action available from resin disc

Stock No.	Grit	Color	Price
400853	30	Lime Green	\$19.95
400854	50	Green	
400855	120	Black	
400856	220	Red	
400857	400	Yellow	
400858	800	White	
400859	1800	Blue	



#### Surface Pro<sup>®</sup> Electroplated Polishing F • 7" Diameter

	400661	/0
Pads	400662	120
•	400663	220
	400664	400

Stock No.

QRS Backed

• Flexible

\$57.70	50	400660
57.70	70	400661
	120	400662
	220	400663
	400	400664
	600	400665

Price


Grit

200

WET ON DRY

Surface Pro® GOLD 3" **QRS Rubber Spacers** 





- · Press diamond pads into low spots of floor for faster, more even cutting
- Use between velcro holder and diamond pads
- Helps protect velcro holder from premature wear

Stock No.	Price
100212	\$8.25

Surface Pro<sup>®</sup> GOLD **Transition Copper Pads** 







- Wet or dry use
- 6mm thick
- Best for very hard concrete
- Best for scratch removal

Stock No.	Size / Grit	Price
400254	5", 30 Grit	\$49.95
400255	5", 50 Grit	49.95
400256	5", 100 Grit	49.95



#### **Pro Series®** Wet/Dry Polishing Pads

- Wet or dry use
- Excellent for concrete and terrazzo

Stock No.	Size	Grit	Price	Stock No.	Size	Grit	Price
119400	3″	50	\$12.99	119418	5″	. 50	\$23.99
119401	3″	100	12.99	119419	5″	. 100	23.99
119402	3″	200	12.99	119420	5″	. 200	23.99
119403	3″	400	12.99	119421	5″	. 400	23.99
119404	3″	800	12.99	119422	5″	. 800	23.99
119405	3″	1500	12.99	119423	5″	. 1500	23.99
119406	3″	3000	12.99	119424	5″	. 3000	23.99
119407	3″	Buff, Black	16.99	119425	5″	. Buff, Black	29.99
119408	3″	Buff, White	16.99	119426	5″	. Buff, White	29.99

# #401005 #401019 Surface Pro® PLUS Flexible WET ON DRY

# Wet/Dry Concrete Polishing Pads

- Color-coded Velcro® backing for ease of use
- High quality finish with no residue
- Great for wet or dry polishing concrete, marble, granite & terrazzo
- Beveled edges for smooth cutting
- For use on hand polishers

Stock No.	Size Grit	Color	Price	Stock No.	Size	Grit	Color	Price
401005	5"30	Green	\$22.75	401019	7"		Green	.\$31.99
401006	5" 50	Dark Green.	22.75	401020	7"		Dark Green.	31.99
401007	5" 120	Black		401021	7"	120	Black	31.99
401008	5"220	Red		401022	7"	220	Red	31.99
401009	5"400	Yellow		401023	7"	400	Yellow	31.99
401011	5"800	White		401024	7"		White	31.99
401012	5" 1800	Blue	22.75	401025	7"	1800	Blue	31.99
401013	5"3500	Gray	22.75	401026	7"	3500	Gray	31.99





### 5" Alpha Ceramica Vitrified Polishing Pad

- Long-lasting and very aggressive
- Use for light shaping, smoothing and initial polishing on granite or hard marble

Stock No.	Grit	Color	Price
116214	60	Blue	\$134.09
116216	150	Yellow	
116218	300	Orange	



## Diarex 3-Step Hybrid Pad

- Extremely fast process from first polishing step to completion
- Ultra flexible
- Use wet or dry

Stock No.	Size	Step	Price
114733	5″	1	\$41.99
114734	5″		
114735	5″		



#### 5" Diarex Assassin II Polishing Pad

- Industry leading value
- For granite, marble and engineered stone surfaces
- Extra long life
- Ultra flexible design


#### • 3mm thickness

Stock No	Grit	Price	Stock No	Grit	Price
602052	50	\$18.99	602056	800	\$18.99
602053	100	18.99	602057	1500	18.99
602054	200	18.99	602058	3000	18.99
602055	400	18.99			



DRY

- Extra flexible
- Superior polish
- Q.R.S. Connection
- Use under 4000 RPM




Stock No.	Size	Grit	Price	Stock No.	Size	Grit	Price	Stock No.	Size	Grit	Price	Color
363384	4″	50	\$17.09	363392	5″	50	\$25.07	363499	7"	50	\$46.68	Light Green
363385	4″	100		363393	5″	100		363500	7"	100		Red
363386	4"	200		363394	5″			363501	7"	200		Yellow
363387	4"	400		363395	5″	400		363502	7"	400		Light Blue
363388	4"	800		363396	5″			363503	7"	800		Dark Green
363389	4"	1500		363397	5″	1500		363504	7"	1500		Orange
363390	4″	3000		363398	5″			363505	7"	3000		Pink


#### Mudslinger Concrete Wet Polishing Pad

- Largest pad available for single head units
- Non-Flexible 8mm thick
- QRS-backed for quick grit changes
- Use under 4,000 RPM
- For WET polishing only

Stock No.	Size	Grit	Color	Price	Stock
363331	5″	50	Brown	\$45.54	3633
363332	5″	100	Red	45.54	3633
363333	5″	200	Orange	45.54	36334
363334	5″	400	Yellow	45.54	36334
363335	5″	800	Green	45.54	36334
363336	5″	1500	Light Blue	45.54	36334
363337	5″	3000	Purple	45.54	36334



ock No.	Size	Grit	Color	Price
3338	7″	50	Brown	\$70.53
3339	7"	100	Red	70.53
3340	7"	200	Orange	70.53
3341	7"	400	Yellow	68.34
3342	7"	800	Green	68.34
3343	7"	1500	Light Blue	68.34
3344	7"		Purple	68.34



#### **Diamond Hand Pads**

- Professional quality diamond pads
- Thick foam backing with ergonomic grooves for better gripping

0			0 11	0
Stock No.	Size	Grit		Price
363253	4" x 2"	60		\$29.95
363255	4" x 2"	120		24.95
363257	4" x 2"	200		19.95
363259	4" x 2"	400		18.95
363261	4" x 2"	800		19.99
363263	4" x 2"	1800		12.95



#### Lavina

## Introducing the NEW ELITE SERIES from Lavina: A New Generation of High Performance Lavina Grinders.

Lavina continues to be the industry leader in grinding equipment with the new ELITE line featuring these major upgrades and innovations:




#### **Re-Designed Frame & Dust-Proof** Grinding Head with Low Friction Chain **Gear Planetary Drive**



The new frame delivers superior maneuverability and easy tool changes. The dust-proof head protects internal components from dust and moisture, which reduces maintenance and increases service life. The chain has been upgraded on 20/25/30-inch models.

#### New Tool Security Lock



Updated tool security lock on the grinding heads provide more secure tool attachment. Elite machines are designed for use with Quick Change style tools only, metal and resin (not compatible with velcro backed tools or the old generation foam plates).

#### **EPA & CARB BLUE SKY Engines** with Intelligent Fuel Control System (all Propane Models)



Unique digital fuel control system. "Lavina Fuel Minder" is highly responsive to changes in engine load, providing optimum air-to-fuel ratio regardless of operating conditions. Featuring LCD screen with user interface. service reminders, emissions warnings, battery voltometer, and more.

#### **Dust Suppression Fine-Misting System** with High Pressure Spray Nozzles



Small water droplets suppress and remove breathable fugitive dust particles from 0.1 to 1000 microns. Water can be delivered under the machine at the same time for optimal tool performance. Upgraded water pump.

#### **Convenient Integrated Weights** Increase the grinding head



#### Improved Dust Collection



Adjustable skirt with a flexible brush for better dust containment. The vacuum hose connection is now closer to the dust source and utilizes a metal camlock attachment.

pressure while the weights are

down so you can grind more

aggressively. Weights should

position. New lift points (2)

designed to facilitate moving

the machine with a forklift.

always be locked in the upward

#### LED Lights for Floor Monitoring



#### Detachable magnetic LED light on the base in front improves visibility, and a second LED light attached low in the back of the machine helps monitor scratch pattern.

## Adjustable Handle Bar



Multiple handle positions for more convenient operation and transportation. For safety, the handle position must be locked when moving or using the machine.

faster charging w/shutoff when charge is complete and durable stainless steel cupholder for

user convenience.

#### Phone Charging Station & Cup Holder Dual USB 2.0/3.15 Amps for



#### **Remote Control Feature** (Models L32RE, L25RE)

Precise control over the machine - two sensitive thumbsticks control its position and offset, including integrated mapping on the offset. A wide range of functions. Super light and easy to use with ergonomic rubber grip.







#869446 \$20,990.00

#### Lavina® Elite Series – Electric





Intelligent Remote Control for precise control!

# LAVINA® L3213RE



The L3213RE features NEW Intelligent Remote Control for precise control over the machine! Two sensitive thumbsticks control its position and offset, including integrated mapping on the offset. Super light and easy to use with ergonomic rubber grip. New HMI provides essential operating information and implements operators' instructions.

#### HMI functionality includes:

- Indications of power supply and power consumption
- Machine load and hours worked
- Tool holder rpm and option to choose rpm setting with tool input
- Water supply and lights activation
- Maintenance reminders
- Password activation and shutoff

KWMachine Dimensions97x34x52 in240VCrate Size63x37x63 in
240V Crate Size 63x37x63 in
Cable Length 57 ft
Water Tank Capacity 12 gal
AMG Battery 12 Volt
RC Battery 1.2 Volt
Vacuum Hose Port Camlock E300
Water feed (w/pump) Peripheral &
Front Mist
m
)





#869009 **\$24,990.00** 

# LAVINA® L25RE

The **L25RE** features NEW **Intelligent Remote Control** for precise control over the machine! Two sensitive thumbsticks control its position and offset, including integrated mapping on the offset. Super light and easy to use with ergonomic rubber grip. New HMI provides essential operating information and implements operators' instructions.

#### **L25RE Features:**

- Dust-proof grinding head with low friction chain gear planetary drive
- Dust suppressing fine misting system with high pressure spray nozzles
- Added protection against excessive voltage
- · Easy to use integrated weights
- LED lights in front and back for easy surface monitoring
- Third wheel design, adjustable handle bar & phone charging station

) HP / 1	15 KW	Machine Dimensions	76x28x47 in
or 3ph	x 200-200-240V	Crate Size	62x29x43 in
5 Amp		Cable Length	57 ft
5 Amp		Water Tank Capacity	5.2 gal
	983 lbs	AMG Battery	12 Volt
IP	364 lbs	RC Battery	1.2 Volt
	436 lbs	Vacuum Hose Port	Camlock E250
	300-1100 rpm	Water feed (w/pump)	Peripheral & Front Mist
	25 in		
	3x9 in		
	3x9 in		
	or 3ph Amp Amp P	983 lbs P 364 lbs OWN 436 lbs 300-1100 rpm 25 in 3x9 in	or 3ph x 200-200-240V 6 Amp Cable Length 983 lbs P 364 lbs OWN 436 lbs 300-1100 rpm 25 in 3x9 in

Phone charging station & steel cupholder!

#### Lavina<sup>®</sup> Elite Series – Electric



# LAVINA® L32E

The **L32E** features a dust-proof grinding head with low friction chain gear planetary drive, dust suppressing fine misting system with high pressure spray nozzles and LED lights mounted in front and back for easy surface monitoring.

#### Other features include:

- Improved dust collection efficiency
- Added protection against excessive voltage
- Easy to use integrated weights
- LED lights in front and back
- Third wheel design
- Adjustable handle bar
- USB 2.0 Ports (phone charging station)
- Durable stainless steel cupholder

20HP / 15 KW	Machine Dimensions	100x34x52 in
3ph x 200-240V	Crate Size	63x37x63 in
60 Amp	Cable Length	57 ft
80 Amp	Water Tank Capacity	12 gal
1,455 lbs	Vacuum Hose Port	Camlock E300
540 lbs	Water feed (w/pump)	Peripheral &
652 lbs		Front Mist
750 lbs		
370 lbs		
300-1100 rpm		
32 in		
) in		
3x9 in		
	00 Amp 00 Amp ,455 lbs 40 lbs 52 lbs 50 lbs 70 lbs 00-1100 rpm 2 in in	00 AmpCable Length00 AmpWater Tank Capacity40 IbsVacuum Hose Port52 IbsWater feed (w/pump)50 Ibs00-1100 rpm2 inin

\*Also available: #869014 HV-3ph x 380/480V, 32 AMP



#869010 \$**17,990.00** 

# LAVINA® L30LE

The **L30LE** features a dust-proof grinding head with low friction chain gear planetary drive, dust suppressing fine misting system with high pressure spray nozzles and LED lights mounted in front and back for easy surface monitoring.

#### Other features include:

- Improved dust collection efficiency
- Added protection against excessive voltage
- Easy to use integrated weights
- LED lights in front and back
- Adjustable handle bar
- USB 2.0 Ports (phone charging station)
- Durable stainless steel cupholder

Horsepower	15HP / 11 KW	Mach
Voltage	3ph x 200-240V	Crate
Amperage	45 Amp	Cabl
Dedicated Breaker Requirement	45 Amp	Wate
Weight of Machine	860 lbs	Vacu
Grinding Pressure, Weights UP	465 lbs	Wate
Grinding Pressure, Weights DOWN	545 lbs	
Attachment Speed	300-1100 rpm	
Working Width	30 in	
Tool Holder Diameter	3x13.2 in	

\*Also available: #869011 HV-3ph x 380/480V, 32 AMP



Low-friction chain gear planetary drive

	Machine Dimensions	59x34x47 in
/	Crate Size	58x33x57 in
	Cable Length	57 ft
	Water Tank Capacity	5.2 gal
	Vacuum Hose Port	Camlock E250
	Water feed (w/pump)	Peripheral &
		Front Mist



9

#### Lavina® Elite Series – Electric



#869005 \$**14,990.00** 

# LAVINA® L25E



The **L25E** features a dust-proof grinding head with low friction chain gear planetary drive, dust suppressing fine misting system with high pressure spray nozzles and LED lights mounted in front and back for easy surface monitoring.

#### Other features include:

- Improved dust collection efficiency
- Added protection against excessive voltage
- Easy to use integrated weights
- LED lights in front and back
- Adjustable handle bar
- USB 2.0 Ports (phone charging station)
- Durable stainless steel cupholder

Horsepower	10HP / 7.5KW	Machine Dimensions	71x28x48 in
Voltage (50/60 Hz)	1 or 3ph x 200-240V	Crate Size	58x33x57 in
Amperage (max)	30 Amp	Cable Length	57 ft
Dedicated Breaker Requirement	30 Amp	Water Tank Capacity	5.2 gal
Weight of Machine	754 lbs	Vacuum Hose Port	Camlock E250
Grinding Pressure, Weights UP	348 lbs	Water feed (w/pump)	Peripheral &
Grinding Pressure, Weights DO	WN 428 lbs		Front Mist
Attachment Speed	300-1100 rpm		
Working Width	25.8 in		
Tool Holder Diameter	3x9 in		

\*Also available:

#869006 \$16,490 L25LE, 15HP #869007 \$16,490 L25LEHV, HV-3ph x 380/480V, 32 AMP

ELITE SERIES



#869003 **\$9,990.00** 

# LAVINA® L20NE

The **L20NE** features a dust-proof grinding head with low friction chain gear planetary drive, dust suppressing fine misting system with high pressure spray nozzles and LED lights mounted in front and back for easy surface monitoring.

#### Other features include:

- Improved dust collection efficiency
- Added protection against excessive voltage
- Easy to use integrated weights
- LED lights in front and back
- Adjustable handle bar
- USB 2.0 Ports (phone charging station)
- Durable stainless steel cupholder

Horsepower	7.5HP / 5.5 KW	Mac
Voltage	1 or 3ph x 200-240V	Crat
Amperage	30 Amp	Cabl
Dedicated Breaker Requirement	: 30 Amp	Wate
Weight of Machine	584 lbs	Vacu
Grinding Pressure, Weights UP		Wate
Grinding Pressure, Weights DO	WN 287 lbs	
Attachment Speed	300-1100 rpm	
Working Width	20 in	
Tool Holder Diameter	3x9 in	



LED Lights mounted on front and back of equipment

Machine Dimensions	66x22x47 in
Crate Size	55x29x56 in
Cable Length	57 ft
Water Tank Capacity	5.2 gal
Vacuum Hose Port	Camlock E250
Water feed (w/pump)	Peripheral & Front Mist



# LAVINA® L14E

A light and easy to use single-head grinder for both professional and DIY projects. Runs on 115 V power - convenient for use on residential and commercial jobs. Suitable for different applications - coating removal, grinding of concrete, stone and wood, as well as polishing. Ideal for rental stores!

#### Other features include:

- Simple control panel and time counter
- Adjustable handle bar, can be moved left or right to use as edger
- Variable speed model, single phase, 115 V, 16 AMP
- Foldable frame & compact design fits in standard SUVS
- Machine can be divided in 2 pieces for transportation 7 storage.
- Durable stainless steel cupholder

Horsepower	2.45HP / 1.8 KW	Machine Dimensions	47x15x39in
Voltage	1ph x 115V	Crate Size	
Amperage	16 Amp	Cable Length	no
Dedicated Breaker Requiremen	t	Vacuum Hose Port	2in
Weight of Machine	123 lbs / 24kg	Water feeding	no
Grinding Pressure, Weights UP	53 lbs		
Attachment Speed	400-1000 rpm		
Working Width	13.2 in		
Tool Holder Diameter	13.2 in / 335mm		



#968955 \$4,990.00

# LAVINA® L16E

A compact, light and versatile planetary grinder for both professional and DIY projects. Runs on 115 V power - convenient for use on residential and commercial jobs. Suitable for di erent applications - coating removal, grinding of concrete, stone and wood, as well as polishing. Ideal for rental stores! Other features include:

- Simple control panel and time counter
- · Adjustable handle bar
- · Easy to use integrated weights
- Variable speed model, single phase, 115 V, 16 AMP
- Foldable frame & compact design fits in standard SUVS
- Machine can be divided in 2 pieces for transportation 7 storage.
- Dustproof grinding head with 3x7" heads & forced planetary drive

Horsepower	2.45HP / 1.8 KW	Machine Dimer
Voltage	1ph x 115V	Crate Size
Amperage	16 Amp	Cable Length
Dedicated Breaker Requirement	t	Vacuum Hose I
Weight of Machine	216 lbs	Water feeding
Grinding Pressure, Weights UP	147.7 lbs	
Weights (optional)	2 x 17.6 lbs	
Attachment Speed	300-500 rpm	
Working Width	16 in	
Tool Holder Diameter	3 x 7 in	

	Machine Dimensions	48x18x38 in
	Crate Size	
	Cable Length	no
	Vacuum Hose Port	2in
	Water feeding	no
Ъ		













# LAVINA® L20E

The **L20E** features a dust-proof grinding head with low friction chain gear planetary drive, dust suppressing fine misting system with high pressure spray nozzles and LED lights mounted in front and back for easy surface monitoring.

#### Other features include:

- Improved dust collection efficiency
- Easy to use integrated weights
- LED lights in front and back
- Adjustable handle bar
- USB 2.0 Ports (phone charging station)
- Durable stainless steel cupholder



Improved dust collection

Horsepower	4HP / 3 KW	Machine Dimensions	66x22x48 in
Voltage (50/60 Hz)	1ph x 200-240V	Crate Size	55x29x56 in
Amperage (max)	14 Amp	Cable Length	57 ft
Dedicated Breaker Requirement	14 Amp	Water Tank Capacity	5.2 gal
Weight of Machine	443 lbs	Vacuum Hose Port	Camlock E250
Grinding Pressure	190 lbs	Water feed (w/pump)	Peripheral &
Additional Weights Usage	N/A		Front Mist
Attachment Speed	300-1100 rpm		
Working Width	20 in		
Tool Holder Diameter	3x9 in		

# LAVINA® L13E

The L13E is an economical solution for dry grinding concrete surfaces.

#### Features include:

- 13.2" Working width
- Can be used where single-phase power is available
- · Adjustable handle bar

Horsepower	5.5HP / 4 KW	Machine Dimensions	48x24x36 in
Voltage	1ph x 200-240V	Crate Size	56x29x43 in
Amperage	16 Amp	Cable Length	57 ft
Dedicated Breaker Requirement	20 Amp	Water Tank	N/A
Weight of Machine	271 lbs	Vacuum Hose Port	N/A
Grinding Pressure	64 lbs	Water feed (w/pump)	N/A
Additional Weights Usage	Up to 50 lbs		
Attachment Speed	500-800 rpm		
Working Width	13.2 in		
Tool Holder Diameter	13.2 in		

## LAVINA® L21X-GFI

The **L21X** is an economical solutions for smaller projects, such as residential garages and small commercial jobs.

- Features include:
- 20" Working width
- Can be used for wet or dry polishing/grinding
- Dust vacuum

Dust vacaalli			
Horsepower	2.5HP / 1.8 KW	Machine Dimensions	59x214x42 in
Voltage	1ph x 100-115V	Cable Length	57 ft
Amperage	16 Amp	Water Tank	5.2 Gallons
Dedicated Breaker Requirement	20 Amp	Vacuum Hose Port	N/A
Weight of Machine	219 lbs	Water feed (w/pump)	Peripheral
Grinding Pressure	113 lbs	Dust Vacuum	Yes
Additional Weights Usage	Up to 37 lbs		
Attachment Speed	300-500 rpm		
Working Width	20 in		
Tool Holder Diameter	3 x 7 in		



#### Lavina<sup>®</sup> Elite Series – Propane



#869447 \$36,990.00

Service Cover on Top for Easier Maintenance

# LAVINA® L38GRE

The L38GRE is a 38 inch grinder that combines the convenience of remote control with the flexibility of a propane engine, with the highest grinder productivity rate in the industry. Ideal for large commercial projects, where power may not be available, with no need for expensive generators or dealing with heavy cords. Lavina's Fuel Minder System employs a digital fuel control system w/closed loop feedback, fuel lock-off capability, emissions safety warnings with shutdown, and an LCD screen user interface.

- Engine operates cleaner than regulations require
- EPA "Blue Sky" Series
- Added protection against excessive voltage
- Easy to use integrated weights
- Fuel Minder
- Third wheel design
- Use for wet or dry grinding

Propane Engine	Kawasaki FX100	0V
Engine Capacity	999cc	
AMG Battery	12 V	
RC Battery (Rechargeable)	AA1.2 V	
Weight of Machine	1,585 lbs	
Grinding Pressure, Weights UP	P 603 lbs	
Grinding Pressure, Weights DC	OWN 898 lbs	
Tool Holder RPM	416-750 rpm	
Engine RPM	2000-3600 rp	m
Working Width	36.5 in	
Tool Holder Diameter	3 x13.2 in	



**Intelligent Remote Control** for precise control!

$\checkmark$	Machine Dimensions	98x38x52 in
	Crate Size	65x44x68 in
	Propane Tank Capacity	33.5 lbs
	Water Tank Capacity	12 gal
	Vacuum Hose Port	3 in
	Water feed (w/pump)	Inside &
		Front Spray







Third Wheel Design



Easily Adjustable Handlebars

# LAVINA® L32GE

The L32GE 32 inch grinder features a dust-proof grinding head with low friction chain gear planetary drive, dust suppressing fine misting system with high pressure spray nozzles and LED lights mounted in front and back for easy surface monitoring.

#### **Other features include:**

- · Improved dust collection system
- EPA "Blue Sky" Series
- Lavina's Fuel Minder System for greater efficiency
- Easy to use integrated weights
- LED lights in front and back
- Third wheel design
- · Adjustable handle bar
- USB 2.0 Ports (phone charging station)
- Durable stainless steel cupholder

Propane Engine	Kawasaki FX1000V	Machine Dimensions	100x34x52 in
Engine Capacity	999cc	Crate Size	63x37x63 in
Weight of Machine	1,455 lbs	Propane Tank Capacity	33.5 lbs
Grinding Pressure Weights Pos.	,	Water Tank Capacity	12 gal
Grinding Pressure Weights Pos.		Vacuum Hose Port	Camlock E300
Grinding Pressure Weights Pos.		Water feed (w/pump)	Peripheral &
Grinding Pressure Weights Pos.			Front Mist
	4 070 IDS	Third Wheel	Yes
Tool Holder RPM	600-1020 rpm	Application	Wet or Dry
Engine RPM	2000-3600 rpm		•
Working Width	32 in		
Tool Holder Diameter	9 in		



LED Lights mounted on front and back of equipment



Lavina<sup>®</sup> Power Trowels

# HIGH PRODUCTIVITY POWERFUL ENGINE ERGONOMIC DESIGN SIMPLE OPERATION GOOD BALANCE

#968959 \$24,990.00

# LAVINA® LP36 RIDE-ON TROWEL

Powerful. Easy to use. Ergonomic. Balanced. Ready to grind and polish at incredible rates.

- Equipped with two 36-inch floating pans with four Trowel Shine Tools Holders on each pan. Learn more about our Trowel Shine Polishing System.
- Powerful Kawasaki FX1000V engine with Lavina Fuel Minder for closed loop fuel management and optimal performance.
- Heavy-duty shroud protects walls from slurry.
- Integrated wheel set lifts the trowel (200mm) for changing blades and tools quickly and easily. One person can raise and lower the integrated wheel, using a jack at the rear of the machine.
- Continuously variable transmission provides superior performance by continually adjusting the drive ratio to obtain optimum torque and speed during all phases of finishing from low speed high torque to high speed burnishing.
   LED lighting for bottor visibility.
- LED lighting for better visibility.

Propane Engine	Kawasaki FX1000V
Engine Capacity	999cc
Weight of Machine	1,389 lbs
Machine Size	84x41x64 in
Rotor RPM	2000-3600
Engine RPM	2000-3600
Path Width	80in
Pan Diameter	2 x 36in
Tool Holder Per Pan	4x10.63in Blades
Per Rotor	4
Propane Tank Capacity	33.5 lbs





Integrated wheel set lifts the trowel (200mm) for changing blades and tools quickly and easily. One person can raise and lower the integrated wheel, using a jack at the rear of the machine.



Powerful Kawasaki FX1000V engine with Lavina Fuel Minder for closed loop fuel management and optimal performance. Heavy-duty shroud. LED lighting.



Continuously variable transmission provides superior performance by continually adjusting the drive ratio to obtain optimum torque and speed during all phases of fi nishing from low speed high torque to high speed burnishing.



#### Lavina®

# TROWEL SIHINE

#### POWER TROWEL CONCRETE POLISHING SYSTEM

Superabrasive has developed a new system for polishing concrete with power trowels - Trowel Shine. Trowel Shine is ideal for use on new or old industrial floors with large square footage where traditional grinding and polishing is not a good option due to time frame, budget or other constraints. Trowel Shine transforms your walk-behind & ride-on power trowel (10.36" & 14" tool holder) into a planetary grinding and polishing machine, and you can achieve the desired concrete finish. from matte to glossy up to 10X faster than traditional polishing. Incredibly high productivity! More than 10,000 sq. ft. per hr. per grit.

Choose the size and number of Trowel Shine tool holders depending on your power trowel type, floating pans diameter and number of blades





5-Blade Pan #103352



ShinePro Plus

#### IF FLOOR IS DAMAGED OR HAS A RAIN DROP EFFECT

If grinding is necessary, start with SA-MB Metal bond grinding disc (3", velcro backed). Use 3 pcs. on 10.63" tool holders, and 5 pcs. on 14" tool holders.

#### **OPTIONAL POLISHING STEPS:** 1800 & 35000

For best results, use V-Harr 1800 & 3500 premium polishing pads or ShinePro diamond impregnated pads. Apply a concrete sealer after 3500 grit, if needed.



Waffel #103325



#869362



V-HARR'

1800

10.63" OR 14"



V-HARR'

3500

10.63" OR 14"

103364





SHINEPRO'

1800

10.63" OR 14

SHINEPRO' 3500

Lavina 4-Blade 36" Pan w/Trowel Shine Holders Installed ......... 1,193.00

Dust and Silica Warning See Inside Front Cover

10.63" OR 14"

California residents see Prop 65 warnings www.P65Warnings.ca.gov



Minimal start-up cost for power trowel owners who want to add polishing to their services - no need to buy new specialized equipment, all you need is a set of Trowel Shine tool holders and diamond tools.

Rotating head technology and flexible foam heads for an even tool wear and perfect balance. Stock No.

Description



Price

STOCK INO.	Description	Price
103320	10.63" Tool Holder Plate	\$217.00
103324	10.63" Foam Plate for Power Trowel	
103346	10.63" Waffel, Wet/Dry -30 Grit	
103347	10.63" Waffel, Wet/Dry -50 Grit	
103324	10.63" Waffel, Wet/Dry -120 Grit	
103325	10.63" Waffel, Wet/Dry -220 Grit	
103344	10.63" Waffel, Wet/Dry -400 Grit	
103348	10.63" Waffel, Wet/Dry -600 Grit	
103345	10.63" Waffel, Wet/Dry -800 Grit	
103349	10.63" Waffel, Wet/Dry -1800 Grit	
103350	10.63" Waffel, Wet/Dry -3500 Grit	
103326	10.63" Shine Pro, +Maintenance Pad 400 Grit	
103327	10.63" Shine Pro, +1 Maintenance Pad 800 Grit	
103328	10.63" Shine Pro, +1 Maintenance Pad 1800 Grit	
103329	10.63" Shine Pro, +1 Maintenance Pad 3000 Grit	
103384	10.63" Shine Pro Maintenance Pad 220 Grit	
103385	10.63" Shine Pro Maintenance Pad 400 Grit	
103386	10.63" Shine Pro Maintenance Pad 800 Grit	
103387	10.63" Shine Pro Maintenance Pad 1800 Grit	
103388	10.63" Shine Pro Maintenance Pad 3500 Grit	
103395	10.63" Shine Pro Maintenance Pad BUFF	
103330	10.63" V-Harr, Polishing Pad -1800 Grit	
103331	10.63" V-Harr, Polishing Pad -3500 Grit	
103332	14" Tool Holder Plate	
103125	14" Foam Plate for Power Trowel	103.64
103333	14" Corasa, Hybrid Pad -50 Grit	
103334	14" Corasa, Hybrid Pad -100 Grit	
103335	14" Corasa, Hybrid Pad -2050 Grit	
103351	14" Waffel, Wet/Dry -50 Grit	
103336	14" Waffel, Wet/Dry -100 Grit	
103337	14" Waffel, Wet/Dry -200 Grit	
103381	14" Waffel, Wet/Dry -400 Grit	
103382	14" Waffel, Wet/Dry -800 Grit	
103383	14" Waffel, Wet/Dry -1500 Grit	
103338	14" Shine Pro, + Maintenance Pad 400 Grit	
103339	14" Shine Pro, + Maintenance Pad 800 Grit	
103340	14" Shine Pro, + Maintenance Pad 1800 Grit	
103341	14" Shine Pro, + Maintenance Pad 3500 Grit	
103342	14" V-Harr, Polishing Pad -1800 Grit	
103343	14" V-Harr, Polishing Pad -3500 Grit	
103352	Lavina 5-Blade Pan w/Trowel Shine Holders Installed	
103364	Lavina 4-Blade Pan w/Trowel Shine Holders Installed	

#### Lavina<sup>®</sup> Elite Series – Propane



# LAVINA® L30GE

The L30GE 30 inch grinder features a dust-proof grinding head with low friction chain gear planetary drive, dust suppressing fine misting system with high pressure spray nozzles and LED lights mounted in front and back for easy surface monitoring.

#### **Other features include:**

- Improved dust collection system
- EPA "Blue Sky" Series
- Lavina's Fuel Minder System for greater efficiency
- Easy to use integrated weights
- LED lights in front and back
- Adjustable handle bar



Easy to Use Integrated Weight System

Propane Engine	Kawasaki FX600V	Machine Dimensions	76.5x32x48 in
Engine Capacity	603cc	Crate Size	58x33x57 in
	704 lbs	Propane Tank Capacity	20 lbs
Weight of Machine	794 lbs	Water Tank Capacity	5.2 gal
Grinding Pressure, Weights UP	448 lbs		0
		Vacuum Hose Port	Camlock E250
Grinding Pressure, Weights DOV	VN 529 lbs		
Tool Holder RPM	570-1030 rpm	Water feed (w/pump)	Peripheral & Front Mist
Engine RPM	2000-3600 rpm	Third Wheel	No
Working Width	30 in	Application	Wet or Dry
Tool Holder Diameter	3x13.2 9 in		



# LAVINA® L25GE

The L25GE features a dust-proof grinding head with low friction chain gear planetary drive, dust suppressing fine misting system with high pressure spray nozzles and LED lights mounted in front and back for easy surface monitoring.

#### Other features include:

- Improved dust collection system
- EPA "Blue Sky" Series
- Lavina's Fuel Minder System for greater efficiency
- Easy to use integrated weights
- LED lights in front and back
- Adjustable handle bar
- USB 2.0 Ports (phone charging station)
- Durable stainless steel cupholder



**Dust Suppressing** Fine Misting System

Propane Engine Ka	wasaki FX600V	Machine Dimensions	71x28x48 in
Engine Capacity 60	3cc	Crate Size	58x33x57 in
Weight of Machine	764 lbs	Propane Tank Capacity	20 lbs
		Water Tank Capacity	5.2 gal
Grinding Pressure, Weights UP	418 lbs	Vacuum Hose Port	Camlock E250
Grinding Pressure, Weights DOWN	1 489 lbs		
Tool Holder RPM	570-1030 rpm	Water feed (w/pump)	Peripheral & Front Mist
Engine RPM	2000-3600 rpm	Third Wheel	No
Working Width	25 in	Application	Wet or Dry
Tool Holder Diameter	3 x 9 in	L	-



#### Lavina<sup>®</sup> Elite Series – Propane



# LAVINA® L20GE

The L20GE is a 20 inch grinder, where power may not be available, with no need for expensive generators or dealing with heavy cords. Lavina's Fuel Minder System employs a digital fuel control system w/closed loop feedback, fuel lock-off capability, emissions safety warnings with shutdown, and an LCD screen user interface.

- Engine operates cleaner than regulations require
- EPA "Blue Sky" Series
- Added protection against excessive voltage
- · Easy to use integrated weights
- Fuel Minder
- Use for wet or dry grinding

Propane Engine Ka	awasaki FS481V	Machine Dimensions	66x22x48 in
Engine Capacity 60	)3cc	Crate Size	55x29x56 in
Weight of Machine	645 lbs	Propane Tank Capacity	20 lbs
0		Water Tank Capacity	5.2 gal
Grinding Pressure, Weights UP	267 lbs	Vacuum Hose Port	Camlock E250
Grinding Pressure, Weights DOWN	365 Ibs	Water feed (w/pump)	
Tool Holder RPM	610-1090 rpm		Front Mist
Engine RPM	2000-3600 rpm	Third Wheel	No
Working Width	20 in	Application	Wet or Dry
Tool Holder Diameter	3 x 9 in		











# LAVINA® L13GE

The L13GE is a 13 inch grinder that combines the convenience a propane engine with fine adjustment features for high quality grinding at an economical entry price. Grinding head is 4" high to fit underneath shelves and propane engine allows use where power may not be available, with no need for expensive generators or dealing with heavy cords. New spash shield and upgraded rollers prevent damage to walls during surface grinding and new adjustable handlebars allow for easier use by operators regardless of size.

- Engine operates cleaner than regulations require
- Tilt adjustment for precision head pitch
- 13" Grinding head with new tool security lock
- Multi-point leveling system
- Use for dry grinding

·			
Propane Engine	Kawasaki FJ180V	Machine Dimensions	48x24x36 in
Engine Capacity	5.5 Hp	Crate Size	56x29x43 in
Weight of Machine	262 lbs	Propane Tank Capacity	20 lbs
Grinding Pressure	73 lbs	11	N/A
Additional Weights	N/A	Vacuum Hose Port	2 in
Tool Holder RPM	525-900 rpm	Water feed (w/pump)	Peripheral & Front Mist
Engine RPM	2100-3600 rpm	Third Wheel	No
Working Width	13.2 in	Application	Dry only
Tool Holder Diameter	3 x 9 in		,,



#### Makinex Generators



# Makinex 9KW Generator

The Makinex Generator Range is a robust, powerful and reliable solution for providing power to equipment and tools, floor grinding, welders and brick saws, air compressors and a wide range of applications. Having DUAL phase power, this compact generator will get the job done!

Max output	9kw
Frequency	60Hz
Voltage	120V/240V + 208 3 phase
	120V/240V + 240 3 phase
Rated output	8500W
Max output	9000W
Sockets	30 Amp 3-phase / 30amp
	single-phase / 20 Amp
Weight	220 lbs
Noise Level (7m)	No Load – 72
	50% Load – 76DB
	100% Load – 78DB
Rated power factor	0.8
Engine Type	Single cylinder air cooled
Model	Honda gx390
Starting System	Pull start
Displacement	389cc
Net Power	7.8 KW @ 3000 rpm
Continuous Power	6.4 KW @ 3000 rpm
Fuel economy	2.4 L/H @ 50% Load
Fuel Tank	1.76 Gak (6.5L)



Stock No.	Description	Price
802801	Makinex 16KW, 240V GAS	\$11,549.00
802803	Makinex 16KW, 480V GAS	

Makinex Generator	Lavina Machines
9KW 240V	L20E, L20NE, L25E, LB21-E
16KW 240V	L20E, L20NE, L25E LB21-E L25LE, L30LE, L26RE
16KW 480V	L25LE-HV, L30LE-HV, L32E-HV, L32RE-HV

# Makinex 16KW Generator's

The Makinex Generator Range is a robust, powerful and reliable solution for providing power to equipment and tools, floor grinding, welders and brick saws, air compressors and a wide range of applications.

They are suitable for use in rental yards, construction sites, and rural areas, and offer a compact lightweight option when moving the Generators around on building sites as well as on and off vehicles.

Max output	16kw
Frequency	60Hz
Voltage	120V/240V +240
	3 phase (also comes in 480V)
Rated output	16000W
Sockets	50 Amp 3-phase / 50amp
	single-phase / 30 Amp x 2 / 20amp
Weight	342 lbs
Noise Level (7m)	No Load – 72dB
	50% Load – 76dB
	100% Load – 78dB
Rated power factor	0.8
Engine Type	Twin cylinder air cooled petrol
Model	Honda gx690
Starting System	Electric/Key Start
Displacement	688cc
Engine Fuel	0.92 gal @ 50% Load economy
Fuel Tank	9 Gallons
Dimensions	30.4" (L) x 20.8" (W) x 35.5" (H)

## LAVINA® Machine Accessories

Stock No.	Description	Price
869121	Lavina 83 MM X Quick Change Aluminum Lippage Holder	\$24.00
869135	Lavina Universal Quick Change Trapezoid Holder (w/ 3 Holes)	
869136	Lavina X Quick Change 4" Aluminum, Lippage Holder	
869222	Lavina 7" Foam Plate	
869638	Lavina S 9" QC Tool Holder Assembly	
869139	Lavina X 9" QC Tool Holder Assembly	
869639	Lavina X 9" Foam Head Fits S and X Series	
869640	Lavina X 13.5" Tool Holder Assembly Fit S Series QC	
869513	Lavina X 13.5" Foam Head Fits S and X Series	
869140	Lavina X 13.5" Quick Change Tool Holder Assembly	
869230	Lavina 48 LB Weight for 20 (Pro, S & X Series)	
869216	Lavina 64 LB Weight for 25 (and higher Pro, S & X Series)	

## X Quick Changes Plates for Other Machines

X Quick change and foam velcro plates are available for most floor grinders. If you don't see your model, please call us toll-free 866-639-0960

Stock No.	Description	Price
869130	Lavina X 7" Quick Change Plate for EDCO	\$96.00
869124	Lavina 8 5/8" X Quick Change Metal Plate for New Style HTC500 and HTC650	84.00
869126	Lavina X 9" Quick Change Metal Plate, Husky PG530 & PG680	87.00
869127	Lavina 9.5" X Quick Change Metal Plate for Diamatic BMG780 and BMG835	90.00
869128	Lavina 9 1/2" Quick Change Metal Plate, Scanmaskin X Diamonds ONLY	90.00
869131	Lavina X 10" Quick Change Plate for EDCO	150.00
869122	Lavina 10 5/8" X Quick Change Metal Plate for HTC800HDX, HTC950RX, SASE600, SASE8000	90.00
869123	Lavina 10 5/8" X Quick Change Metal Plate for Old Style HTC800 Classic	90.00
869125	Lavina 10 5/8" X Quick Change Metal Plate for Husqvarna PG820 and PG950	96.00
869134	Lavina X Quick Change Trapezoid Holder for Terrco	28.50
869133	Lavina X Quick Change Trapezoid Holder for EDCO	30.00
869120	Lavina Quick Change Trapezoid Holder for STI PrepMaster 3030	28.50
869129	Lavina Trapezoid Holder for EDCO	144.00

## LAVINA® Velcro Protectors

Designed to work on the Lavina 20, 25, and 32 machines and the 13.5 work with the Lavina 30 and 13N-S machines. These protectors are designed to protect the Velcro hook on the yellow for the heads.

Stock No.	Size	Description	Price
968263	9″	w/ 3 83mm cut outs	\$23.33
968262	13.5″	w/ 6 83mm cut outs	



Great way to extend the life of your Foam Plates.



#869134





#869133



#869130

#869124






#869126

#869127





#896131



Dust and Silica Warning See Inside Front Cover



#869125



#869120

California residents see Prop 65 warnings www.P65Warnings.ca.gov

# LAVINA® Quick Change Hybrid & Resin Tooling

Superabrasive's transitional and polishing tools are now available in Quick Change type for fast and easy attachment directly to the grinding heads. Each tool has its own foam layer allowing for extra flexibility and better refinement. Compatible with Lavina and other grinders (using a Lavina Quick Change Adapter plate).



## CORSA HYBRID DISCS

Dry use

Stock No.	Size	Description	Price
105618	3″	30 Grit Quick Change Corsa	\$29.00
105619	3″	50 Grit Quick Change Corsa	29.00
105620	3"	100 Grit Quick Change Corsa	29.00
105621	3"	200 Grit Quick Change Corsa	29.00



#### HD COPPER DISCS

May be used for wet grinding but always use them wet as a first cutting step.

		8 1	
Stock No.	Size	Description	Price
105598	3"	50 Grit Quick Change Copper	\$33.00
105599	3"	100 Grit Quick Change Copper	33.00
105600	3"	200 Grit Quick Change Copper	33.00
105601	3"	400 Grit Quick Change Copper	33.00



## HEAVY DUTY RESIN DISCS

<ul> <li>Dry u</li> </ul>	se		
Stock No.	Size	Description	Price
105590	3″	.30 Grit Quick Change Resin	\$26.00
105591	3"	.50 Grit Quick Change Resin	26.00
105592	3"	.100 Grit Quick Change Resin	26.00
105593	3"	.200 Grit Quick Change Resin	26.00
105594	3"	.400 Grit Quick Change Resin	26.00
105595	3"	.800 Grit Quick Change Resin	26.00
105596	3"	.1500 Grit Quick Change Resin	26.00
105597	3″	.3000 Grit Quick Change Resin	26.00



## **3-STEP SYSTEM, DRY RESIN**

<ul> <li>Dry u</li> </ul>	se		
Stock No.	Size	Description	Price
105587	3"9	Step 1 Quick Change Resin	\$28.00
105588	3"9	Step 2 Quick Change Resin	
105589	3"9	Step 3 Quick Change Resin	



**NO FOAM** 

**PLATES NEEDED!** 


## NATO DISCS

- Available as wet or dry type
- Wide channels for high quality polishing
- Patented tread design, 12mm thick

			YIY YIY	
Stock No.	Size	Description	on <b>DRY</b>	Price
105602	3"	30 Grit NATO	), DRY	\$19.10
105603	3"	50 Grit NATO	, DRY	19.10
105604	3" '	100 Grit NAT	0, DRY	19.10
105605	3"	200 Grit NAT	0, DRY	19.10
105606	3"4	400 Grit NAT	0, DRY	19.10
105607	3"8	800 Grit NAT	O, DRY	19.10
105608	3" '	1500 Grit NA	TO, DRY	19.10
105609	3"	3000 Grit NA	TO, DRY	19.10

Stock No.	Size	Description	Price
105610	3″	.30 Grit NATO, WET	\$19.10
105611	3″	.50 Grit NATO, WET	19.10
105612	3"	.120 Grit NATO, WET	19.10
105613	3″	.220 Grit NATO,WET	19.10
105614	3″	.400 Grit NATO, WET	19.10
105615	3"	.800 Grit NATO, WET	19.10
105616	3"	.1500 Grit NATO, WET	19.00
105617	3″	.3500 Grit NATO, WET	19.10

WET



Stock No.	Description	Price	
105629	30 Grit TRAPEZOID	\$19.00	
105630	50 Grit TRAPEZOID	19.00	
105631	100 Grit TRAPEZOID	19.00	
105632	200 Grit TRAPEZOID	19.00	

DRY

200 Grit, 9" DRY, Waffel ......23.00

400 Grit, 9" DRY, Waffel ......23.00

800 Grit, 9" DRY, Waffel ......23.00

Price

Stock No. Description

105637

105638 105639

105640

105641

105642

105643

#### TRAPEZOID RESIN POLISHING PADS

For wet or dry polishingWide channels for high

quality polishing

Stock No.	Description	Price
105633	400 Grit TRAPEZOID	\$19.00
105634	800 Grit TRAPEZOID	19.00
105635	1500 Grit TRAPEZOID	19.00
105636	3000 Grit TRAPEZOID	19.00

### QUICK CHANGE WAFFEL RESIN PADS

- Available in dry use only bond
- 12mm Thick resin

Stock No.	Description WET	Price
105648	50 Grit , 9" WET, Waffel	\$23.00
105649	120 Grit, 9" WET, Waffel	23.00
105650	220 Grit, 9" WET, Waffel	23.00
105651	400 Grit, 9" WET, Waffel	23.00
105652	800 Grit, 9" WET, Waffel	23.00
105653	1800 Grit, 9" WET, Waffel	23.00
105654	3500 Grit, 9" WET, Waffel	23.00





#### LAVINA<sup>®</sup> Quick Change<sup>™</sup> X-Tooling System

IAVINA 

The Quick Change system features replaceable trapezoid pads that easily slide in and out of a reusable plate - no bolting required! Instead of bolts or screws, the metal bonded trapezoid pads are held into place by a tapered "dove tail" system, further strengthened by a magnetic backing, making tool changes a breeze!

Stock No.	Grit	Rectangle	Price
002548	6	Rectangle One Rect for Soft (Yellow)	\$32.00
002549	14	One Rect for Soft (Yellow)	30.00
002550	30	One Rect for Soft (Yellow)	26.00
002551	50	One Rect for Soft (Yellow)	26.00
002552		One Rect for Soft (Yellow)	
002553		One Rect for Soft (Yellow)	
002554		Two Rect for Soft (Yellow)	
002555		Two Rect for Soft (Yellow)	
002556		Two Rect for Soft (Yellow)	
002557		Two Rect for Soft (Yellow)	
002558		Two Rect for Soft (Yellow)	
002559		Two Rect for Soft (Yellow)	
002560		One Rect for Med (Gray)	
002561		One Rect for Med (Gray)	
002562		One Rect for Med (Gray)	
002563		One Rect for Med (Gray)	
002564		One Rect for Med (Gray)	
002565		One Rect for Med (Gray)	
002566		Two Rect for Med (Gray)	
002567		Two Rect for Med (Gray)	
002568		Two Rect for Med (Gray)	
002569		Two Rect for Med (Gray)	
002570		Two Rect for Med (Gray)	
002571		Two Rect for Med (Gray)	
002574		One Rect for Hard (Red)	
002575		One Rect for Hard (Red)	
002576		One Rect for Hard (Red)	
002577		One Rect for Hard (Red)	
002579		Two Rect for Hard (Red)	
002580		Two Rect for Hard (Red)	
002581		Two Rect for Hard (Red)	
002582		Two Rect for Hard (Red)	
002583		Two Rect for Hard (Red)	
002585		One Rect for Extra Hard (Gold)	
002586		One Rect for Extra Hard (Gold)	
002587		One Rect for Extra Hard (Gold)	
002588		One Rect for Extra Hard (Gold)	
002589		One Rect for Extra Hard (Gold)	
002591	14	Two Rect for Extra Hard (Gold)	49.00
002592	30	Two Rect for Extra Hard (Gold)	34.00
002593	50	Two Rect for Extra Hard (Gold)	34.00
002594	70	Two Rect for Extra Hard (Gold)	34.00
002595	120	Two Rect for Extra Hard (Gold)	34.00
002602	30	One Rect for Super Hard (White)	
002603		One Rect for Super Hard (White)	
002604	70	One Rect for Super Hard (White)	24.00
002605		One Rect for Super Hard (White)	
002606		Two Rect for Super Hard (White)	
002607		Two Rect for Super Hard (White)	
002608		Two Rect for Super Hard (White)	
002609		Two Rect for Super Hard (White)	



#### Quick Change Grinding Segments



#### Surface Pro<sup>®</sup> GOLD Quick Change Grinding Segments

Hardness	Stock No.	Model	Grit/Step	Color	Price Ea.
Soft Concrete	200604	SC1		Gray	\$42.00
Medium Concrete	200602	SA1	20/30	Silver	
	200603	SA2	60/80	Gold	
	200648	SA80	80/100	Red	
Hard Concrete	200606	SS20		Silver	
	200607	SS40	40/50	Black	
XHard Concrete	200608	VS20	20/30	Blue	
	200609	VS40	40/50	White	
XXHard Concrete	200610	VSF20		Pink	
	200611	VSF30		Purple	
	200612	VSF60	60/80	Green	
	200649	VSF150	150	Green	
3X Hard Concrete	200600	VSK20	20/30	Black	

Surface Pro<sup>®</sup> Quick Change grinding segments were developed with concrete professionals in mind. These segments are top quality and they deliver superior cutting with long life. The grinding segments are divided into five different formulations based on concrete hardness: Soft, Medium, Hard, XHard, XXHard and 3XHard. The segments are also brightly colored for easy identification.

#### **Proprietary Matrix**

Our Proprietary diamond bonding process results in a matrix engineered for four primary benefits:

- 1. Guaranteed to out-cut and out-last your current diamonds-Put us to the test!
- 2. Extremely Aggressive Cutting Speed
- 3. No Glazing for Non-Stop Performance
- 4. Availability in a Range of Bonds for Concrete Hardness Variations: Soft, Medium, Hard, XHard, XXHard, and 3X Hard.

Don't Forget MOHS Hardness Kit for Material Testing on page 67 with chart.

Quick and Easy Segment Install and Removal!

release

Surface Pro<sup>®</sup> GOLD Serrated Segments

- Serrated surface and super aggressive diamonds allow for tremendous grinding action
- An ideal solution for quick and efficient removal of concrete surface cream

20/30

• Quick change for easy on and off



200652

## **Rhino Segments**

Based on polycrystalline diamond (PCD) and vacuum brazed diamond tool technology, these tools rapidly remove everything from epoxy and acrylic-based coatings to thinner coatings such as paint or adhesives. Because they have the Surface Pro<sup>®</sup> Quick Change connection, you will be cutting in no time.



In the process of developing a coatings removal tool for the Surface Pro® System, we came up with a design and diamond formulation that was so aggressive we felt compelled to give it a special name. This was the birth of the Rhino, a PCD (Poly Crystalline Diamond) coatings removal segment. The Rhino segment is the meanest segment of its kind in the industry. The Rhino rapidly removes stubborn floor coatings such as epoxy, polyurethane, quartz epoxy, etc.

California residents see Prop 65 warnings www.P65Warnings.ca.gov \$42.00

#### Order By Phone: 800-458-6222 | Order Online: GranQuartz.com/Concrete

#### LAVINA® X QC Trapezoid with PCD Segments and Sacrificial Bars

Designed for aggressive stock and coating removal. These are direction specific tools. Check direction before use. PCD with Sacrificial Bars are for thin to medium coating removal, not for thick.

Stock No.	Description	Price
968290	2PCD seg,w/Sacrificial Bar, Black	\$89.00
968291	2PCD seg,w/Sacrificial Bar Left, Blue	89.00
968292	2PCD seg,Standard Rotation,Black	79.00
968293	2PCD seg,Left Hand Rotation, Blue	79.00

# #968290 #968292 #968291 #968293

• 1 Blue (Propane Machines)

Black (Electric	Machines)
Rhua (Dronana	Machinac)

### LAVINA® QC PCD with Metal Segment

Designed to remove thin to medium coatings, mastics and glue. Metal Button /Segment acts as a stabilizer and depth quide and reduces gouging. Offered with 1 or 2 PCD segments, for right and left rotation. They are direction specific. Removes material from side to side, not from top.

 Black (Electric Machines) Blue (Propane Machines)

Stock No.	Description	Price
002597	w/1 Metal Button & 1 PCD Elec. Black	\$80.00
002598	w/1 Metal Button & 2 PCD Elec. Black	90.00
002599	w/1 Metal Button & 1 PCD Blue	97.00
002600	w/1 Metal Button & 2 PCD Blue.	90.00

## LAVINA<sup>®</sup> Carbide Scrapers

Designed with replaceable tungsten carbide blades for guick and easy removal of thick glues and mastics. Ideal for floors that will be polished.

- Aggressive and fast removal of thick topical coatings *without* damaging sub floor
- Can be used with Lavina and most other grinders on via QuickChange adapter plates
- Best performance on lower rpms

Stock No.	Description	Price
968393	Black, Right Rotation	\$89.00
968394	Blue, Left Rotation	
968452	Square Carbide Blade	

- Black (Electric Machines)
- Blue (Propane Machines)



# LAVINA® Bush Hammer Tooling

For creating a textured, bush-hammered profile on concrete, ideal for use on exterior spaces and for creating anti-slip surfaces. These aggressive concrete texturing tools can be used on any electric Lavina grinder as well as other grinders on the market that use a QuickChange adapter plate. Each bush hammer roller is attached to standard QuickChange trapezoid pad that easily slides in and out the tool holder plate, with no bolting required.

- Designed for use on lower-RPM machines (700rpm or less)
- Great for thin coating removal/floor prep
- Use with security plate on Lavina equipment Stock No. Price 968351 ..... \$499.00

# LAVINA® Tool Box

#968393

Lavina's specialized tool box is made of durable, lightweight aluminum and has 13 dividers, 5 for attaching your QC metals and 8 for your velcro-backed pads. Easily fits 45 pcs. QC metal tools +72 pcs., 3-inch resin pucks.

• Dimensions: 15 x 15 x 12.5" • Weight: 16.5 lbs.

Stock No. Description Price 968371 Lavina Tool Box.. \$399.00

### LAVINA® 3 Step **Dry Polishing Pads**

Lavina<sup>®</sup> Hybrid Polishing system only requires 3 steps to achieve the highest possible gloss, reducing polishing

time by over 50% and increasing tool life significantly. It brings DRY down tools and labor cost per square foot. Can be used on any concrete following the last metal step.

• Dry use

Stock No.	Step	Price
103304	Step 1	\$28.80
103305	Step 2	
103306	Step 3	



#002597

#002599



#968394





AVINA



#002598

IUNINU



St	tock No.	Description	Grit	Price
86	59363	Brazed	46	\$32.00
86	69364	Electroplated.		
86	69365	Electroplated		
86	69366	Electroplated	220	9.60
86	59367	Electroplated	400	9.60
86	59368	Electroplated	600	<b>9.60</b>
86	59368	Electroplated	600	9.60

LAVINA<sup>®</sup> CornerPro **Triangle Polishing Pads** 

Designed to reach the inside of difficult 90° corners and areas where most tooling cannot reach. Special triangular shape reaches the furthest depths of corners and edges. Available in brazed, resin and electroplated bonds.

Stock No.	Description	Grit	Price
869369	Resin	400	\$8.00
869371	Resin	800	8.00
869372	Resin	1800	8.00

## **CALIBRA®** Ceramic Polishing Pads

- Dry use.
- Excellent solution for removing difficult scratches left behind by the metal bond grinding steps
- Hybrid ceramic bond designed for hard and medium concrete applications only. shorter life when used on softer floors. Wet or dry use.
- Smooth transition from metal to resin bond for superior polish

#### V-HARR<sup>®</sup> System for Polishing and Restoring Concrete Floors

#### Velcro Back Row

The V-Harr® Polishing System was developed exclusively for polishing and restoring concrete floors. Ideal for terrazzo & soft marble floors and can be used on any planetary movement floor polisher. For dry use on concrete.

• Also available in 5". 8" and 10.75"

Stock No.	Size	Grit	Price
869274	7"	50	\$44.00
869275	7"	120	44.00
869276	7"	220	44.00
869277	7"	400	44.00
869278	7"	600	44.00
869279	7"	800	44.00
869280	7"	1800	44.00
869281	7"	3500	44.00
869282	7"	Buff	44.00

#### Stock No. Size Grit Price 869283 9".....**5**0.....**\$59.00** 869284 9″...... 120...... **59.00** 869285 9"...... 220...... **59.00** 869286 9"...... 400...... **59.00** 869287 9"...... 600...... **59.00** 9"...... 800...... **59.00** 869227 869288 9"...... 1800...... **59.00** 9"...... 3500...... **59.00** 869226 869500

#### LAVINA® 3" Metal Bond Superthick Pads

The Superthick Metal Bond Pads are for QuickChange<sup>™</sup> systems and for velcro bonding. The discs are ideal for grinding concrete, terrazzo, stone self-leveling and overlay floors. The unique metal bond of the pad offers a smooth scratch pattern for an even floor finish. Can be used wet or dry.



#### Velcro Pad (Wet USE ONLY) Sto

10101010		
Stock No.	Grit	Price
869362	46	49.00
600067	70	49.00
600068	120	49.00
103353	220	49.00
103354	400	49.00



## LAVINA® NATO® Dry Polishing Pads

Superabrasive's Nato resin polishing pads are great for dry polishing on soft or harder concrete surfaces.

- Wide channels & patented tread design for work on a cleaner surface, ensuring a high quality polish
- 12mm thick layer of resin and diamonds for extra lona life

0					
Stock No.	Grit	Price	Stock No.	Grit	Price
400289	30	\$19.20	400294	600	\$19.20
400290	50	19.20	400295	800	19.20
400291	100	19.20	400296	1500	19.20
400292	200	19.20	400297	3000	19.20
400293	400	19.20			



WET

968289

$\lambda = 1$	
YIY	
/ /	
DPY	

Stock No.	Grit	Price
869341	30	\$26.00
869342	50	
869343	100	
869344	200	



Stock No.	Size	Grit	Price
600045	13"	220	\$74.00
600044	13″	400	74.00
600046	13″	800	74.00
600047	13″	1800	74.00
600048	13″	3500	74.00
600049	13″	Buff	74.00



#### QuickChange™ (Wet or Dry use) Grit Price 46 \$64.00 Stock No. 968286 968287 70.....64.00 968288 120.....**64.00**

220.....**64.00** 





### Quick Change Plates

# **Designed for** All Machine Types The Surface Pro<sup>®</sup> Gold Quick Change System was

designed to work with all types of floor machines. Quick change plates are available for most major brands of floor machines and all others are available upon request.

Machine	Stock No.	Description	Price
Cimex 19"	200626	8" (200mm) x 3 Slits	\$115.00
Diamatic	200630	7" (185mm) x 3 Slits	115.00
Diamatic	200631	9 1/2" (240mm) x 6 Slits	161.00
Diams	200632	10" (254mm) x 6 Slits	161.00
EDCO	200632	10" (254mm) x 6 Slits	161.00
HTC 420	200627	6 1/4" (160mm) x 3 Slits	103.50
HTC 500/650	200628	8 5/8" (220mm) x 6 Slits	161.00
HTC 800/950	200629	10 5/8" (270mm) x 6 Slits	161.00
Husqvarna 820	115177	10 9/16" (220mm) x 6 Slits	161.00
SASE	200630	7" (185mm) x 3 Slits	115.00
SASE 780, 800	200631	9 1/2" (240mm) x 6 Slits	161.00
Prep Master Terrco	200659	2 Slots	



#### Accessories

Stock No.	Description	Price
100212	Surface Pro® GOLD 3" Velcro Adapter Rubber Spacers, Female to Male	\$8.25
200655	Surface Pro® Quick Change 3" Velcro Adapter w/Lip and cut out	
200654	Surface Pro® Quick Change Universal Adapter, 3 Hole pattern	



#### LAVINA® Edge Master 5-Step Edge Grinding System

Edge Master 5" and 7" turbo cups feature a proprietary high performing ceramic bond and is available in 5 grits to assist in making your edge work faster and more efficient. Use the extra coarse step when you need to remove deep scratches and gouges, or any hard topical materials on the edges. In most cases, you can start with the Coarse step.Designed with 5/8-11 threaded attachment for use on most handheld grinders.

- For Wet or Dry polishing on all concrete
- Max RPM (5"): 10,000
- Max RPM (7"): 7,000

## LAVINA<sup>®</sup> 3" HD™ Copper Pads

Ideal for making initial cuts on "Big Box"/store projects, continue with HD-Resin, Nato or V-Harr polishing pads. Works great on all sizes of equipment including grinders.


- 3" Diameter, 8mm thick
- Hook & Loop backing
- Wet use

## LAVINA<sup>®</sup> 9" Waffel<sup>™</sup> Heavy Duty Honing Pad Copper

101904

Designed for removing small lippage and deep scratches on new or existing natural stone and decorative concrete floors. Triple segmented ring for use on Lavina 20", 25" and 32".

• Wet or drv use



#### LAVINA<sup>®</sup> HD<sup>™</sup> Resin Pads



Designed to grind, hone, and polish concrete even under heavy equipment. Special hybrid bond for increased durability and tool life.

• Wet or dry use.

Stock No.	Size/Grit	Price	Stock No.	Size/Grit	Price
869470	3", 30	\$ <b>26.67</b>	869479	4", 30	\$33.34
869471	3", 50	26.67	869480	4", 50	33.34
869472	3", 100	26.67	869481	4", 100	33.34
869473	3", 200	26.67	869482	4", 200	33.34
869475	3", 400	26.67	869483	4", 400	33.34
869476	3", 800	26.67	869484	4", 800	33.34
869477	3", 1500	26.67	869485	4", 1500	33.34
869478	3", 3000	26.67	869486	4", 3000	33.34

Stock No.	Description	Price
103405	Step 1, Extra Coarse	\$79.00
103406	Step 2, Coarse	79.00
103407	Step 3, Medium	79.00
103408	Step 4, Fine	79.00
103409	Step 5, Extra Fine	79.00

#### 7" Diameter

Stock No.	Description	Price
103390	Step 1, Extra Coarse	\$99.00
103391	Step 2, Coarse	99.00
103392	Step 3, Medium	99.00
103393	Step 4, Fine	99.00
103394	Step 5, Extra Fine	99.00

# MASTER



Stock No.	Grit	Price
103300	50	\$33.54
103301	100	
103302	200	
103303	400	33.54







WET on D

The 7" WAFFEL pad is designed for the lightweight LAVINA 7 Pro machines, while the 9" WAFFEL pad is designed for heavyweight grinding and polishing machines

#### WAFFEL<sup>™</sup> Heavy Duty Polishing Pads

Available in 7" and 9" diameter and types for wet and dry applications. Both sizes feature the same high quality resin bond compound, manufactured to produce an excellent polish. The Lavina Waffel's 10mm thickness ensures outstanding tool life and prolonged performance. For wet or dry polishing.

Stock No.	Size/Grit	Price	Stock No.	Size/Grit	Price
869265	7", 30	\$44.88	869410	9", 30	\$72.00
869266	7", 50	44.88	869411	9", 50	72.00
869267	7", 100		869412	9", 100	72.00
869268	7", 200		869413	9", 200	72.00
869269	7", 400		869414	9", 400	72.00
869270	7", 600		869415	9", 600	72.00
869271	7", 800		869416	9", 800	72.00
869272	7", 1500		869417	9", 1500	
869273	7", 3000	44.88	869418	9", 3000	72.00



# Pearl Vacuum Cleaners



# **PEARL**,

## INDUSTRIAL HEPA VACUUM CLEANERS

- Compliant with OSHA's respirable crystalline dust standards
- Heavy-duty construction
- Ideal for power tools, 17" floor machines, walk-behind saws, 20"-25" concrete grinding and polishing machines and construction cleanup
- HEPA Filtration for improved indoor air quality
- Mess-free dust disposal with Longopac bagging system
- Air pulse filter cleaning system efficiently purges the pre-filter within the closed vacuum
- 2 (PAV-26) or 3 (PAV-36) switch system allows you to activate each motor independently
- Certified cylindrical shaped HEPA filter guaranteed 99.99% efficient at 0.3 microns
- 2" hose Inlet and 33' hose
- Large heavy duty wheels for easy transport over power cords and other floor obstructions
- Manometer, measures the negative pressure within the tank and alerts the operator when filter needs service
- Hour meter, helps to monitor HEPA filter life
- Two-year limited warranty

#679081 \$4,280.00



#### SPECIFICATIONS:

Model	V-MAX™ PAV-26	V-MAX™ PAV-36		Wand
Voltage/Hz	110V/60HZ	220V/60HZ	ALC N/ B	#679279 \$ <b>84.80</b>
Power	3.4 HP	5.1 HP	Floor Tool	<b>JOT.00</b>
Airflow	258 CFM	353 CFM	#679280	° 6 9
Max Air Pressure	100" H20	100" H20	\$84.80	
QTY of 1st Stage Filters (unit)	1	1		
QTY of 2nd Stage Filters (unit)	2	3		Contraction of
Air Inlet	2" (standard)	2" (standard)	HEPA Filter	Provide Statement of the Statement of th
Noise	82±2dB	82±2dB	Cartridge	
Filter Efficiency	99%	99%	#679261	
Material of 1st Filter	Anti-static material	Anti-static material	\$128.00	
Material of 2nd Filter	Imported TORAY	Imported TORAY		
Filter Fineness	0.3-3 microns	0.3-3 microns		ALL MORE
Main Filtering Method	Outer-filtering type for 1st stage filter Inner-filtering type for 2nd stage filter	Outer-filtering type for 1st stage filter Inner-filtering type for 2nd stage filter	T	Anti-Static Filter Cartridge
Dimension	31" x 23" x 47"	36" x 23" x 53"	Dust Bag	#679260 (PAV-26)
Weight	181 lbs.	216 lbs	#679050 \$ <b>72.00</b>	<b>\$163.20</b> #679277 (PAV-36)

#679080 \$2,399.00

\$176.00



Engine	Kawasaki FX1000V
Engine Capacity	999cc, 61 cu.in.
Propane Tank Capacity	33.5 lbs / 15.2 kg
Main Filter	Cartridge with 30 sock filters
Filter Surface Area	52 ft² / 4.8 m²
Filter Cleaning	Automatic
HEPA Surface Area (1 x H13)	108ft <sup>2</sup> / 10m <sup>2</sup>
Max Airflow	736 CFM / 1,250 m3/h
Max Vacuum	120 in / 0.3 bar
Longopac <sup>®</sup>	Yes
Main Vacuum Hose (Camlock)	3 in x 32 ft / 75 mm x 10 m
Dimensions (LxWxH)	91 x 35 x 68 in / 232 x 89 x 173
Weight	1,212 lbs / 550 kg

- AUTOMATIC filter cleaning
- Integrated preseparator for improved filter life
- Tiltable filter chamber with gas springs to facilitate filter changes
- Dual intake port allows for connecting 2 large grinders via 3" hoses
- Adjustable cleaning interval, an option for forced cleaning, and an option for manual cleaning in emergencies
- EPA & CARB Blue Sky Engine featuring the new Lavina Fuel Minder
- Larger, stronger turning rubber wheels with brakes in front and foam-filled wheels in the back
- 2 anti-static hoses with metal camlock and a floor tool kit





#### Lavina<sup>®</sup> V32G-X Propane Dust Extractor

- Cartridge with 15 sock filters
- 2 Hepa H13 filters
- Automatic filter cleaning
- Integrated preseparator for improved filter life
- Adjustable cleaning interval, an option for forced cleaning, and an option for manual cleaning in emergencies
- EPA & CARB Blue Sky Engine featuring the new Lavina Fuel Minder
- Equipped with 2 anti-static hoses with metal camlock and a floor tool kit
- Non-marking rubber tires with brakes









#### 

Engine	Kawasaki FS481V
Engine Capacity	603cc, 36.8 cu.in.
Propane Tank Capacity	20 lbs / 9 kg
Main Filter	Cartridge with 15 sock filters
Filter Surface Area	26 ft² / 2.4 m²
Filter Cleaning	Automatic
HEPA Surface Area (2 x H13)	37.7ft <sup>2</sup> / 3.5m <sup>2</sup>
Max Airflow	410 CFM / 700 m <sup>3</sup> /h
Max Vacuum	120 in / 0.3 Bar
Longopac®	Yes
Main Vacuum Hose (Camlock)	3 in x 32 ft / 75 mm x 10 m
Dimensions (LxWxH)	59 x 30 x 64 in / 149 x 74 x 164
Weight	850 lbs / 384 kg




\$9,990.00

#### Lavina V25GE Propane Dust Extractor

- 3-stage dust collection (cyclone, conical filter and Hepa).
- New filter chamber design with smaller dimensions but more space for dust.
- Improved conical filter made of the best filter material in the industry (thermally • bonded PTFE membrane with ALU coating for excellent dust release; hydrophobic; antistatic); new seals; Additional 3rd valve for dust release before and after filter cleaning without stopping the vacuum. On electric models, the motors have separate valves and work independently from each other, so vacuum continues to work even if one motor is down.
- Easy access to the HEPA filter.
- Completely metal construction with innovative design, smaller and lighter for easier transportation
- Option to attach 6.5" air duct.
- New, easier to mount Longopac attachment
- Adjustable hood clamps.









#### Lavina® **PSE Pre-Separator**

- Extends vacuum filter life and reduces the need to clean and replace it
- Large dust chamber allows for less frequent cleaning
- Can be used with all Lavina Vacuums
- New body design with smaller dimensions & lighter construction for easier transportation.
- New, easier to mount Longopac attachment
- Easy maintenance

#968956 \$1,190.00











IAVINA



n.		
	Engine	Kawasaki FS481V
t.	Engine Capacity	603cc, 36.8 cu.in.
<b>U</b> .	Propane Tank Capacity	20 lbs / 9 kg
	Main Filter	Conical Filter
	Filter Surface Area	48.4 ft² / 4.5 m²
	Filter Cleaning	Automatic
	HEPA Surface Area (1 x H13)	37.7ft <sup>2</sup> / 3.5m <sup>2</sup>
	Max Airflow	294 CFM / 500 m3/h
	Max Vacuum	120 in / 0.3 bar
	Longopac®	Yes

#### IAVINA **SUPERABRASIVE**

Model	PSE
Longopac	yes
Main Vacuum Hose	3 in x 6.5 ft 75 mm x 2 m
Inlet	Comlock 3"
Outlot	Camlock 3"
Dimensions	26x21x53 in 65x52x143cm
Weight	121 lbs / 55 kg
Weight	441 lbs / 200 kg



#### Lavina<sup>®</sup> Dust Extraction



Lavina V32-X Electric Vacuum

- Cartridge with 15 sock filters
- 2 Hepa H13 filters
- AUTOMATIC filter cleaning
- Integrated preseparator for improved filter life
- Adjustable cleaning interval, an option for forced cleaning, and an option for manual cleaning in emergencies

IAVINA

**SUPERABRASIVE** 

- Distribution plug for connecting a grinder to the vacuum
- Non-marking rubber tires with brakes
- Equipped with 2 anti-static hoses with metal camlock, and a floor tool kit

#869174 (V32-X-480) #869167 (V32-X-230) \$9.990.00 \$9,990.00



#968957 \$3.990.00



#969008 (V20-E-115) \$2,390.00 #969009 (V20-E-230) \$2,390.00



### Lavina<sup>®</sup> V25-E Electric Vacuum

- 3-stage dust collection (cyclone, conical filer and hepa)
- New filter chamber design with smaller dimensions but more space for dust.
- Improved conical filter made of the best filter material in the industry (thermally bonded PTFE membrane with ALU coating for excellent dust release; hydrophobic; antistatic;) new seals
- Additional 3rd valve for dust release before and after filter cleaning without stopping the vacuum
- On electric models, the motors have separate valves and work independently from each other, so vacuum continues to work even if one motor is down.
- Easy access to the HEPA filter
- · Completely metal construction with innovative design, smaller and lighter for easier transportation
- Option to attach 6.5" air duct. • New, easier to mount Longopac attachment
- Adjustable hood clamps.

#### Lavina<sup>®</sup> V20-E Electric Vacuum

- 3-stage dust collection (cyclone, conical filer and hepa)
- New filter chamber design with smaller dimensions but more space for dust.
- Improved conical filter made of the best filter material in the industry (thermally bonded PTFE membrane with ALU coating for excellent dust release; hydrophobic; antistatic;) new seals
- Additional 3rd valve for dust release before and after filter cleaning without stopping the vacuum
- On electric models, the motors have separate valves and work independently from each other, so vacuum continues to work even if one motor is down.
- Easy access to the HEPA filter
- · Completely metal construction with innovative design, smaller and lighter for easier transportation
- Option to attach 6.5" air duct.
- New, easier to mount Longopac attachment
- Adjustable hood clamps.

	#869167	#869174
MODEL	V32-X-230	V32-X-480
Motor	Turbine Motor	Turbine Motor
Voltage*	3Phase 208V, 60Hz	3Phase 208V, 60Hz
Amperage	26.7 Amp	13.7 Amp
Motor Power	10 HP / 7.5kW	11.6 HP / 8.6kW
Main Filter	Cartridge w/15 Sock Filters	Cartridge w/15 Sock Filters
Filter Surface Area	26 ft² / 2.4 m²	26 ft² / 2.4 m²
Filter Cleaning	Automatic	Automatic
HEPA Filter Surface Area	53ft <sup>2</sup> / 5m <sup>2</sup>	53ft <sup>2</sup> / 5m <sup>2</sup>
Max Airflow	380 CFM / 650 m <sup>3</sup> /h	380 CFM / 650 m³/h
Max Vacuum	120 in / 0.3 bar	120 in / 0.3 bar
Longopac®	Yes	Yes
Main Vacuum Hose (Camlock)	3 in x 32 ft / 75 mm x 10 m	3 in x 32 ft / 75 mm x 10 m
Dimensions (LxWxH)	59 x 29 x 65 in / 149 x 74 x 164	59 x 29 x 65 in / 149 x 74 x 164
Weight	662 lbs / 300 kg	662 lbs / 300 kg

.....

#### #069057

	#968957
MODEL	V25-E-115
Motor	3 Bypass Motors
Voltage*	1Phase 115V
Amperage	19.5 Amp
Motor Power	3.4 HP / 2.5kW
Main Filter	Conical Filter
Filter Surface Area	43 ft² / 4.5 m²
Filter Cleaning	Manual
HEPA Filter Surface Area	21.5 ft <sup>2</sup> / 2m <sup>2</sup>
Max Airflow	286 CFM / 486 m <sup>3</sup> /h
Max Vacuum	81 Water Lift / 0.2 Bar
Longopac®	Yes
Main Vacuum Hose (Camlock)	2.5 in x 32 ft / 63 mm x 10 m
Dimensions (LxWxH)	36.5 x 23 x 63in / 94 x 60 x 162cm
Weight	209 lbs / 95 kg

	#969008	#969009
MODEL	V20-E-115	V20-E-230
Motor	2 Bypass Motors	2 Bypass Motors
Voltage*	1 Phase 115 V	1 Phase 230 V
Amperage	15.4 Amp	13 Amp
Motor Power	2.6 HP / 2.5kW	3.3 HP / 3.6kW
Main Filter	Conical Filter	Conical Filter
Filter Surface Area	32 ft² / 3 m²	32 ft² / 3 m²
Filter Cleaning	Manual	Manual
HEPA Filter Surface Area	21.5 ft² / 2m²	21.5 ft² / 2 m²
Max Airflow	194 CFM / 486 m <sup>3</sup> /h	257 CFM / 650 m <sup>3</sup> /h
Max Vacuum	86.5 Water Lift / 0.22 Bar	100.4 Water Lift/ 0.25 Bar
Longopac <sup>®</sup>	Yes	Yes
Main Vacuum Hose (Camlock)	2 in x 24 ft / 50 mm x 7.5 m	2 in x 24 ft / 50 mm x 7.5 m
Dimensions (LxWxH)	33 x 23 x 55 in / 83 x 59 x 139 cm	33 x 23 x 55 in / 83 x 59 x 139 cm
Weight	176 lbs / 80 kg	176 lbs / 80 kg

#### Dust & Debris Management

## Husqvarna<sup>®</sup> S13 HEPA **Dust Extractor**

With Jet Pulse filter cleaning

S 13 is a quiet-operating single-phase HEPA dust collector to match the power cutter Husqvarna K 3000, hand held grinders, small grinders 5-7", small scarifiers and drywall sanders. This professional dust extractor is an allaround construction vacuum for picking-up a wide range of building materials and debris. Equipped with a tested and certified HEPA H13 filter. Features include Jet Pulse pre-filter cleaning and vacuum meter for filter control. The non-marking wheels are puncture free and lock at the front. The Longopac® bag hose system ensures simple, dust-free bag changes.



Horsepowe	r	1.7hp
Voltage		120V / 230V
Amperage		9.8 Amp / 4.9 Amp
Air Flow Ca	pacity	129 CFM
Weight of N	lachine	66 lbs.
HEPA Filter		9 sq. ft.
Cartridge P	refilter	9 sq. ft.
Water lift		100"
Hose		1.5in. x 16ft. long
Stock No.	Descript	tion Price
869630	120V	\$1,403.00
869599	Conical P	re-Filter <b>187.68</b>



#### HEPA FILTER VAC

3.4hp
120V / 230V
18 Amp / 9 Amp
258 CFM
103 lbs.
18 sq. ft.
18 sq. ft.
100"
2in. x 25ft. long

Stock No.	Description	Price
869533	230V	\$2,638.00
869540	HEPA Filter S-Line	
869539	Longopac 4 pack	134.64
869599	Conical Pre-Filter	187.68

#### Husqvarna<sup>®</sup> S50 Wet/Dry **HEPA Vacuum**

Single motor HEPA Vac with plug for power.

- 14 gallon tank
- Stops on demand from power tool
- Auto filter shaking system
- Suction power is adjustable



#### HEPA FILTER VAC

Horsepower	1.7hp
Powered	120V/230V
Amps	9.8/4.9
Air Flow Capacity	129 CFM
Weight of Machine	55 lbs.
HEPA Filter	2 filters • 8ft <sup>2</sup>
Tank Capacity	14 Gallons
Water lift	100"
Cord Length	25'

Description Price Stock No 869629 S50 Wet/Dry ......\$785.00

### Husqvarna<sup>®</sup> S36 HEPA **Dust Extractor**

Most powerful single-phase HEPA Dust Extractor on the market. With Jet Pulse filter cleaning



HEPA FILTER VA	4C	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
Horsepowe	r	5.1hp	
Voltage		120V / 230V	
Amperage		18 Amp / 14.5 An	np
Air Flow Ca	pacity	285 CFM / 353 C	FM
Weight of M	lachine	175 lbs.	
HEPA Filter		27 sq. ft	
Cartridge P	refilter	40 sq. ft	
Water lift		80" / 100"	
Anti-Static H	Hose	2.5in. x 33ft. long	
Cleaning Ho	ose	2in. x 25ft. long	
Stock No.	Description		- Price
869882 1	10V	\$4	,610.00

	20001121011	
869882	110V	\$4,610.00
869990	230V, 1PH	4,871.00
869540	HEPA Filter S-Line	
869539	Longopac 4 pack	134.64
869600	Conical Pre-Filter	

### Husqvarna<sup>®</sup> S25 Wet/Dry **HEPA Vacuum**

Single motor HEPA Vac with plug for power.

• 7 gallon tank

550

- Stops on demand from power tool
- Auto filter shaking system
- Suction power is adjustable



HEFATIETER	1 VAO	
Horsepow	er	1.7hp
Powered		120V/230V
Amps		9.8/4.9
Air Flow C	apacity	129 CFM
Weight of	Machine	39 lbs.
HEPA Filte	er	2 filters • 8ft <sup>2</sup>
Primary P	refilter	Coated Pre-Filter socks
Water lift		100"
Hose		25'
Stock No.	Descriptio	n Price
869628	S25 Wet/Dry	\$675.00

Dust and Silica Warning See Inside Front Cover



California residents see Prop 65 warnings

### Dust & Debris Management

#### Husqvarna® T8600 HEPA Comes with or w/out Dist. Box

Don't be misled by it's size. Easy to transport to and from the jobsites Unique 70' Longopac<sup>®</sup> allows fast, dropdown, dust free disposal.

- 49‴x 27"x 69'
- 3 Phase





Horsepower	11.9hp
Voltage	480 V
Amperage	14 Amp
Air Flow Capacity	353 CFM
Weight of Machine	439 lbs.
HEPA Filter	54 sq. ft
Sock Prefilter	40 sq. ft
Water lift	110"
Tube filter	25 sq. ft

Stock No	).	Price
869635	T7500, 230V, 24 Amp	\$13,201.00
869541	HEPA Filter T Line	
869539	Longopac 4 pack	134.64

#### Husqvarna® T10000 3Phase HEPA with 50 amp Dist. Box

T10000 packed with plenty of power and filter area. Exceeds the requirements of

most 3-head grinders. Unique 70' Longopac<sup>®</sup> allows fast, dropdown, dust free disposal.

• 3 Phase

• Includes 3"x 33' hose, 2", 25" hose, wand and floor tool





Horsepower	13hp
Voltage	480 V
Amperage	16 Amp
Air Flow Capcity	480 CFM
Weight of Machine	845 lbs.
3 HEPA Filter	81 sq. ft
Primary Prefilter	Sock style
Water lift	120"
Stock No.	Price

OLUCK INC	/.	THUE
869696		\$13,761.00
869541	HEPA Filter T Line	
869539	Longopac 4 pack	134.64

#### Husqvarna® T18000 3Phase HEPA with Dist. Box

Thie most powerful HEPA Dust Extractor on the market. Greatly expanded pre-filter surface area acts as built-in pre-separator. Produces plenty of airflow to handle a single 4-head grinder or 2 ea. 3-head grinders packed with plenty of airflow to handle a single 4-head grinder or 2 ea. 3-head grinder. • 3 Phase

• Includes 3"x 33' hose and single 4" to double 3" Y-connector.





18hp
480 V
28 Amp
710 CFM
905 lbs.
81 sq. ft
140"

Stock No.		Price
869698	T18000, 480V	. \$17,036.00
869541	HEPA Filter T Line	
869539	Longopac 4 pack	





## **Husqvarna**® A600 Air Scrubber

- Clogged filter indicator
- Leakage/broken HEPA filter indicator
- Dimensions: 15"x 17"x 17"

Stock No.	Description	Price
869597	A600 Unit	\$835.00
869601	HEPA Filter	

2.5hp
2.1 Amp
2
300-600 CFM
41 lbs.
56 sq. ft



#### Husqvarna<sup>®</sup> C3000 **Pre-Separator**

Captures 90% of the material before it reaches the dust extractor, keeping your dust extractor filters clean and extending your grinding operation longer without interruption. Equipped with Longopac for dust-free containment and disposal.

- Designed for S26, S36 & T4000
- Dimensions: 25"x 22"x 58"
- Weight: 49 lbs.

Stock No.	Price
869537	\$1,072.00



#### Husqvarna<sup>®</sup> C5500 Pre-Separator

The C5500-pre-separator significantly improves your dust extractor's capacity to handle choking quantities of dust.

- Use with T7500, T8600 & T10000
- Dimensions: 41" x4 9" x 65"

Price

• Weight: 130 lbs.

Stock No. 869538 .....**\$1,992.00** 

## Husqvarna® W70P **Slurry Vacuum with Pump**

Powerful w/evacuation pump emptying is through the valve, oil-cooled pump can handle concrete sludge, oils and cutting fluids. Equipped with a coarse separation basket and wet suction bag. Large bottom valve for simple cleaning.

- 15 gallon tank
- 118 CFM
- Water Lift: 90"
- 104 lbs.

Stock No. Price 869699 ..... **\$2,639.00** 

Dust and Silica Warning See Inside Front Cover





## Dust Control Management



Lavina Air Scrubber

The new LAVINA air scrubber by Superabrasive, provide additional dust protection for cleaner air and a safer work environment. Orange indicator light shows when filter is clogged, Red light prompts to change the Hepa fillter.

- Hepa filtration H13 class, Hepa filter area 113 ft2 / 10.5 m2
- Two speed motor 1350 / 1680 rpm; 0.8 HP / 600 W (full speed)
- Max airflow 1177 ft3/h
- Offered in 115V and 230V
- 10-inch air exhaust
- Non-marking rubber tires with brakes

AVINA

MODEL	LA2000-115
Voltage*	1Phase 115V, 60Hz
Amperage	3.6 / 4.8 Amp, Max. 12 Amp
IP (Ingress Protection)	22
Power	0.8 HP / 600 W (full speed)
Speed	1350 / 1680 rpm
Pre-Filter Area	6.89 ft² / 0.64 m²
Hepa Classification	13
HEPA Filter Area	113ft² / 10.5m²
Max Airflow	1,177 ft³/h / 2,000 m³/h
Sound Level	60-67 db(A)
Dimensions (LxWxH)	27 x 17 x 31 in 69 x 43 x 79 cm
Weight	117 lbs / 53 kg

\*Also available in 230V



868722 868723

Pre Filter for LA2000-115 .....\$16.00 HEPA Filter for LA2000-115...... 250.00



## **NOVAIR®** Dust Removal Systems

#### Novair<sup>®</sup> 1000 Portable HEPA Filtration System

The Novair 1000 is a light, compact and portable HEPA filtration system for use anywhere dust is a concern. Cleans 1,000 cubic feet per minute with filters in place using a powerful 1 Hp, 2 speed motor.

- Vertical "hand truck" profile with non-marring skids & wheels
- Utilizes HEPA filters or Nuisance dust filters
- Polyethylene, dent-proof shell
- Small footprint is great for tighter work areas
- With Audible & visual alarm

#### Stock No. Description

\$809.95	Novair 1000 Filtration System (No Alarm)	104090
	Novair 1000 Filtration System with Alarm	104091
5.95	Ring Filter, 16 x 16"	104092
	Pad Filter, 16 x 16"	104093
	0.3 Micron HEPA Filter, 16 x 16 x 11.5"	104094
	GP Filter Kit to Convert from HEPA	104095
60.95	GP Replacement 0.5 Micron Filter, 16x16x11.5"	104096



Price



Light, compact HEPA filtration system for use anywhere dust is a concern, available in a variety of power sources (110v-220v 50/60Hz) and filter configurations. Easy to decontaminate or clean. Cleans 2,000 cubic feet per minute with filters in place using a powerful 2 Hp, 115V motor with audible and visual alarms.

- Horizontal configuration
- Utilizes HEPA filters or Nuisance dust filters
- Polyethylene shell w/integrated molded carrying handles
- Caster nest for stacking & inset channel for strapping

Stock No.	Description	Price
104080	Novair 1000 Filtration System (No Alarm)	\$989.00
104081	Novair 1000 Filtration System with Alarm	
104082	Ring Filter, 24 x 24"	
104083	Pad Filter, 24 x 24"	
104084	0.3 Micron HEPA Filter, 24 x 24 x 11.5"	
104085	GP Filter Kit to Convert from HEPA	
104086	GP Replacement 0.5 Micron Filter, 24 x 24 x11.5"	67.95

#### Order By Phone: 800-458-6222 | Order Online: GranQuartz.com/Concrete

#### Dust Control Accessories



#### 5" Dust Shroud Deluxe Kit (with Fittings)

Collar with multiple rings supplied with shroud allow the dust shroud to be attached to every common hand grinder

• Swivel for attachment of 1.5" and 2" hoses, replaceable wear plates and a flip up wall hinge

Stock No. 869865.....**\$202.98** 

Ermator

# *Sermator*

## 7" Dust Shroud Deluxe

Price

Collar with multiple rings allows easy attachment to most common hand grinders.

- Swivel for attachment of 1.5" & 2" hoses
- Flexible rubber flange for working contours

PEARL

- Flip up wall hinge for working corners
- Vent hole to adjust suction

Stock No. Price 869839.....**\$192.78** 



#### Vac-Guard EV Dust Shroud

Slide-nose for grinding against walls and edges. Universal connection. Bottom brushes for flexibility to follow surface contours & to maintain suction

- Fits: 4" to 5" grinders
- Includes: Clamp, Cup nut assembly & vacuum adapter
- Vacuum port size: ID 1.0": OD 1.25" adapter 1.5"-1.25"- 1.187"

Stock No. Price 677352.....**\$59.60** 

## Tnakita

#### **5**" Dust Extraction **Tuck Point Guard**

- Adjustable depth setting
- Adjustable depth stops
- Clear viewing window
- Includes: hose holder





Stock No. 196846.....**\$124.99** 

Top-of-the-line dust containment system for 4-1/2 and 7" angle grinders. Available with PEARL tungsten carbide wear pads for longer life! Durable and effective dust containment Vacusystem. For grinding only. Adapts easily to a variety of angle grinders.



 Heavy Duty Aluminum Casting lightweight and durable Built to last! Rebuildable -Parts are replaceable

Stock No	Fits	SizePrice
340299	Metabo	4.5" \$169.95
677301	Dewalt	4.5" \$148.00
115775	Bosch	4.5" \$192.08
677303	Dewalt	7" \$216.00
677304	Bosch	7" \$216.00



#### Vacu-Guard EPS Dust **Containment System** Universal Dust Shroud

- For dust control when grinding concrete, masonry and mortar
- Connects to all commercial vacuums
- Easy to install
- For 4.5-5" and 7-9" grinders

Stock No.	Price	
677355		
677356		

### Tnakita

## **Dust Extracting Cutting Guard**

For use with most Makita 4-1/2" and 5" angle grinders (excluding model 9005B).

Stock No. Price 198415..... **\$81.95** 

#### Thakita **Dust Shroud**

• 4-spring suspension keeps the shroud flush with surface during movement.



· Removable edge piece, allows for surface work flush to other objects.

Stock No.	Size	Price
104225	4 1/2"-5"	\$55.55
104227	7"	69.95

# metabo Dust Shroud

Extraction hood with flexible brush rim for use with angle grinders.

- Quick, tool free installation
- Anti-static synthetic material
- Connection port: 35/41mm

Stock No.	Price
569339	\$98.95



• Connects to all commercial vacuums Easy to install • For 4.5-5" and 7-9" grinders Stock No. Price

Dust Shroud


mortar

Pearl<sup>®</sup> Vacu-Guard


**Dust Containment** System Universal

• For dust control when arind-

ing concrete, masonry and



# 





Price

#### **Dust** Control

# Dustless Technologies®

Size

Stock No.

114922 114923 Price

5″.....**\$83.95** 



# DustBuddies

- Removable front edge of shroud for grinding close to wall/edge
- Brush skirt for textured surface
- Includes: 18" x 1.5" hose

# Wet/Dry Vacuums

# Dustless HEPA Wet/Dry Vacuum D1606

#### Meets strict HEPA guidelines with a certified filter that captures down to .3 microns

- Switch from dry to wet vacuuming without changing filters
- Protective baffle/wall inside canister protects the filter from water.
- Patented triple filter system
- Easily holds 40 lbs. of dust
- Disposable WunderBag micro pre-filter keeps inner & outer filters clean



Dustelss HEPA Wet/	Dry
Air Output Max	130.90 CFM
Amps	10.6
Volts	120V
Water Lift	103.60
Tank Size	16 Gallon
Weight	35 lbs.

Stock No.	Description	Price
160600	Dustless HEPA 16 Gallon Vacuum w/12ft. Hose	\$608.99
133010	Dustless Wet/Dry HEPA Filter, Cover	24.10
114903	Wunderbag Micro Pre Filter Bags (2/Set)	
132010	Dustless Wet/Dry HEPA Filter	

# Dustless Wet/Dry Vacuum D1603

The Dustless D1603 is an excellent choice for cleanup when working with concrete, drywall, stone or other difficult material waste. The D1603 has a protective baffle/ wall inside the cannister to protect the filter from water or other liquids, and the filters are washable for long life.

- Switch from dry to wet vacuuming without changing filters
- Disposable WunderBag micro pre-filter keeps inner and outer filters clean Dustelss HEPA Wet/Drv
- Patented triple filter system
- Easily holds 40 lbs. of dust
- Captures down to .5 Microns
- Disposable WunderBag micro pre-filter keeps inner & outer , filters clean

Stock No.	Description	Price
114300	Dustless Vacuum, CFM 126.39	\$398.95
114902	Replacement Filters, Prim. + Sec. (2/Set)	48.83
114903	Wunderbag Micro Pre Filter Bags (2/Set)	25.73



#### CutBuddies

• Captures 99% of airborne dust while using a cutting blade

Includes: 18" x 1.5" hose



Stock No.	Size	Price
114949	5″	\$104.95
001750	7"	115.45



#### Dustless Technologies®



Air Output Max

Amps

Volts

Water Lift

Tank Size

Weight

130.90 CFM

10.6

120V

103.60

16 Gallon

35 lbs.

- Includes: 2 extension wands, 1 inner and outer filter, 2 Wunderbag micro
  - pre-filters, 1 service tool, 1 floor tool.

Flip- Up Cord Holder

(Minimum and and a second second

#### Dust Control

# Metabo<sup>®</sup> ASR35 ACP <u>HEPA</u> Vacuum

Meets or exceeds all regulatory standards concerning HEPA vacuums and provides the highest level of job-site dust containment.

- Ideal for Concrete dust or slurry and Stone dust
- Automatic shut-down when vacuuming liquids once the maximum fill level is reached
- Suction power control for adapted suction performance
- Power socket-vacuum starts automatically when a tool plugged into the tool outlet is turned on
- Vacuum runs on for 7 seconds after the tool is shut off to clear the hose of any debris
- Twin polyester filter cassettes with large filter area for constantly high suction capacity

Stock No.	Description	Price
569374	Metabo ASR35 Vacuum	\$775.00
630343	Fleece 9 Gallon Pre-Filter Bags, 5-Pack	38.20
630325	Plastic Collection Bags, 5-Pack	68.77
631935	Paper Filter Collection Bags, 5-Pack	46.40
631934	Polyester Filter Set, 2	196.06
630326	HEPA Filter Set, 2k	



HEPA FILTER VA

Durable

Wheels

Magnetic

Cleaning Process

Metabo ASR35 ACP Vacuum		
Air Output Max	130 CFM	
Amps	11	
Vacuum	3.6 PSI	
Filter Surface	1,333 Sq. Inches	
Input Power Max	1,400 W	
Container Volume	9 Gal.	
Hose Length	10'	
Weight	35.3 lbs.	
Power Cord Length	26'	

metabo

Mode Selection Dial

Tool Outlet

Filter Door Release

Hose Locking System

#### Makita<sup>®</sup> VC4210 11 Gallon Wet/Dry HEPA Filter Dust Extractor/Vacuum, AWS™ Capable

The 11 Gallon Wet/Dry HEPA Filter Dust Extractor/Vacuum (VC4210L) is a best-in-class solution for dust extraction in concrete and woodworking applications. The VC4210L is powered by a 12 AMP motor that generates 148 CFM of suction power and 92" of water lift to take on the most challenging applications.

- Powerful 12 AMP Motor Generates 148 CFM of Suction Power and 92" of Water Lift
- Automatic Filter Cleaning System for longer filter life
- HEPA filter captures 99.97% of particulates .3 microns and larger
- Efficient three stage filtration system with main flat filter captures

99.95% particles 2 microns and larger

- On-board tool-activated power outlet starts and stops vacuum with a 10 second "off" delay to clear any remaining debris
- Auto-start Wireless System (AWS™) utilizes Bluetooth® technology for wireless power-on/off communication between tool and dust extractor/vacuum
- AWS™ capable with Auto-Start Wireless Universal Adapter (WUTO2U) sold separately
- Soft start function for lower amp-draw at start-up
- Variable speed control dial for a variety of applications
- Motor chamber constructed of quality sound-absorbing materials resulting in a quiet operating sound level of 60 dB(A)
- Large, wide-set rear wheels and steel casters provide increased stability and mobility on the job-site

Stock No.	Description	Price
471051	Makita VC4210L HEPA Vacuur	n <b>\$663.95</b>



Makita VC4270 Vacuum	
Air Output Max	148 CFM
Amps	12
Vacuum	3.6 PSI
Static Water Lift	92 Inches
Max Connected Load	1,440 W
Container Volume	12 Gal.
Hose Size	1- 1/4" x 13'
Weight	35 lbs.
Power Cord Length	24.6'



#### Jobsite Cleanup Solutions



GelMaxx slurry products were designed to help the contractor during all parts of the cleanup phase. The unique formula uses organic materials making it safe for the environment and operators, while maintaining EPA compliance.

GelMaxx ECO-QUICKgel solidifies absorbs concrete slurry into a dry material and can be disposed immediately in any standard trash container.

GelMaxx AQUAmaxx separator reduces the amount of concrete slurry while producing reusable water for jobsite machinery.

# GelMaxx Eco-Quick Gel

GelMaxx Eco-Quick Gel is a solidifier that will absorb slurry solids into a safe material that can be disposed of immediately. Eco-Quick Gel meets the EPA Method 9095B Paint Filter Test and EPA regulations for proper disposal methods. 20 grams per gallon of treated material will create a gel like substance within minutes that is safe to dispose of in standard waste container. Eco-Quick Gel encapsulated the heavy metals, and keeps the slurry from emulsifying. Eco-Quick Gel can reduce the liability and the cost for slurry water disposal.

Stock No.	Description	Price
113466	35 lb. Bucket Eco-Quick Gel	\$180.00
113467	50 lb. Box Eco-Quick Gel	250.00





Amount of Slurry	Amount of Eco-Quickgel Required
1 Gallon	20 Grams
5 Gallons	100 Grams
55 Gallons	2.5 lbs.
110 Gallons	5 lbs.
300 Gallons	14 lbs.
500 Gallons	23 lbs.
770 Gallons	35 lbs.
1,100 Gallons	50 lbs.

# GelMaxx AQUAmaxx

GelMaxx AQUAmaxx is a proprietary blend with special additives that will separate suspended solids from processed slurry water. It separates the solids within minutes, and can handle light, medium, and heavy concrete slurry. This powerful material will reduce the amount of slurry waste by removing the usable water. This water can be reused back into the job site machinery. It only takes 2 to 4 tablespoons of AQUAmaxx per gallon of slurry.

Stock No.	Description	Price
113468	1 Gallon Bucket	\$35.00
113469	5 Gallon Bucket	

Per. Qty. of Slurry Water
1 gallon
55 gallons

5 Gallons can separate approx. 450 gallons of slurry water.







www.P65Warnings.ca.gov

#### Concrete Cutting

#### **Pro Series® Tuck** Point Blades

- Available with 1/4" or 1/8" segment widths
- Very aggressive and long lasting


Stock No.	Size	Arbor	Price
620025	3″ x <sup>1</sup> /4″	<sup>7</sup> /8″–20mm	\$62.65
620029	3″ x <sup>1</sup> /8″	<sup>7</sup> /8″–20mm	52.20
620030	5" x 1/4"		
620031	5" x <sup>1</sup> /8"		
620032	7″ x 1/4″	<sup>7</sup> /8"-DKO- <sup>5</sup> /8"	
620033	7″ x <sup>1</sup> /8″	<sup>7</sup> /8"-DKO- <sup>5</sup> /8"	

#### P2 PRO-V™ **Crack-Chaser Blades**

FOR CLEANING, ROUTING AND REPAIRING OF CRACKS IN CONCRETE AND MOST OTHER BUILDING MATERIALS.

Diamond matrix is designed for consistent even wear. Precision balanced.

Using Pearl's unique Direct Sintering Technology (DST™) the Crack-Chaser™ is molecularly bonded directly to the core. Because there are no segments to fly off the Crack-Chaser™ is the safest, most effective product for re-routing cracks and crevices. The Crack-Chaser™ has been engineered to quickly sink into cracks and crevices. The special design enables the Crack-Chaser™ to produce a 1/2" wide 70° V-shaped groove. This has proven to be the most effective configuration for re-caulking and re-filling.






#### PEARL

#### P3 <sup>™</sup> Tungsten Carbide Blades

- Removal of hard to semihard joint sealant from concrete and masonry expansion joints
- Cuts through joint sealant, without melting the sealant
- Carbide blade that cuts felt and paper type, hard caulk, rubber, plastic and drywall

Stock No.	Size	Arbor	Price
677786	4.5″ x	7/8, 5/8"	\$52.50
677787	5″ x <sup>7</sup> /8	3, <sup>5</sup> /8"	\$57.50
677788	7″ x <sup>7</sup> /8	3, 5/8"	\$86.64



#### P2 PRO-V<sup>™</sup> General Purpose Segmented Blades

- Dry use
- 10mm rim
- 080 thickness

000		33	
Stock No.	Size	Arbor	Price
569291	4″	<sup>5</sup> /8"-20mm	\$9.95
569292	4-1/2"	<sup>7</sup> /8"-20mm- <sup>5</sup> /8"	12.00
569293	5″	<sup>7</sup> /8"-20mm- <sup>5</sup> /8"	15.39
569294	7″		20.55
699200	10″	<sup>7</sup> /8" – 20mm – <sup>5</sup> /8"	
569312	12″	125 x 1''	63.00
569313	12″	125 x 20mm	55.95
569314	14"	125 x 20mm x 1''	
569315	14"	125 x 20mm	69.95
569320	16″		159.00

# P2 PRO-V<sup>™</sup> Turbo Blades

- Dry use
- 10mm diamond rim height for longer life
- Strong (0.080") Steel core for durability
- Turbo rim for fast, minimal chipping

Stock No.	Blade Dia.	Arbor	Price
569287	4″	<sup>5</sup> /8″–20mm	\$10.25
569288	4-1/2"	<sup>7</sup> /8"–20mm– <sup>5</sup> /8"	
569289	5″	<sup>7</sup> /8"–20mm– <sup>5</sup> /8"	
569290	7"	7/8″ - 🗢 5/8″	

#### Silicon Carbide Turbo Cut<sup>™</sup> Discs

PEARL

- Grit C16
- For concrete, stone, cast iron and non-Ferrous Metals
- Max rpm: 13,300 (4") & 8,500 (7")

Stock No.	Desc.	Price
264553	4 <sup>-1</sup> / <sub>2</sub> " x <sup>7</sup> / <sub>8</sub> "	\$4.19
264556	5" x <sup>7</sup> / <sub>8</sub> "	5.80
264557	7" x <sup>7</sup> / <sub>8</sub> "	7.25
Heavy Duty	0	

#### **Rubber Backup Pads**

- For Turbo Cut<sup>™</sup> Discs
- With 5/8"-11 center nut.

	0	
Stock No.	Desc.	Price
264567	4-1/2"	\$25.99
264568	5″	
264569		32.95

#### Silicon Carbide Turbo Cut™ **Discs Hard Back**

- For concrete, stone, cast iron a non-Ferrous Metals
- Max rpm: 13,300 (4"-5") & 8,500 (7")

Stock No. Desc. Grit Price

264558	4-1/2" x 1/8". C16 <b>\$7.42</b>
264559	4-1/2" x 7/8". C24 <b>7.42</b>
264560	4-1/2" x 7/8". C36 <b>7.42</b>
264561	5" x <sup>7</sup> / <sub>8</sub> " C16 <b>7.64</b>
264562	5" x <sup>7</sup> / <sub>8</sub> " C24 <b>7.64</b>
264563	5" x <sup>7</sup> / <sub>8</sub> " C36 <b>7.64</b>
264564	7" x <sup>7</sup> / <sub>8</sub> " C16 <b>8.50</b>
264565	7" x <sup>7</sup> / <sub>8</sub> " C24 <b>8.75</b>
264566	7" x <sup>7</sup> / <sub>8</sub> " C36 <b>8.75</b>









PEARL

Concrete Cutting – Cup Wheels

#### Surface Pro<sup>®</sup> Gold Diamond Brazed Cup Wheel

- Coarse Grit
- 5/8"-11F thread
- 5" Max rpm 12,200
  7" Max rpm 8 600

<ul> <li>/ Ivia</li> </ul>	x rpm 8,600	
Stock No.	Description	Price
001108	5"x <sup>5</sup> / <sub>8</sub> "-11	\$79.00
001109	7"x <sup>5</sup> / <sub>8</sub> " - 11	99.95

#### Pro Series® Silent Cup Wheel

- Fast cutting smooth grinding
- Easier for rookies or experienced operators
- Excellent life

Stock No.	Description	Price
993715	5"x 5/8"-11,Coarse	\$119.95
993824	5" x 5/8" - 11, Fine	119.95
993825	5"x 5/." - 11, Medium	119.95







#### Pearl<sup>™</sup> 7" P2 Pro-V Swirl Cup Wheel

Stock No.	Description	Price
569349 7	"x 5⁄%"-11,12 Seg	\$56.35
569350 7	"x 5⁄%"-11,24 Seg	95.10



#### P2 PRO-V<sup>™</sup> Cup Wheel

- Wet or dry grinding use
- Heavy duty,
- Max rpm 8500

 Stock No.
 Description
 Price

 569346
 7"x 5%"-11,Single Row
 \$44.50



## Diarex<sup>®</sup> Pro Series<sup>®</sup> Cup Wheel

- Designed for professional performance
- 5/8"-11F thread

Stock No.	Description	Price
800360	4",Fine	\$82.95
800342	4", Medium	82.95
800341	4" Coarse	82.95
115707	5" Convex - Coarse	92.95
800571	6", Convex - Coarse	103.45
800621	6" Flat - Coarse	103.45
800343	7", Coarse	134.50
115708	7", Convex - Coarse	134.50



#### P2 PRO-V<sup>™</sup> 5" Double-Row Cup Wheel

- Wet or dry grinding use
- Double row of diamonds

Stock No.	Description	Price
679230	5"x 5%"-11, Double Row	\$64.59
569282	. 7" x 5/8" -11, Double Row	96.50



#### Pearl<sup>™</sup> P4<sup>™</sup> Button Cup Wheel

- Great for removing mastic, resin or meshing
- Steel body with fixed 5/8"-11 thread

Stock No.	Size	Max RPM	Price
933511	5''	12,200	\$105.95
933513	7"		155.95



#### Pearl<sup>™</sup> P4<sup>™</sup> Double Row Cup Wheel

- For concrete, block, stone and other masonry products
- Two rows of diamond segments

Stock No.		Max RPM	Price
569303	5"x 5/8"-11 Coarse	12,200	\$131.00
569304	7"x 5/8"-11 Coarse	8,500	165.00
569305	7"x <sup>7</sup> / <sub>8</sub> "- <sup>5</sup> / <sub>8</sub> "Coarse	8,500	148.95







#### 41

# PEARL.

## Pearl<sup>™</sup> PCD Cup Wheel

Pearl's PCD Cup Wheels (Single row and Double row) are excellent for removing surface coatings including epoxies, mastic and glue.

- Will not load up or smear the coating like a diamond cup wheel.
- The PCD segment scrapes and rips the coating from the surface
- Can be used wet or dry
- 5/8"-11 nut to fit your angle grinder
- Removable nut to change to 7/8" arbor

Stock No.			Price
679231	5″ x <sup>5</sup> /8″ - 11,	6 PCD Segments	\$200.29
677110	7" x 5/8" - 11,	9 PCD Segments	250.00
679232	7" x <sup>5</sup> /8" - 11,	12 PCD Segmants	251.29



# Pearl<sup>™</sup> P1 EXV<sup>™</sup> Swirl Cup Wheel

Pearl's PCD Cup Wheels provide excellent performance and value for cutting concrete, block, stone and other masonry products.

- Smoother finishes than row cup wheel
- Less number of segments (for aggressive stock and coating removal)
- More number of segments (for smoother grinding and longer life)
- Great for grinding and coating removal
- Engineered for grinding concrete, masonry and stone
- Wet or dry grinding
- DST Direct Sintering Technology

Stock No.	Descriptio		Price
679606	7″ x 5/8″ - 1	1, 12 Seg., Single Row	\$35.99
679607	7" x 5/8" - 1	1, 24 Seg., Single Row	51.99
679602	7" x <sup>5</sup> /8" - 1	1, 24 Seg., Single Row	32.99

679603 ...... 7" x 5/8" - 11, 24 Seg., Double Row...... 52.99





#### Pearl<sup>™</sup> P4<sup>™</sup> Concrete & Masonry Cup Wheel

Pearl's P4 Cup Wheel provides excellent performance when grinding or cutting concrete, block, stone and other masonry products.

- Designed for aggressive stock removal
- Engineered for grinding concrete, masonry and stone surfaces
- Wet or dry grinding

Stock No.	Description		Price
677230	7" x 5/8" - 11,	12 Segments	\$102.00



#### Cyclone<sup>®</sup> Resin Filled Cup Wheel

Beveled edge on cup face allows the tool to glide along surface preventing surface damage. 12 Grinding segments. • 5/8" - 11 Connection

Wet or dry grinding



#### Concrete Cutting, Grinding



#### **Cyclone**® Super Cluster **Grinding Wheel**

- Designed for rapid removal of epoxy coatings, paint and all adhesive materials
- Leaves smooth finish for easy surface prep
- 5/8"-11F thread



Stock No.	Description	Price
933504	4",Medium	\$69.95
933516	5",Fine	<b>99.95</b>
933506	5",Medium	99.95
933509	5", Coarse	<b>99.95</b>
933508	7",Medium	. 149.95

# Cyclone<sup>®</sup> Cup Wheel

• 11,000 rpm

• 5/8"-11F thread

Stock No.	Description	Price
115702	5",Coarse	\$97.95
115704	7",Coarse	. 135.95

#### Rival Turbo T-Cup Wheel

- New aggressive design, that's super light weight and fast grinding
- 5/8" 11 Female thread

- / -		
Stock No.	Description	Price
361757	5",Coarse	\$69.95
361758	7" Coarco	80.05

361/58	/", Coarse <b>89.95</b>



#### Black Magic Edge Wheels

The all new Surface Pro Black Magic wheels are great for fast and consistent edge grinding. The 5/8-11 connection allows you to put them on most hand grinders.

- Wet or Dry Polishing on Concrete
- Max RPM 5" & 7" 7,000

	Description	Price		Description	
401815	5″ 30 Grit	\$69.95	401820	7" 30 Grit	\$89.00
401816	5″ 50 Grit	\$69.95	401821	7″ 50 Grit	\$89.00
401817	5″ 100 Grit	\$69.95	401822	7" 100 Grit	\$89.00
401818	5″ 200 Grit	\$69.95	401818	7" 200 Grit	\$89.00
401819	5″ 400 Grit	\$69 <b>.</b> 95	401819	7" 400 Grit	\$89.00



- Vacuum brazed
- Wet or dry use E /O" 11 E thread

57	0	- 1	Г	ιı	Гe	au

Stock No.	Description	Price
115712	5",30/40 Grit	\$ <b>116.95</b>
170327	5",50/60 Grit	<b>116.95</b>

#### Metabo<sup>®</sup> 5" Universal **Concrete Diamond Cup** Wheel

Great for grinding thick layers of concrete leveling concrete, surface preparation, removing layers of sludge and form seams on concrete. Create clean edges without break.

- 5" x 7/8" arbor
- 16 segments
- 12,000 Max RPM





Stock No. Description Price 5"x<sup>7</sup>/<sub>8</sub>"..... \$169.30 569367

#### **DS** Resin-Filled 5" Cup Wheel

Resin filled diamond cup wheels with bevelled edge for smooth, chip free grinding with no bouncing or chipping. Swirl slots for greater dust discharge while grinding.

- 5/8" 11 Female arbor
- Wet or dry use
- Max RPM 6,500

Stock No.	Description	Price
123352	5", Coarse (50 Grit)	\$126.00
123353	5",Coarse (100 Grit)	123.95
123354	5", Medium (200 Grit)	123.95

#### **DS Turbo Rounder** Cup Wheel

- Grinding and honing
- Swirl slots for dust discharge
- 5/8" 11 Female arbor

Stock No.	Description	Price
122128	4",Coarse	\$102.95
122127	4", Medium	102.95
122126	4", Fine	102.95

#### Gold Series Cup Wheel

- High diamond concentration
- 5/8" 11 Female thread


Wet	or	dry	use
-----	----	-----	-----

Stock No.	Description	Price
698426	7",Coarse	\$154.95
698427	7", Fine	154.95
698429	7", Coarse, Double Row	164.95









#### **Overlay And Repair**



#### LAVINA® Edge Master 5-Step Edge Grinding System

Edge Master 5" and 7" turbo cups feature a proprietary high performing ceramic bond and is available in 5 grits to assist in making your edge work faster and more efficient. Use the extra coarse step when you need to remove deep scratches and gouges, or any hard topical materials on the edges. In most cases, you can start with the Coarse step. Designed with 5/8-11 threaded attachment for use on most handheld grinders.

- For Wet or Dry polishing on all concrete
- Max RPM (5"): 10,000
- Max RPM (7"): 7,000

# Portamix Mega Hippo<sup>®</sup>

For rugged building-site mixing and pouring, the Portaxix Mega Hippo offers a very convenient and cleaner way to mix, transport and pour concrete, directly onto the floor with only one operator required. The newly designed model reduces airborne dust and splatter with it's cannister cover and vacuum port. Hinged cover may be locked down with optional bolts if required, or left loose for easy removal.

- Produces excellent mix consistency
- Dust extraction port for vacuum connection
- With Rimless Bucket and Removable Liner
- 4 Casters for level floor use for accurate placement. pour and spread at the same time
- Mix consecutive batches with no down-time

Stock No.	Description	Price
024033	Mega Hippo w/Lid	\$2,845.00
024034	Mega Hippo Lid only	
024035	Mega Hippo Lid Studs	
024021	Mega Hippo Mixer Liner	

Mixing multiple batches is cleaner, faster and easier than ever with the MEGA HIPPO system!





#### **TEC**<sup>®</sup> Floor Patch Pro

For patching or skim coating of floors.

- Feather-edge to 2" (5 cm) in thickness
- Initial set in 15 minutes
- Superior workability for easy application
- Low dust when sanded
- Can be used as an embossing level
- 25 lb. bag



Stock No. Description Price per Bag 569504 ...... Floor Patch Pro, 25 Lb. Bag ...... \$19.65

**I**TEC


TEC

#### Prospec<sup>®</sup> Level Set<sup>®</sup> **Polishing Grout**

Rapid-setting, high strength polishing grout designed to fill pinholes and surface imperfections that occur during the polishing process of the self-leveling overlays.

- Fast setting for a quick turnaround time
- Ultra-smooth finish, perfect for polishing
- Excellent workability for trowel application

Description Price per Bag Stock No. 569543 Gray (40 lb).....\$61.15







California residents see Prop 65 warnings



Stock No.

103390

103391

103392

103393

103394

Description

Step 1, Extra Coarse .... \$99.00

Step 2, Coarse......99.00

Step 3, Medium......99.00

Step 4, Fine.....99.00

Step 5, Extra Fine......99.00

Price

Price

Stock No. Description 103405 Step 1, Extra Coarse .... \$79.00 103406 Step 2, Coarse......79.00 103407 Step 3, Medium......**79.00** 103408 Step 4, Fine......**79.00** 103409 

MASTER

#### Overlay And Repair

Atto



\*Minium Purchase of 12, call for anything less (600ML)



\*Minimum Purchase of 12, call for anything less.

# Spal-Pro RS-88

#### Composition

Spal-Pro RS 88 is a 100% solids, two component heavy duty, semi-rigid polyurea joint filler intended for use in filling and protecting contraction and construction joints in industrial, retail or commercial concrete floors.

METZGER/McGUIRE

#### **Basic Use:**

Spal-Pro RS 88 was developed to fill and protect joints in trafficked industrial and retail concrete floors. Its primary function is to support such traffic and protect joint edges. Spal-Pro RS 88 is intended for use where final temperatures are from 32°F (0°C) to +120°F (49°C).

#### Other Use:

Spal-Pro RS 88 is also ideal for filling random cracks in industrial floors.

# Rapid-Floor

#### Composition

Rapid Refloor is a 100% solids, two component, low viscosity structural polyurea/polyurethane hybrid intended for use in repairing cracks and small surface defects such as bolt holes and pop-outs in industrial, retail or commercial concrete floors. Rapid Refloor's rapid set chemistry allows for return to service in 30 minutes or less.

#### **Basic Use:**

Rapid Refloor was developed to repair random cracks and surface spalls/ pop-outs and other surface defects in industrial concrete floors that are subject to wheeled traffic. Rapid Refloor is designed for use in industrial or retail concrete floors where final building temperatures are 32 °F (0°C) to 120 °F (49°C)..

Color Fast Color Chart Key		COL	OR F	AST	
SEC Colors available in SRG		Plan pour film	LOR CHAF	el Constitu Herres RT	
Colors avaiable in Edge-Pro 80	Agreeable Gray	Cardbard	Fawn Pebble	Limestone	Ryno Gray
Available in 250 ml Universial Cartridges (Rapid Floor)	Antique Cork	Cast Iron	Fine Wine	Meijer Brown	Salari
C Standard Quick Ship color for color packs (RS 88 and RS 65)	Bassl	Chateau Gray	French Roast	Mocha Brown	Sierra Redwood
Multi Ratio Applicator	Bayarian Oak	Cleae/Natural*	Gauntlet Gray	Mossy Gold	Standard Gray
<ul> <li>900ml x 300ml</li> <li>Patented cartridge stabilizing plate for extra support</li> </ul>	Black	Cobble Brown	Grand Canal	Oiled Teak	Terra Colta
<ul><li>Extra durable, heat treated piston rod</li><li>Precision sintered</li></ul>	Black Fox	Curry	Gray Ayna	Outerspace	Traffic Yellow
<ul> <li>Easy release start-burst reverse gripping plate</li> </ul>	Brevity Brown	Dark Knight	High Tex	Penter	Turkish Coffee
<ul> <li>Zinc alloy handle</li> <li>Easily converts in just seconds with snap in/</li> </ul>	Brick Paver	Deep Sea Dive	Intellectual Gray	Porpuiss	Warm Stone
<ul><li>snap out push disks</li><li>18:1 Thrust Ratio</li></ul>	Brownsteer	Durius Gruy	Kale Green	Relic Bronze	Well Bred Brown
Stock No.DescriptionPrice900446Multi Ratio Applicator\$104.95	Burnt Sienna	Dovetail Gray	Less Brown		
California residents see Pron 65 warnings					



#### **Overlay And Repair**

#### Surface Refinement Grout Composition

SRG is a two-component, 95% solids structural polyurethane/ polyurea hybrid. When cured, SRG is a rigid structural polymer.

#### **Basic Use:**

SRG was developed to fill/repair concrete floor surface imperfections such as air holes, popouts, surface pitting, scratches and gouges, etc. SRG is designed for use on commercial or retail polished concrete floors where final building temperatures are 32°F (0°C) to +120°F (49°C).

Name	Description	Price
SRG	(2 Gal. Unit)	Call For Pricing
SRG	(10 Gal. Unit)	Call For Pricing
SRG	Pigment Pack	Call For Pricing



#### MM-80 and MM-80P

#### Composition

MM-80 and MM-80P is a 100% solids, two component, heavy duty semi-rigid epoxy joint filler designed to fill and protect contraction and construction joints in industrial concrete floors.

**MM-80P** is a rebalanced version of our MM-80 offering a 1:1 mix ratio for use with dual component pumps. The industry's first semi-rigid joint filler and still widely known as the "industry standard" in floor joint protection.

#### **Basic Use:**

MM-80 was developed to fill and protect joints in industrial concrete floors that are subject to hard wheeled material handling traffic and heavy loads. Its primary function is to support such traffic and protect joint edges. MM-80 is designed for use in areas where final temperatures are from 40°F (10°C) to +120°F (49°C). It is also ideal for ioint and crack repair.

Name	Description	Price
MM-80	(1 Gal. Unit)	Call For Pricing
MM-80P	(10 Gal. Unit)	Call For Pricing

# Edge-Pro 80

#### Composition

Edge-Pro 80 is a two-part, 100% solids, rapid-setting polyurea polymer liquid system.

#### **Basic Use:**

Edge-Pro 80 was developed to fill and protect joints in exposed concrete retail floors and in moderate-duty warehouse concrete floors. Its primary function is to protect joint edges from spalling under material handling vehicle traffic. Edge-Pro 80 is intended for use where final operating temperatures are from -20°F (-29°C) to +120°F (49°C).

#### Other Use:

Edge-Pro 80 is also ideal for filling random cracks in exposed concrete retail floors and in moderate-duty warehouse concrete floors.

Name	Description	Price
Edge-Pro 80	(600 ml. Cartridge)	Call For Pricing
Edge-Pro 80	(10 Gal. Unit)	Call For Pricing
Edge-Pro 80	Pigment Pack	Call For Pricing







Shore A Hardness: D90-95 **LEED Compliant:** Yes





Shore A Hardness: D80-81 **LEED Compliant:** Yes



#### Joint Saws

#### GCT-10 Gorilla Dustless Joint Saw

The Gorilla Concrete tool's dustless tank series saw is made with durability in mind to withstand the abuse from the toughest trade in the industry. The solid construction combined with a weight of only 70lbs allows for easy transport while reducing vibration and chipping, creating a perfectly balanced saw.

- Adjustable up to 3 inches of cutting depth.
- Rigid 1/4" thick welded steel frame.
- · Large 4" cushion wheels with sealed precision bearings.
- Adjust the cutting depth in seconds (no tools needed).
- Solid one piece handle and metal switch box.
- 2" dust port
- Powder coated finish

SPECS

Power	6600 RPM
Voltage	120V
Amperage	15 Amp
Motor	Metabo W24-230
Weight of Machine	70 lbs.
Required Blade	8-10 inch
Arbor 5/8 in.	7/8 in. blade clamp adpt.
* 230V option available	e on special request

option available on special request

Stock No.	Description	Price
200110	Gorilla Saw	\$1,595.95

#### **GCT-9** Silverback **Dustless Joint and Crack Chasing Saw**

Electric walk behind concrete saw. It's almost completely dustless. Perfect for cutting indoors or outside. The only true joint clean out saw and crack chaser on the market.

- By pulling two pins this traditional joint saw now has the abillity to transition into a crack chaser or decorative concrete saw.
- The open dust collector allows the operator to site the blade without sacrificing dust control.
- Everything about the saw says high quality, from the heavy duty wheels and casters to the 1/4" thick welded steel frame.

#### SPECS

Power 6600 RPM	1
Voltage 120V	
Amperage 15 Amp	
Motor Metabo W	24-230
Weight of Machine 70 lbs.	
Required Blade 6-9 inch	
Arbor 5/8 in. 7/8 in. blad	le clamp adpt.

Stock No.	Description	Price
200111	Gorilla Sliverback	\$2,095.00
200112	Crack Chasing Guard	









#### Ameripolish®

## Ameripolish® PCA



AmeriPolish PCA is a curing agent that chemically hardens and dustproofs concrete for improved abrasion resistance without forming a coating. PCA is recommended on newly placed concrete to add initial water and stain repellency while retaining slab moisture for improved curing. PCA requires no UV light for dissipation and can be used with integrally colored concrete.

Stock No.	Size	Price
110460	5 Gallons	\$199.00



#### Ameripolish<sup>®</sup> Strip & Clean

Provides the opportunity to remove Stain Protector without having to use diamond grinders. Water-based stripping agent specially formulated for the removal of the Ameripolish WB Stain Protector from polished concrete floors that have received the Ameripolish dyes.



Stock No.	Size	Price
110275	1 gal	\$40.00



### Ameripolish® EZ-Kut Grinding Agent

Ameripolish® EZ-Kut Grinding Agent is a water based, grinding agent used for the initial cut on hard, dense concrete and helps with exposing large aggregate faster than dry only or wet methods. EZ-Kut also helps by dramatically increasing the productivity of lower-grit diamond tooling.

Stock No.	Size	Price
103111	1 gal	\$39.00
103115	5 gal	



#### Ameripolish<sup>®</sup> Oil Ingester

Ameripolish® Oil Ingester is an enzymebased product that consumes and breaks down oil-based materials and absorbs odors from the surface of the concrete without causing damage or affecting any existing colorant, sealer, or stain protector. The biodegradable product is environmentally safe and can be left on surfaces for several days if needed to deeply penetrate seeped stains.

Stock No.	Size	Price
113079	1 gal	\$82.50



#### Ameripolish<sup>®</sup> 2D PL Fast-Setting Densifier

Ameripolish 2D PL<sup>™</sup> is a multi-silicate blend, that is intended for use on extremely porous concrete. 2D PL sets up faster than other Ameripolish densifiers, this keeps the majority of the 2D PL at the surface of the concrete in order to harden the wearable surface. Its ideal use is on open or porous concrete that will readily accept densifiers. When used with Ameripolish SR2 Stain Resistor it is especially effective at resisting stains.

Stock No.	Size	Price
110583	5 Gallons	\$142.50

### Ameripolish® 3D HS

3D (3 densifiers in one product) Hybrid Silicate Densifier improves surface performance and resists the harmful effects of traffic wear and weathering. By having 3 different size molecule silicates this product fully penetrates varying densities of concrete regardless of region or hardness. This improves the abrasion resistance for new or aged concrete. 3D HS is ideal for use for exposed and polished concrete, as well as cements with integral color.

Stock No.	Size	Price
110578	1 Gallon	\$58.00
110283	5 Gallons	
*Larger Sizes A	Available	





Photos courtesy of Lakebrink's Custom Concrete, Washington, MO

### Ameripolish<sup>®</sup> 3D HSL

3D (3 densifiers in one product) Hybrid Silicate Densifier HSL is formulated with 3 different size molecule silicates to penetrate even the most difficult, tight floor cap to strengthen and densify from within the concrete by providing strength at multiple levels of the slab. 3D HSL improves surface performance and resists the harmful effects of traffic wear and weathering by improving the abrasion resistance for new or aged concrete. 3D HSL is ideal for use for exposed and polished concrete, as well as integrally colored cements.

Stock No.	Size	Price
110577	1 Gallon	\$29.00
110279	5 Gallons	
*Larger Sizes /	Available	







ColorJuice E<sup>™</sup> was created for outdoor use but can also be used indoors.

Slate Blue



Saddle Brown

Sand

A meripolish<sup>®</sup> ColorJuice E<sup>™</sup> concrete colorant is a fast, easy way to apply color to some types of interior and many types of exterior concrete. ColorJuice E is an improved formula of the old ColorJuice 3D and has an identical application process. It provides durable, rich hues by bonding color pigment directly into the concrete. ColorJuice E is ideal for porous concrete finishes such as broom-finished or stamped concrete including pavements, porches, patios, driveways, sidewalks and pool decks. Can also used for interior concrete (at the appropriate grit stages) such as garage floors, and can be applied to other cementitious surfaces. Horizontal or vertical application.

#### FEATURES:

Olive Green

- Ideal for indoor or outdoor use
- Fast, easy application
- Available in 14 transparent colors
- Water-based and UV stable
- Low VOC
- Works well with Ameripolish X-Link series sealers
- Best results obtained when EZ-Etch is used to prep surface before color application

DDODU	ICT SPECIF	ICATION.
PRUIII	IL I SPELIE	
TRODU		

Product Name - Ameripolish® Color Juice E™			
Product	Volume (RTU)	Covering Sq. Ft./G	m2/L
110531	1 Gallon	Non-Porous 600-800	57-76
Hardener	\$25.00	Porous 300-400	28-38
Part A			
113076	5 Gallon	Non-Porous 3000-4000	285-380
Hardener	\$125.00	Porous 1500-2000	142-190
Part A			

\$45.00 ea.	\$225.00 ea.
110487	110514
	110513
110480	110507
110490	110517
110479	110506
110505	113075
110483	110510
110489	110516
110484	110511
110481	110508
110488	110515
110482	110509
110503	110529
110485	110512
	110487 110486 110480 110490 110479 110505 110483 110489 110484 110484 110481 110488 110482 110503

Transplant White

1 Gallon -

5 Gallons -

#### PREP AND USE:

Terra Cotta

Color Juice should be prepped properly for long term performance and sealed with one of the Ameripolish Sealers. Use Ameripolish Strip and Clean for cleaning and degreasing, and Ameripolish EZ Etch for profiling and removing latest concrete. Use Ameripolish X Link<sup>™</sup> surface sealer, Ameripolish DNS 400<sup>™</sup> solvent based sealer, or Ameripolish SR2<sup>™</sup> penetrating stain resister.

COVERAGE:	
Application:	Spray and Ameripolish <sup>®</sup> Microfiber Pad
Appearance:	(Hardener) Milky Liquid
VOC:	Compliant: Hardener - 1g/1 Color-g/1
Shelf Life:	1 /year
Solvent:	Water Based

#### CAUTION:

Before using Ameripolish Color Juice  $E^{\text{TM}}$  read the SDS and Technical Data Sheets. Use good hygiene when handling this product. Wash hands and any areas that come into direct contact with this material.

#### Ameripolish<sup>®</sup>

AMERIPOLISH		SHED CO DR SYSTE Gelction Cha	NCRETE M rt	Black	Burnt Sienna	Carmel
Chestnut	Chocolate-Brown	Eggplant	Forest Green	Gold	Green	Gray
Mahogany	Maroon	Patriot Blue	Midnight Black	Pine Green	Raw Sienna	Red
Saddle Brown	Sand	Sepia	Slate Blue	Terra Cotta	Turquoise	Walnut U Ago - 700t2 per gallon

#### Ameripolish<sup>®</sup> Edge Tint

• Concrete dye concentrate for interior use. Not all concrete is accessible or easy to grind, so Ameripolish created the Ameripolish EdgeTint to provide complementary or contrasting color for edges and footings.

Ameripolish Edge Tint is a mixture of Ameripolish's proprietary non-yellowing acrylic blend (Part A) and the Ameripolish Dye coloring pack (Part B). When blended together, EdgeTint allows you to apply color that can either be complementary, or contrasting, to your field color at edges, footings and hard to reach areas, or areas where it is impractical to grind and polish.

Color		Edge Tint
Edge Tint, Part A.		\$55.00
Edge Tint, Part B	3	- 1 GALLON
Burnt Sienna	110108	\$69.00
Caramel	110093	69.00
Chestnut	110253	69.00
Chocolate Brown	110096	69.00
Eggplant	110254	69.00
Forest Green	110255	69.00
Gold	110097	
Green	110098	
Mahogany		
Maroon	110100	
Midnight Black		
Mission Brown		
Patriot Blue	110049	
Pine Green		
Raw Sienna		
Saddle Brown		
Sand	110045	
Sepia	110227	
Slate Blue	110257	
Terra Cotta	110047	
Turquoise	110258	
Walnut	110248	69.00

#### Ameripolish<sup>®</sup> Classic Dye

• Concrete dye concentrate for interior use. The Ameripolish solvent base dye is formulated using extremely fine molecules

of color designed to penetrate and color any cementitious surface.

Ameripolish dye was created for use with polished concrete, but can also be used as a base color or touch up for concrete that has received integral color, dry shake hardeners, acid stains or even as an overlay to itself.

0 103011.	1 Gallon	5 Gallon
Color	\$69.00 ea.	\$299.00 ea.
Black	110006	
Burnt Sienna	110002	110024
Caramel	110004	110026
Chestnut	110015	110037
Chocolate Brown	110008	110030
Eggplant	110018	110040
Forest Green	110022	110044
Gold	110005	110027
Green	110020	110042
Mahogany	110014	110036
Maroon	110016	110038
Midnight Black	110009	110031
Mission Brown	110123	110124
Patriot Blue	110010	110032
Pine Green	110021	110043
Raw Sienna	110003	110025
Saddle Brown	110007	110029
Sand	110001	110023
Sepia	110017	110039
Slate Blue	110019	110041
Terra Cotta	110013	110035
Turquoise	110012	110034
Walnut	110011	110033

Ameripolish<sup>®</sup> Surelock Dye

Ameripolish Surelock Dye mixes with water or Ameripolish ColorSolve<sup>™</sup> and is VOC compliant. Consistent, rich penetrating color with UV stabilizers resists fading. Water-based liquid concentrate eliminates 3-hour wait to dissolve dye required by some coloring products.

- Liquid dye concentrate
- For interior use only
- Ameripolish's most vibrant concrete dye
- Can be mixed with water

	1 Gallon	5 Gallon
Color	\$69.00 ea.	\$299.00 ea.
Black	103166	
Burnt Sienna	103160	103184
Carmel	103154	
Chestnut	103161	
Chocolate Brown	103174	
Eggplant	103164	
Forest Green	103173	103197
Gold	103152	103176
Gray	103165	
Green	103171	
Mahogany	103157	
Maroon	103162	
Midnight Black	103167	
Patriot Blue	103168	
Pine Green	103172	
Raw Sienna	103153	
Red	103175	
Saddle Brown	103158	
Sand	103155	
Sepia	103163	
Slate Blue	103170	
Terra Cotta	103156	
Turquoise	103169	
Walnut	103159	103183



Ameripolish<sup>®</sup>

#### **Ameripolish®** ColorSolve

Ameripolish® ColorSolve is a solvent carrier designed and recommended for use with Ameripolish<sup>®</sup> Classic and SureLock<sup>™</sup> concrete dyes. Use of ColorSolve extends the dye coverage rate, increasing it to up to 1,000 square feet

per gallon! ColorSolve should be applied by using an appropriate solvent sprayer with or without a microfiber mop. Due to the lower evaporation rate of ColorSolve, using a Ameripolish® microfiber mop reduces labor costs and saves time. Use of ColorSolve does not require taping and masking areas in preparation for the dye treatment.

<ul> <li>Leaves no or very little</li> </ul>
residual dye on surface
saving time on cleaning and
dye expense

 Allows concrete dyes to be applied at higher grit levels such as 800 or 1,500 grit for color enhancement or refurbishing

Stock No.	Size	Price
103215	1 gal	\$39.80
103216	5 gal	157.80



#### Ameripolish<sup>®</sup> Maintain/Reiuvenating Cleaner

Ameripolish<sup>®</sup> Rejuvenating Cleaner is a concentrated multipurpose cleaner that removes daily debris from hard surfaces, as well as reinforces the sealer to extend the life of polished concrete floors. It rejuvenates the floor by reapplying trace amounts of densifier and stain resistant additives while you clean with an autoscrubber. This allows the reapplication of SR2 as far out as every 2 years.

- · Ideal for daily cleaning of polished concrete terrazzo, epoxy, urethane and other hard surface flooring
- Contains chemical analogues to SR2 that reinforce stain protection
- Contains no harsh chemicals
- Low VOC, VOC compliant
- Easy to use tilt measure bottle, biodegradable

Stock No.	Size	Price
110574	32 oz	\$28.00



- Extremely easy to use - add 1 to 4 oz. to a premixed gallon of dye
- Applied to most cementitious surfaces
- Packaged in 30 oz. bottles that can be shipped by ground or air

#### Ameripolish<sup>®</sup> **Penetrating Agent Plus**

The Ameripolish<sup>®</sup> Penetrating Agent Plus has been formulated to increase your options of adding color to polished concrete. With the addition of the Penetrating Agent, the necessary window of time is delayed allowing for the dyes to penetrate. Additionally the Penetrating Agent, in many cases, will provide the opportunity to add color to floors which have already been densified and polished.

Stock No.	Size	Price
110067	32 oz	\$35.00





Stock No.	Size	Price
110581	1 Gallon	\$42.00
110582	5 Gallons	

#### Ameripolish® CFE2000 High Performance Multi-**Purpose Cleaner**

Ameripolish CFE 2000™ is our latest cleaning solution designed to break down the toughest and most troublesome stains. CFE 2000 is very effective in environments where other aggressive chemicals are unsuccessful. CFE 2000 is eco-friendly and comes in a concentrate intended for automatic scrubber use.

- Cleans the toughest greases and oils
- Breaks down organic material
- Removes salts and minerals that can cause efflorescence
- Eco-Friendly
- Concentrate
- Usable in automatic scrubber
- Ready to use



#### Ameripolish<sup>®</sup> OS Integral Color

Ameripolish® OS Integral Color is a concentrated liquid dispersion of mineral oxide pigment particles. Pigments meet ASTM C979, Standard Specification for Pigments for Integrally Colored Concrete and are available in a broad range of hues. Ameripolish® OS Integral Color is specifically formulated for compatibility with cementitious overlays. It is approved by the manufacturer of Rapid Set<sup>®</sup> TRU<sup>™</sup>, a leading cementitious selfleveling polishable overlay. CALL FOR DETAILS

#### Ameripolish<sup>®</sup>

#### Ameripolish<sup>®</sup> 3D SPE Stain Protector

Ameripolish 3D SP E<sup>™</sup> is a breathable semi-penetrating/semi-topical sealer that helps to protect surfaces against stains and etching. 3D SP E<sup>™</sup> creates a waterresistant barrier that prevents liquids from infiltrating the surface, protecting against staining and color dispersion. The re-formulation of the original 3D SP formula, 3D SP E has better abrasion and chemical resistance, but maintains the same easy application methods.

Stock No.	Size	Price
110579	1 Gallon	\$60.00
110580	5 Gallons	







### Ameripolish<sup>®</sup> X-Link E WL<sup>™</sup>

X-Link E (WL) is a modified urethane highgloss sealer which provides a true wet look, is extremely durable and breathable from under concrete surfaces. Designed for use with ColorJuice Extreme, it can also be used to seal natural concrete as well as other cementitious surfaces such as porous brick, natural and manufactured stone, stucco, slate, and flagstone.

- Ready to use formula
- Wet look finish
- Oil and chemical resistant
- Added mildew and UV protection
- Fast application, 1 hour dry time
- Coverage: 500-1,000 sq. ft./gal.



Stock No.	Size	Price
103213	1 gal	\$31.80
103214	5 gal	

#### Ameripolish<sup>®</sup> X-Link WB Surface Sealer

Ameripolish<sup>®</sup> X-Link Surface Sealer is a fast drying-water based sealer that protects and beautifies decorative concrete. X-Link is designed for use with ColorJuice E Concrete Colorant Concentrate, but may also be used on uncolored concrete or with compatible color products, in both exterior and interior applications. It is ideal for any concrete finish including porous concrete, concrete masonry and other cementitious surfaces, as well as porous brick, natural and manufactured stone, stucco, slate, unglazed tile and flagstone.

Stock No.	Size	Price
110569	1 Gallon	\$31.80
110570	5 Gallons	





# Ameripolish<sup>®</sup> SR2

Ameripolish® SR2 is a penetrating stain repellent specifically formulated to protect polished, dyed and nondyed concrete from oil, water-based stains and acidic etching agents. The water and oil repelling qualities of SR2 provides superior stain protection on most substrates. SR2 can be used as a standalone product but, to obtain optimum performance, Ameripolish SR2 is recommended for use with Ameripolish 3D HS or HSL Densifiers.



Photos courtesy of Lakebrink's Custom Concrete, Washingto MO
---

Stock No.	Size	Price
110290	1 Gal	\$138.00
110291	5 Gal	





#### Ameripolish<sup>®</sup> SR2 WB Ameripolish<sup>®</sup> SR2 WB is a water-based,

penetrating stain repellent specifically formulated to protect polished, dyed and non-dyed concrete from oil, water-based stains and acidic etching agents. The water and oil repelling qualities of SR2 WB provides superior stain protection on most substrates.

- Great alternative where solvent based products are not applicable
- Economical penetrating sealer alternative
- Non-topical, penetrating sealer
- Treated surfaces "breathe" and do not trap moisture
- Extreme hydrophobic and oil phobic characteristics for maximum stain resistance

Stock No.	Size	Price
110454	1 gal	\$76.00
110455	5 gal	

Prosoco®

All Products Offered By Prosoco Are Available Ask Your Rep For More Information

#### Prepare

Consolideck<sup>®</sup> surface prep cleaners and stain removers ensure concrete floors are ready for hardeners, densifiers, treatments and coating that improve the floors' appearance, performance and service life.

#### **Grind-N-Fill**

Mixes with the dust created while grinding concrete floors to fill pinholes, small air voids and pop-outs.

• 200-400 sq.ft. per gallon

Stock No.	Desc.	Price
460751	Grind-N-Fill 1 Gal., (Case of 4)	\$47.66
460752	Grind-N-Fill 5 Gal	220.64

#### Wax & Cure Remover

Removes accumulated waxes and cures.

• 300 - 50	)O sq.ft. per gallon	
Stock No.	Desc.	Price
104732	Wax & Cure Remover 5 Gal	\$414.60

9
Consolideck
First Cut
NAME OF TAXABLE PARTY.

#### First Cut Reduces scratches and



\$205.95

increases the efficiency of diamonds when wet-grinding.150 - 300 sq.ft. per gallon

 Stock No.
 Desc.

 104860
 First Cut 5 Gal.....



#### Cleaner/Degreaser

Removes surface oil, grease and traffic stains.

• 500 -800 sq.ft. per gallon

Stock No.	Desc.	Price
104779	Cleaner/Degreaser 1 Gal	\$50.79
104733	Cleaner/Degreaser 5 Gal	253.95

#### Oil & Grease Stain Remover

Removes embedded oil and grease stains. • 25 - 35 sq.ft. per gallon

Stock No.	Desc.	Price
101743	1 Gallon	\$43.32

# SafEtch<sup>®</sup>

Mildly cleans and prepares textured concrete for conventional surface coatings. Safer to use than conventional acids.

• 150 - 500 sq.ft. per gallon

Stock No.	Desc.	Price
104788	SafEtch® 1 Gal	\$43.30
104789	SafEtch® 5 Gal	





Safete

#### Harden/Dustproof

Consolideck® hardeners/densifiers save time



and money because they don't need scrubbing and hadring into typical sodium- and potassium-silicate products. Just spray and dry in about an hour.





#### LS™

Easy-to-apply premium lithium silicate treatment extends concrete service-life by improving durability.

• 500 - 800 sq.ft. per gallon

Stock No.	Desc.	Price
146068	Prosoco LS™ (Li Silicate) 1 Gal	\$59.79
104700	Prosoco LS™ (Li Silicate) 5 Gal	195.70



#### First Cut w/Densifier

First Cut w/Densifier is formulated especially for wet grinding and power-trowel polishing. Allows simultaneous grinding and floor densifying for faster, more efficient work. Moves slurry solids away from diamond tooling while wet grinding for more efficient use of diamonds.

- First application: 300 600 sq.ft. per gallon
- Maintenance: 600 1000 sq.ft. per gallon

 Stock No.
 Desc.
 Price

 460785
 First Cut w/Densifier 5 Gal....\$274.90

#### LS/CS™

Easy-to-apply blended, penetrating silicate treatment extends concrete service-life by improving durability and eliminating dusting.

• 300 - 800 sq.ft. per gallon

Stock No.	Desc.	Price
104702	Prosoco LS/CS™ (Li Sil./Ca Sil.) 5 Gal	\$168.65

#### **Blended Densifier**

Multiple-silicate densifier that can be burnished for a quick sheen. • 400 - 800 sq.ft. per gallon

Stock No.	Desc.	Price
104865	Prosoco Blended Densifier - 1 Gal.	\$40.15
104861	Prosoco Blended Densifier - 5 Gal.	



#### Prosoco®

All Products Offered By Prosoco Are Available Ask Your Rep For More Information

#### SaltGuard<sup>®</sup> WB

Water-based protection against water and salt attack for concrete. • 100 - 500 sq.ft. per

Stock No.	Desc.	Price
104741	SaltGuard WB, 5 Gal.	\$231.10

#### **DuraSheen**

A non-vellowing cure and seal compound that provides a hard, glossy finish, delivering stain resistance and water and dust proofing performance. • 300 - 600 sq.ft. per gallon.

Stock No.	Desc.	Price
104796	DuraSheen,, 5 Gal	\$212.50

#### LS Guard<sup>™</sup>

Long-lasting, high-gloss sealer and protective treatment for polished concrete. No more constant re-coating with waxes, polished or conventional resins.

• 1500 - 2500 sg.ft. per gallon

Stock No.	Desc.	Price
104715	Prosoco LS Guard™ (Li Sil. Hardener) 1 Gal	\$106.89
104701	Prosoco LS Guard™ (Li Sil. Hardener) 5 Gal	406.85

#### **Polishguard**<sup>™</sup>

Glossy sealer protects interior decorative concrete floors from spills, including acidic liquids such as vinegar.

• 400 - 800 sq. ft. per gallon

Stock No.	Desc.	Price
106065	Polishguard™, 1 Gal	\$105.05
106063	Polishguard™, 5 Gal	

#### **GuardEXT**<sup>™</sup>

Glossy sealer and protective coating for exterior horizontal concrete. Enhances the appearance of standard gray, chemically stained, integrally colored or color-hardened concrete. • 200 - 600 sq.ft. per gallon

Stock No.	Desc.	Price
104773	Guard Exterior™, 1 Gal	\$92.63
104774	Guard Exterior™, 5 Gal	



#### Concrete Protector WB

Penetrating treatment for finished concrete floors from steel troweled to highly polished. • 400 - 600 sq.ft. per gallon

Stock No.	Desc.	Price
104866	Concrete Protector, 1 Gal	\$109.69
104875	Concrete Protector, 5 Gal	

#### Concrete Protector SB

Penetrating treatment for finished concrete floors from steel troweled to highly polished. • 400 - 600 sq.ft. per gallon

Stock No.	Desc.	Price
248001	Concrete Protector SB, - 1 Gal. (Case of 4)	\$143.05
248005	Concrete Protector SB, 5 Gal. (Case of 4)	

#### Maintain

Daily and weekly cleaning to protect your investment and help vour floors in the long run. They make concrete floors last longer and reduce the chance of staining and other damage.

#### SLX 100<sup>™</sup> Water & Oil Repellent

Consolideck<sup>®</sup> SLX100 Water & Oil Repellent stain blocker prevents staining by waterborne and oily substances on most substrates. This modified "neat" silane system offers invisible protection and low volatility.

- Reduced VOC content below 350 g/L
- Provides long-lasting protection
- Excellent surface beading

Stock No.	Desc.	Price
550551	SLX100™ 1 Gal	\$239.66
550555	SLX100™ 5 Gal	



#### **LSKl**ean<sup>™</sup>

Consolideck® LSKlean is a lithium silicate cleaner. Keeps concrete floors and countertops looking their best.

Stock No.	Desc.	Price
104728	LSKIean ULTRA™ 5 Gal	\$147.25

#### DailyKlean™

Consolideck<sup>®</sup> DailyKlean is a specially designed concentrated maintenance cleaner for concrete floors, including floors hardened and densified with lithiumsilicate products.

Stock No.	Desc.	Price
104767	DailyKlean™ 5 Gal	\$95.55



#### Prosoco®



# Decorative

All Products Offered By Prosoco Are Available Ask Your Rep For More Information

Consolideck® water-based stains can be used alone or layered over integrally colored, acid-stained or color-hardened concrete for an unlimited range of rich colors.

Color	12 oz.	60 oz.
Antique Cork	104834	104855
Amber	104751	104839
Amethyst	021075	104852
Black	104754	104857
Blue Stone	146420	104849
Bronze	146316	104840
Brown Stone	104725	104842
Caribbean Blue	104745	104850
Concrete Gray	104753	104853
Copper Patina	146440	104846
Dark Brown	146166	104854
Desert Sand	104750	104838
Emerald	146430	104847
Espresso	104749	124745
Georgia Clay	146140	104841
Light Roast	104748	104837
Onyx	104876	
Mocha	146441	104836
Painted Desert	104752	104845
Red Rock	146105	104844
Rose Quartz	104755	104843
Ruby Red	104835	104856
Serpentine	104833	104848
Welsh Slate	104744	124744

#### GemTone Stain

Penetrating translucent color dye for interior concrete floors. Vibrant, premeasured liquid colors transform dull gray concrete into a decorative, low-maintenance finished concrete floor.

Call for available color and prices.

Size	Description	Price
12 oz. Container	1 Gallon coverage	\$56.32
60 oz. Container	5 Gallon coverage	225.29



# PROSECCI Consolidecki ColorHard Brown Brown Brown Cerepic Cire

Color	Stock Number
Amber	104798
Black104772	
Blue Stone	104799
Bronze	146470
Brown	104800
Caribbean Blue	104768
Concrete Gray	104801
Copper Patina	104802
Desert Sand	104803
Emerald	104804
Espresso	104805
Graphite	104807
Georgia Clay	104806
Light Roast	104808
Mocha	104809
Painted Desert	104810
Red Rock	104811
Rose Quartz	104769
Serpentine	104812
Welsh Slate	104813
White	104770

#### **ColorHard**

One-step color and hardener for interior and exterior concrete floors. Premeasured liquid color concentrate is formulated to mix with Consolideck<sup>®</sup> LS<sup>®</sup> or LS/CS<sup>®</sup> to produce a readyto-use hardener that colors, hardens and densifies horizontal concrete inside or out in one easy step.

\*Recommended for only interior use only

Call for available color and prices.

04805			
04807	Size	Description	Price
	4 oz. Container	1 Gallon coverage	\$87.03
04806		5	
04808			
04809			
04810			
04811			
04769			
04812			
04813			
04770			

#### Decorative Concrete Accessories

#### SWISSMEX (Patriot) **Sprayers**

Suitable for alcohols and ketones such as acetone dye, soaps and water-based sealers. Do not use with gasoline, acids, solvents, soaps with solvents or aromatic hydrocarbons.



Stock No.	Description	Price
110063	Swissmex 350 Manual Sprayer - 3 gal. no CO2	\$232.00
	(Comes with one gray tip)	

#### Conical **Spray Tips**

- Come with ceramic inserts
- Flow rate at 40 psi

Stock No.	Gal/Hr	Description	Price
110201	6.4	#6, Fine mist for Patriot, Red	\$7.95
110113	8.4	#8, Regular mist for Patriot, Gray	7.95
110266	4.2	#4, Xtra fine mist for Patriot, Green	7.95
110289	12.6	#12, Heavy mist for Patriot, Brown	7.95
110243		Check Valve for Spray Tip	7.95
110059		Complete set (5 spray tips)	59.99



#### **Builders Paper**

Drop cloth for protection

**TRIMACO** 

Stock No.

340139



**Professional Grade Squeegees** 

Efficient water removal on most surfaces. Squeegees do not include handle.

#### Hand held

- Top quality natural rubber blade
- Easy to hold, fits tapered handles

#### Floor models

- · Heavy duty, available in straight or curved
- Dual foam rubber strips

Stock No.	Description	Price
340142	12" Hand Held Squeegee	\$11.49
340167	18" Hand Held Squeegee	
340143	24" Floor Squeegee, Double Foam	
340144	24" Floor Squeegee, Double Foam Curved	
340145	36" Floor Squeegee, Double Foam	
340147	12" Replacement Rubber	
340179	18" Replacement Rubber	
340149	24" Replacement Rubber	
341136	36" Replacement Rubber	



#### Microfiber Handle & Pads

Used for application and maintenance

Stock No.	Desc.	Price
111022	5" x 18" Microfiber Wet Pad	\$5.49
111023	18" Aluminum Frame for Pads	13.33
111024	Extendable Aluminum Handle	11.90



#### Easy-Mask<sup>®</sup> Tape & Drape

- 5 mil Pre-taped masking film
- Lasts up to 14 days
- For commercial or residential use
- Treated film attracts over spray
- Fast and easy to use
- Quick and easy clean up



Stock No.	Description	Price Ea.
340127	2' x 90' - 12/case, .4 mil thick	\$7.35
340128	3.94' x 72' - 6/case, .5 mil thick	9.80

Dust and Silica Warning See Inside Front Cover



California residents see Prop 65 warnings www.P65Warnings.ca.gov

#### EZ Polish System

# EZ Polish System-simple, perfect finish every time.

The system allows projects to be delivered with less installation time, lower costs, and with a measurable result. The tooling combined with the chemicals lowers the installation time while the integral use of the RA meter ensures consistent and sustainable results.

Stock No.

102200

102201

102202

102230

102231

102232

102233

102234

102236

Description

EZ Polish Tool #1.....\$65.00

EZ Polish Tool #2...... 45.00

EZ Polish Tool #3...... 40.00

EZ Polish Lavina Adapter.....\$52.99

EZ Polish Terrco Adapter ..... 52.99

EZ Polish Scanmaskin Adapter ..... 52.99

EZ Polish Sti Premaster Adapter .... 52.99

EZ Polish Husky Adapter..... 52.99



#### EZ Polish<sup>®</sup> Toolina

This disc follows any metal bond such as 16/20, or 30/40 grit, depending on the aggregate exposure you are looking for. Once the floor is prepped with the proper metal bonds. proceed to Tool #1.

- Use Tool #1 with EZ Green Cut
- Use Tool #2 with EZ Densifier
- Use Tool #3 for final, "mirror" polish

#### EZ Polish<sup>®</sup> Maintenance Cleaner

Maintenance Cleaner is remove daily debris from hard surfaces while extending the life of the EZ Super Guard on polished concrete. The cleaner rejuvenates water repellency of stain protection, especially in high traffic areas without damaging concrete surfaces. EZ cleaner contains no harsh chemicals.

- Removes daily debris from hard surfaces
- Extends life of the EZ Super Guard on polished concrete
- 500 sq. ft./gallon

Stock No. Description Price Ea. 102206 EZ Maintenance, 5 Gal.....\$57.20

#### EZ Polish® Densifier

Lithium Silicate Densifier that improves surface performance and resists the harmful effects of traffic wear and weathering by improving the abrasion resistance for new or aged concrete. Ideal for use with exposed and polished concrete.

Stock No.

102204

• UV stabilizers for longer lasting color & improved stain



• 500-700 sq. ft./gallon

• Ideal for exposed or polished concrete

EZ Green Cut is a diamond profiling solution containing nano abrasives which help to rapidly remove surface scratches during the grinding and cutting process. The nano abrasives work in conjunction with the tooling to reduce the need for multiple steps while profiling the floor. Contains nano abrasives to help rapidly remove surface scratches

• Profiles the floor

resistance

• Eliminates the need for multiple grinding steps

• 500 sq. ft./gallon


Stock No. Description Price Ea. Green Cut, 5 Gal..... \$298.00 102203

Description

Densifier, 5 Gal ..... \$249.00

Price Ea.





EZ Polish<sup>®</sup> RA

Stock No.	Description	Price Ea.
102228	EZ Polish Meter	\$1,300.00
102229	Premium EZ Polish Meter	



specifically formulated to protect polished and dyed concrete from stains and etching. It is designed to create stain resistance, color protection, and color enhancement. This is a high-gloss formula that will give your concrete floors an impressive shine.

- High-gloss formula gives concrete floors an impressive shine
- Protects polished and dyed concrete from stains and etching.
- Improves clarity and gloss
- Improves surface abrasion and durability
- 2,500 sq. ft./gallon

Stock No.	Description	Price Ea.
102206	Super Guard, 5 Gal	\$57.20





Dust and Silica Warning See Inside Front Cover



Price Ea.


#### Floor Maintenance








Dust Control Upgrade underside vacuum system





#### Aztec LowRider 27" High Speed Propane Burnisher

This newly designed and aggressive LowRider burnisher has a rugged, solid steel body design with an ultra low 4" profile with dust control for buffing and polishing under racks and hard to reach areas. LowRider also includes an advanced composite polymer pad driver and dust control upgrade.

- Dust Control, Auto Emission Shut Down and Centrifugal Clutch
- Ultra low profile: 4" (10cm) for burnishing hard to reach areas
- 18HP 603cc Kawaski engine with low oil shut down and safety regulator fuel system
- Premium catalytic muffler for ultra low CARB and EPA emissions
- 12 volt battery key start
- Adjustable comfort handle with click-n-lock throttle cable
- Advanced polymer composite pad driver
- Adjustable back wheels for controlled pad pressure
- Floating Dust Control Skirt

azte®

• Green cleaning certifications: EPA, CARB, LEED, CE, GS-42

Stock No. Description Price 27" Burnisher.....\$3,699.00 070270

Pad Size	27" (63 cm)
Pad Speed	1700 RPM
Patented Carburation System	Regulator & Solenoid
Oil Safety Systems	Low Oil Shut Down
Sound Level	480 db
Shipping Weight	325 lbs.
Dimensions	36" H x 50" L x 29" W"
Machine Warranty	1 year
Engine Warranty	2 years/500 hours

#### **Recommended Polishing Pads** Surface Pro<sup>®</sup> GOLD VTX **DIP Polishing Pad HD**

Stock No.	Dia.	Color	Grit	Price
400600	27"	Orange	400 Coarse	153.00
400601	27"	Gray	800 Medium	153.00
400602	27"	Blue	1500 Medium/Fine	153.00
400603	27"	Red	3000 Fine	153.00
400534	27"	Black	Black- Buff	153.00






oztee

### Aztec ProScrub Automatic Floor Scrubber

Wet scrub and dry vacuum in one pass. The brush-driven ProScrub is inexpensive to purchase and maintain. Fast and efficient, it's very user friendly, with a 24 volt system that delivers approximately 3 hours run time when fully charged.

Stock No. Description Price 030200 Aztec Auto Scrubber. .... \$3,995.00



#### Floor Maintenance



#### Surface Pro® Gold Buffing Pads

- Packed 5 per case
- Save 10% buying cases


Stock No.	Color	Diam.	Ea.	Price
114993	Natural Fiber		n/a	. \$14.98
114994	Red		n/a	14.98
114995	White		n/a	14.98
115025	Natural Fiber	17"	<b>6.08</b>	27.36
115028	Red	17"	6.09	27.41
115030	White	17"	. <b>6.09</b>	27.41
115029	Tan	17″	<b>6.09</b>	27.41
115024	Black	17"	. <b>6.09</b>	27.41
115180	Natural Fiber	21"	<b>8.95</b>	41.90
115181	White	21"		41.90
115182	Black	21″	. 8.95	41.90
114983	Natural Fiber	27"	. 16.88	78.98
115153	White	27"	<b>16.88</b>	78.98
115135	Black	27"	<b>16.88</b>	78.98



#### Surface Pro® SELECT 🚝 **Maintenance** Pads

Use with auto-scrubbers and burnishers to maintain and increase shine on stone floors. Color coordinated grit sequence. 4 per box but sold individually.

Stock No.	Dia.	Color	Grit	Price
023016	12"	Red	400	\$25.99
023017	12"	White	800	25.99
023018	12"	Yellow	1500	25.99
023019	12"	Green	3000	25.99
023008	17"	Red	400	38.99
023009	17"	White	800	38.99
023010	17"	Yellow	1500	38.99
023011	17"	Green	3000	38.99
023004	20"	Red	400	
023005	20"	White	800	48.99
023006	20"	Yellow	1500	48.99
023007	20"	Green	3000	48.99
023000	27"	Red	400	69.99
023001	27"	White	800	69.99
023002	27"	Yellow	1500	69.99
023003	27"	Green	3000	69.99



# Surface Pro GOLD VTX Maintenance Pads

3-Step System for auto-scrubbers and burnishers to maintain and increase shine.

• Other sizes available for special order

Stock No.	Desc.	Color	Price
400881	12" Step 1	White	\$37.99
400882	12" Step 2	Yellow	
400883	12" Step 3	Green	
400884		White	
400885	13" Step 2	Yellow	
400886		Green	
401230		White	
401231		Yellow	
400801		Green	
400890		White	
400899		Yellow	
400892		Green	
400893		White	
400894		Yellow	
400895	20" Step 3	Green	75.99
401124		White	
401125		Yellow	
401126		Green	



#### Monkey Wet **Polishing Pads**

Monkey Pads are a revolutionary method for non-toxic, chemical-free honing and polishing of many types of stone. The Monkey Pads are intended for light restoration, finishing and maintenance. No chemicals needed; just use water!

Stock No	Dia	Grit	Price
447454		200	
447455	8"	400	29.27
447456	8"	800	29.27
447457	8"	1500	29.27
447458	8"	3000	29.27
447459	8"	8000	29.27
447460	8"	11000	29.27
447461	17".	200	53.66
447462	17".	400	53.66
447463	17".	800	53.66
447464	17".	1500	53.66
447465	17".	3000	53.66
447466	17".	8000	53.66
447467	17".	11000	53.66
447468	20".	200	68.97
447469	20".	400	68.97
447470	20".	800	68.97
447471	20".	1500	68.97
447472	20".	3000	68.97
447473	20".	8000	68.97
447474	20".	11000	68.97

#### Lavina ShinePro Pads

ShinePro diamond pads are offered in 5 grit sizes but most maintenance schedules require a single step -ShinePro BUFF is a very fine grit diamond pad for micro polishing and mechanically cleaning sealed and nonsealed floors. It is ideal for daily autoscrubbing as well as for periodic burnishing. It will improve the floor shine, without removing sealers or wax, or causing any orange peal effect ShinePro pads can be used dry on hgh speed burnishers, and wet on auto scrubbers, swing machines, grinders and other floor machines



Stock No	Size	Grit	Price
869901	7"	220	\$10.00
869902	7"	400	10.00
869903	7"	800	10.00
869904	7"	1800	10.00
869905	7"	Buff	10.00
869921	13"	220	18.00
869922	13"	400	18.00
869923	13"	800	18.00
869924	13"		18.00
869925	13"	Buff	18.00
869941	17"	220	30.00
869942	17"	400	30.00
869943	17"	800	30.00
869944	17"		30.00
869945	17"	Buff	30.00
869956	24"		58.80
869957	24"	400	58.80
869958	24"	800	58.80
869959	24"		58.80
869960	24"	Buff	58.80



#### Floor Maintenance

#### Surface Pro<sup>®</sup> VTX Flexible Diamond Systems

The fastest, most economical grinding, polishing and maintenance floor system for use on burnishers, autoscrubbers, planetary machines and swing machines.

#### Surface Pro<sup>®</sup> GOLD VTX **DIP Polishing Pad** HD

Fastest, most aggressive restoration & polishing of concrete or maintenance of polished floors. Can be used with most topical coats. Wet or Dry use.

Stock No.	Dia.	Color	Grit	Price
400803	17"	Orange	400 Coarse	93.00
400604	17"	Gray	800 Medium	93.00
400805	17"	Blue	1500 Medium/Fine	93.00
400807	17"	Red	3000 Fine	93.00
400809	17"	Black	Black - Buff	93.00
400589	20"	Orange	400 Coarse	114.00
400590	20"	Gray	800 Medium	114.00
400591	20"	Blue	1500 Medium/Fine	114.00
400592	20"	Red	3000 Fine	114.00
400593	20"	Black	Black - Buff	114.00
400594	21"	Orange	400 Coarse	114.00
400595	21"	Gray	800 Medium	114.00
400536	21"	Blue	1500 Medium/Fine	114.00
400537	21"	Red	3000 Fine	114.00
400533	21"	Black	Black - Buff	114.00
400600	27"	Orange	400 Coarse	153.00
400601			800 Medium	
400602			1500 Medium/Fine	
400603	27"	Red	3000 Fine	153.00
400534	27"	Black	Black- Buff	153.00

#### Surface Pro® **GOLD VTX** Restore Hybrid Dots

The most aggressive semimetal grinding tool for burnishers, scrubbers and swing machines.

#### Surface Pro<sup>®</sup> **GOLD VTX Restore Dots**

Scratch removal to a high shine polish. This easy to use system is one piece to be used with water.

Stock No.	Description	Grit	Price
400548	17" Hybrid Dots		132.99
400549	17" Hybrid Dots		132.99
400550	17" Hybrid Dots		132.99
400551	17" Hybrid Dots		132.99
400552	17" Hybrid Dots	400	132.99
400556	17" Restore Dots	400	123.99
400557	17" Restore Dots		123.99
400558	17" Restore Dots	1800	123.99
400559	17" Restore Dots	3000	123.99
400539	20" Hybrid Dots		208.00
400540	20" Hybrid Dots		
400541	20" Hybrid Dots		
400542	20" Hybrid Dots		
400543	20" Hybrid Dots		

Tool Type	Backing	Type of Cutting Action	Typical Use	Typical Equipment	Size	Grit
Surface Pro Gold VTX Restore Hybrid Dots	Rubber	Very Aggressive	Faster cutting of concrete on initial steps	Propane burnisher, auto scrubber, heavy floor buffer, planetary grinder	7'' through 21''	30, 50, 100, 200
Surface Pro Gold VTX Restore Dots	Rubber	Light Honing and All Polish- ing	Light honing and all polishing of concrete, terrazzo and natural stone	Propane burnisher, auto scrubber, standard floor buf- fer, planetary grinder	7'' through 21''	400, 800, 1800, 3000
Surface Pro Gold VTX Terrazzo Monroe Polish Pads	Natural Hog Hair	Light Honing and All Polishing	Light honing and all polishing of concrete, terrazzo and natural stone. Provides highest gloss of any of the Vortex tools	Propane burnisher, auto scrubber, standard floor buf- fer, planetary grinder	7'' through 20''	400, 800, 1800, 3000, 8500
Surface Pro Gold VTX DIP Polishing Pads HD	Nylon Floor Pad	All Polishing	Burnish concrete to a high gloss, burnish stain guard products. Not recommended for natural stone and terrazzo.	Propane, battery or electric high speed burnisher, planetary grinder	7'' through 27''	400, 800, 1500, 3000, Black Buff
Surface Pro Gold VTX Maintenance Pad	Nylon Floor Pad	All Polishing Plus Routine and Periodic Cleaning	Maintain polish of concrete. Final step for polishing terrazzo and marble. Can be used for periodic cleaning with auto scrubber.	All floor care equipment and planetary equipment	7'' through 27''	step 1 800, step 2 1500, step 3 3000
Surface Pro Select Maintenance Pad	Nylon Floor Pad	All Polishing Plus Routine and Periodic Cleaning	Maintain polish of concrete. Final step for polishing terrazzo and marble. Can be used for periodic cleaning with auto scrubber.	All floor care equipment and planetary equipment	12'', 16'', 17'', 20'' and 27''	400, 800, 1500, 3000





#### Swing Machines And Accessories





# Surface Pro<sup>®</sup> Gold Stone Buffer

- 17" Severe Duty Floor Machine
- 180 Frame, 1-1/2 HP TEFC Dual Capacitor AC Motor (165 RPM)
- 55' 2-Part 12-3 SJTO Hard Service Cord with Twist-Lok Plug
- Triple Planetary Case Hardened Gears 11:1 with Steel
  Coupler
- 125# Standard Weight with two 25# Horseshoe Removable Weights
- 4 Gallon Solution Tank w/ internal & external shutoff valves
- 5" Non-Marking Ball Bearing Wheels
- Comfort Grips with Thumb Operated Safety Switch
- UL / CUL-Approved for Safety Assurance
- Non-Marking 360-Degree Wrap Around Bumper
- Corrosion Resistant Surface Treatments

Stock No.	Description	Price
119664	Surface Pro <sup>®</sup> Gold Stone Buffer	\$2,075.00
119652	Surface Pro <sup>®</sup> 25lbs. Horseshoe weight	\$199.99

Surface Pro<sup>®</sup> Gold Concrete Edge Polisher, 2-Speed

- Extra Heavy Duty 17" 2-Speed Floor Machine
- 66 Frame, 1-1/2 HP DC Rectified 2 Speed Motor (165-300 RPM)
- 55' 2-Part 12-3 SJTO Hard Service Cord with Twist-Lok Plug
- Triple Planetary Case Hardened Gears 11:1 with Steel
  Coupler
- 115# Standard Weight with one 25# Removable Weights
- 4 Gallon Solution Tank with
- Internal & External Shut-off Valves
- 5" Non-Marking Ball Bearing Wheels
- Comfort Grips with Thumb Operated Safety Switch
- UL/CUL-Approved for Safety Assurance
- Non-Marking 360-Degree Wrap Around Bumper
- Corrosion Resistant Surface Treatments

Stock No.	Description	Price
119665	Surface Pro <sup>®</sup> Gold 2-Speed Concrete Edge Polisher	\$2,135.00
119652	Surface Pro® 25lbs. Horseshoe weight	\$199.99

#### PEARL



# Pearl® 17" Pro Buffers

#### Turbo MAX HDi

1-1/2 HP Sealed Induction, dual capacitor AC motor and heavy Duty planetary head. Totally enclosed fancooled motor keeps out dirt and dust for longer motor life. Ideal for the harshest conditions (dust, moisture, chemicals). Great for sanding applications, stone care and concrete work.

#### Turbo MAX HD

1-1/2 HP Induction, dual capacitor AC motor and heavy Duty planetary head

Stock No.	Description	Price
677201	Turbo MAX HD 1-1/2HP Induction	\$1,159.00
677202	Turbo MAX HDi 1-1/2HP Sealed Induction	
264554	Dust Containment System for Buffers	
693745	4 Gallon Solution Tank	
677260	Horseshoe Weight 14 lbs.	
677261	Weight Posts (2)	

#### are ideal for the harshest conditions including; dust, moisture, chemicals. Specifically designed for severe duty stone care and concrete work.

Totally enclosed motor units



2-speed machines perform heavy duty grinding and honing at the standard 165 rpm speed. With the flip of the conveniently located handle switch, get professional high-gloss buffing results at 300 rpm. You'll double your productivity potential with 2-speed floor machines.



#### **Buffers Features:**

- Left or right hand operations
- 3 idle gear box 175 rpm
- Optimal weight delivers the right resistance against the floor to get the job done better and faster
- 50 ft. heavy duty (14-3) cord with durable spring steel strain relief
- 5" Non-marking PVC bumper prevents marking furniture or walls
- Extremely durable and convenient handle adjustment mechanism is foot operated
- Assembled in the U.S.A.

California residents see Prop 65 warnings





#### Swing Machines And Accessories

#### **Mastercraft**

#### Quarry Master MCL17E

A simple, yet unique, "select-a-weight" (100-195 lb.) range allows you to balance energy needs at less than 15 amps, and at 145 rpm, with enhanced torque. The triple planetary gear box (11:1) and 1-1/2 horsepower motor accommodates a variety of drive pads to handle diamond discs (5-point contact) powdered and liquid chemicals, Tynex or Steel brushes for concrete, and various other brushes for stripping, scrubbing, and polishing. It even has self-contained or continuous center-feed liquid source alternatives (optional).

Stock No.	Description	Price
447124	MCL17E Machine	\$1,729.25
447130	10 lb. Weight	\$62.33
447129	25 lb. Weight	\$112.85



#### Surface Pro<sup>®</sup> Plus QRS Rubber Spacers

The Mighty-Lok 3 is a multi-purpose pad driver that can be used with pads, bonnets, diamond discs and abrasive pucks. Available in sizes ranging from 13 to 20 inches, it also includes a molded riser and universal Malish NP-9200 Tru-Fit Clutch Plate built into the block. The long wear facing will not tear or de-laminate over time. Call for prices and availability on other sizes.

Stock No.	Description	Price
115241	17" Might-Lok 3 Driver	\$82.35
447174	20" Might-Lok 3 Driver	\$95.00



#### Surface Pro<sup>®</sup> Select Drive Plates

- Standard 17" QRS backed plate
- Features high efficiency water channels to direct water to diamonds for maximum effect

Stock No.	Description	Price
115033	17" Diameter	\$156.28



#### Surface Pro<sup>®</sup> Select Disc Holders

- Converts standard drive plates to diamond disc drivers
- Economical way to make one drive plate do two jobs
- Depressed QRS surface with sure hold edges
- Fits all Surface Pro<sup>™</sup> Lippage and Polishing discs (83mm diameter)
- Easy to install and remove


• Lasy to i		
Stock No.	Description	Price
400410	For 83mm Discs	\$16.00



#### Spike Pad for Nylon Pads

The molded polymer pad face has hundreds of individual hooks that grip into the threads of a floor pad and hold it securely while operating. The solid block includes a built-in riser and showerfeed holes allow use with solution dispensing machines. The outer solution ring ensures the solution is fed properly through the block, not splashed over the outer edges.

Stock No.	Description	Price
447141	16" Spike Pad for Nylon Pads	\$99.00



#### PEARL FLOOR PREP SYSTEM



# **PEARL** HEXPLATES 15" HEXPLATES FOR 17' OR 18' BUFFERS



The Pearl Hexpin® System has revolutionized floor preparation. Use the standard Hexpin® Plates or Hexpin® Blocks with our patented system of interchangeable Hexpins® for grinding, sanding, polishing and coating removal. Pearl's unique spring-based technology allows the Hexpin® attachments to float easily over rough surfaces while the fluted plate design helps maintain dust control. Engineered for use on standard floor buffers and dual-headed diamond grinders, the Pearl Hexpin® System is a tool that gives you choices. When looking to increase productivity and profitability, look to Pearl Professional Products for true craftsmanship...THE PEARL HEXPIN® SYSTEM.

SURCE	Stock No.	Description Price	
	264551	15" Plate w/ 6 Diamond Seg Pads\$1,349.00	
R	569210	15" Plate w/ 12 Green Diamond Pins \$950.70	
	569211	15" Plate w/ 12 Gold Diamond Pins \$1,065.00	
	569212	15" Plate w/ 12 Blue Diamond Pins \$1,034.00	
	569213	15" Plate w/ 12 Carbide Pins \$876.30	

#### **HEXPIN® APPLICATION CHART**

SURFACE	CONDITION	JOB	GANEGO	NAME OF			AND A	80.0 2000000	-		
AANADITT	Cured	Sanding					8		8		8
CONCRETE	Green	Sanding						۲	۰	۰	۰
100 C	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Removal									
P.9	Stripe Line	Cleanup						۲		-	
DAINT	Floor Paint	Removal		-							
PAINT	PROFFMER	Cleanup									
	Old Paint	Removal									
- P	oneraint	Cleanup									
and the	Thinset	Removal	-								
The state		Cleanup						۲		-	
11000	Carpet	Removal		-	۲						
ADUTOUTO	Mastic	Cleanup						۲		۲	۲
ABHESIVES	Rubber Carpet	Removal		۲	۲	۲					
and	Backing	Cleanup				۲	۲				۲
States and the second	Epory	Removal	<u> </u>	۰	۲	۲		-			-
COATINGS		Scarification			-						۲
and the second	Urethane	Removal Scarification	*							*	-
A STATE	Fiberglass	Removal								-	
STONE	Terrazzo	Polishing									
MAINTENANCE	Marble	Polishing									
7/11/19/7	Sanding	Sanding									
WOOD N	Paint Removal	Paint Removal									
E SHELL BE	<b>Coating Removal</b>	Coating Removal									
THE PARTY NAME	lce	Removal									
GENERAL	Wax	Remove/Apply									
PURPOSE	Rust on Steel	Cleanup									
runrust	Dirt and Grease	Removal								*	
INOMIDUAL JOB REC This chart only repres Hexpiry® System, For Instruction, please ref Booklet or consult you	ents a general ov more complete te ler to our Hexpin®	erview of Pearl's Information		50-50 Reverse-Reverse. Ask podict specialist for details.	Appressive Chip. Use beine (12) HECOLARS	Very Appressive Chip. Use twelve (12) HEX4CANB and a Seper Chica1 <sup>m</sup>	General Purpose Diamond Pin.	Heavy Duty Diamond Pin.	Hard Bond for Green Concrete Diamond Plex		

4 De	Prod No	Description Price
961	569214	15" Plate w/ 6 Quick Change Pins\$580.10
000	569215	15" Plate w/ turbo cut pins\$623.40
6 <sup>6</sup> 6	569216	15" Plate w/ 6 Hook & Loop Backers\$638.90
0 0 0	569217	15" Plate w/ 6 Diamond Cups\$1,437.30
	569218	15" Plate w/ 12 #3 Cutter Pins\$1,037.30

#### **HEXPIN® APPLICATION CHART**

SURFACE	CONDITION	JOB	10	1	P	45	STR.	COMMENTS
	1 22294 - 4	Sanding						Appendix a
CONCRETE	Cured	Polishing						For isomaand     performance add weight.
	Stripe Line	Personal			2	- 2	1	
AND A COM	success.	Orano			- 40			· For increased performance
PAINT	Floor Paint	Renoval					1.	all weift.
Distant and	1.000.00000	Cleanage			-	-	-	<ul> <li>Feet sand may be acked 5 enflatory paint removed.</li> </ul>
	Old Paint	Renoval			10.00	-	-	
And the second second		Oranap				-		
A STATE OF	Thinset	Removal						· for increased performance in
- IN 120		Cleanup						weight
1.000	Carpet Mastic	Removal					1	<ul> <li>Fire said may be added to extrage automice coaling removal with Cathole and</li> </ul>
Al Long Training		Cleanap		8				
ADHESIVES	Rubber Carpet Backing	Retoyal			-	_	1	Daniel Tergan
HUHLOIDEO		Cleanup			-			Comp application should usly be done when road of
and	1.	Removal			- 49		- 8	
Contraction of the second	Epoxy	Epoxy Scarilication					1	mattic has been romand at Carbele Heaters <sup>40</sup> , Cancrete
CONTINES		Cleanap		- 60			1	ment he reposed believ meaning to Disearch or Tarton Call <sup>444</sup> reception <sup>444</sup> for change
Contractor	Second and a second second	Removal				_	1	
and the second second	Ursthate	Scarification	-		_	_		
Part al	A second second	Cleanup						
A DECK DECK	Fiberglass	Renaval	1.1				1	
STONE	OFUTIE Terrazze Poleting	Depend Dist Pad Respins <sup>®</sup> are available in a seasts of settin Match Fer						
MAINTENANCE	Mathe	Poliohing				۰		variety of grits. Match the grit selection to just application.
// AULU . T. AM	Sanding	Sending						• The Henger# Sander
WOOD	Paint Removal	Paint Removal				-		attachment allows standar
	Coating Removal	<b>Cooling Removal</b>						baffer accessates to be used with the Peal theper
Contractor I	ke	Removal		1 2			- 3	Plate. Select the
GENERAL	Wax	Remove/Apply					2	appropriate adjustment for your job application.
DUDDOOR	Rust an Steel	Oeanup						Contraction of the second
PURPOSE	Dirt and Grame	Removal			db			

INDIVIDUAL JOB REQUIREMENTS MAY VARY.

This chart only represents a general overview of Peaf's sequer\*System. For more complete technical reduction, pieze refer to our Heapine\* Information lookist or consult your local distributor.

#### Cimex

#### **Cimex Planetary Head Floor Machines**

- Three head planetary machines for concrete, stone and terrazzo floor restoration, lippage removal, grinds freshly poured terrazzo, coatings removal, surface preparation
- Additional 35 lbs. weights available, all machines equipped with vacuum port
- Set of three Velcro<sup>™</sup> heads
- For wet or dry use
- High productivity

<b>U</b> 1	-	
Stock No.	Description	Price
700119	Cimex 19"	\$4,695.00
700224	Cimex 24"	6,495.00
700231	35 lb. Horseshoe Weight	215.00



#### **Quick Change Plates**

Put down your screw driver. The Surface Pro® Quick Change System allows you to quickly and easily change all your diamonds without using tools.


Stock No.	Description	Price
200626	8" Single Plate for 19"	\$115.00



#### Cimex Rubber Grommet

For pro drivers, brushes, scarifiers and scrapers.

- Ensure smooth operation
- Protect drivers, brushes, etc. from damage
- 4 grommets per head, 3 heads per machine so 12 grommets per set



#### Wire Brushes

Steel wire brushes with 1.6 or 2mm diameter wire bristle. For general/heavy scarifying and buildup or coating removal with 19" machine.

Available in Heavy Duty or Medium

Stock No.		Price
700133	Heavy Duty Wire Brushes	.\$248.00/Set of 3

	SPEC	CIFICATION	15
Motor Pow	ver	2 hp	
Head Spee	ed	880 RPN	Λ
Tank Capa	icity	6.6 gallo	ns
Working W	/idth	19 inche	s
Weight		132 lbs.	
Noise Leve	əl	65 dB(A)	)
Cable Len		50 ft.	
Head Dian	neter	8 inches	







#700231

#### **Polypropylene Brushes**

Safe for use on most surfaces, great for economical general scrubbing.

cription Price
3 for 19" <b>\$172.00</b>



#### **Steel Cutter Scarifiers**

Effective scarifying tool with pointed steel teeth for removal of coatings, and grinding concrete.

Stock No.	Description	Price
700135	Set of 3 for 19"	\$595.00



#### **Non-Spark Wire Brushes**

Non-spark brush features PhosBronze wire bristles for safely cleaning near combustible materials. For general scarifying and coating removal.

Stock No.	Description	Price
700131	Set of 3 for 19"	\$310.00

$\mathbf{P}$	Dust and	Silica	Warning	See	Inside	Front	Cover



California residents see Prop 65 warnings www.P65Warnings.ca.gov

#### Floor Stripping Brushes

For aggressive scrubbing of concrete & stripping of resilient terrazzo or tile floors. Bristles are impregnated with 80 grit silicon carbide for extra scrubbing power.

<b>Solution</b>	
	Scraper

#### Jarbide Scraper Scraper with 4 sided blade to remove mastic,

tar, fiberglass, specialty coatings and other buildup without damaging surface. One size fits 19", 24" and 30".

Stock No.	Description	Price
700229	Set of 3 Scrapers	\$895.00



# Velcro<sup>™</sup> Pad Drivers

Secure hook and loop locking system allows for effective use of diamond resin pads and accessories.

Stock No. 700121	Description Set of 3 for 19"	Price \$231.00
/00121		
	ANTING C	
The second	a Calata	
-	Wassissie	
Floor S	tripping Brus	shes

GranQuartz Depend On Us for All of Your Concrete, Stone & Tile Supplies!

#### Ameripolish Smartfloor™ Refinement System



The SmartFloor<sup>™</sup> Refinement System concept is engineered to provide a high-aesthetic floor that is an easy and economical way to utilize any polishing machines, including power trowels. The SmartFloor<sup>™</sup> Refinement System consists of pads that have composite resin abrasive technology embedded in their design. The SmartFloor<sup>™</sup> Refinement System The SmartFloor<sup>™</sup> Refinement System allows for easy assembly of universal blade holders, that will allow the user of the machine to equip abrasives to virtually any power trowel machine. Additionally, the SmartFloor<sup>™</sup> Refinement System can be outfitted to machines with our patented blade system or complement your planetary system with our custom ring designs.

Stock No.	Description	Price
110585	Ameripolish Universal Blade Holder 4PK	\$900.00
311909	Ameripolish 12"x8" #00 2PK	
311910	Ameripolish 12"x8" #0 2PK	
311911	Ameripolish 12"x8" #1 2PK	
311912	Ameripolish 12"x8" #2 2PK	
311913	Ameripolish 12"x8" #3 2PK	178.75
311914	Ameripolish SmartFloor 10" #00	
311915	Ameripolish SmartFloor 10" #0	
311916	Ameripolish SmartFloor 10" #1	60.00
311917	Ameripolish SmartFloor 10" #2	60.00
311918	Ameripolish SmartFloor 10" #3	60.00
	*Other Sizes Available	



#### **Ameripolish Burnishing Pads**



Ameripolish G Series Burnishing Pads are for use on high speed floor machines that operate between 1500 - 3000 RPM range. This product is designed for the fry burnishing phase after stain protection is applied and dried. Sold in packs of 2.

Part No	Size	Grit	Price/Pack
311908	27"	G1	\$120.00
311907	27"	G2	\$120.00
311900	27"	G3	\$120.00
311910	24"	G1	\$110.00
311911	24"	G2	\$110.00
311912	24"	G3	\$110.00
311913	21"	G1	\$100.00
311914	21"	G2	\$100.00
311901	21"	G3	\$100.00

#### Ameripolish Restoration and Maintenance



The SmartFloor<sup>™</sup> concept is engineered to provide the end user with a highly aesthetic floor and an easy and economical way to maintain a polished concrete floor utilizing standard janitorial equipment and existing personnel. The SmartFloor<sup>™</sup> Pad System consists of DOI Inserts for daily maintenance and Stain Remediation Inserts (SRI) for remediating etches and stains from polished concrete floors. The SmartFloor<sup>™</sup> Pad System Inserts are made of unique diamond agglomerate technology that maintain a highly-refined floor without ongoing stock removal and also successfully remediate etches and stains.

Stock No	Size	Grit	Price
121323	13"	#00	
121324	13"	#0	
121325	13"	#1	
121326	13"	#2	
121327	13"	#3	
121328	13"	Maintenance	\$36.10
121318	17"	#00	
121313	17"	#0	
121314	17"	#1	
121310	17"	#2	
121311	17"	#3	
121319	17"	Maintenance	
121320	20"	#00	
121315	20"	#0	
121316	20"		
121321	20"	#2	
121322	20"	#3	
121312	20"	Maintenance	\$57.00
	*Othe	er sizes available	



116405	Grinder	\$174.99
Replacement	Carbon Brush (set	)
116404		

116399 Replacement	Grinder <b>\$17</b> Carbon Brush (set)	9.99
116404		12.95

alternative power source

116382	Grinder <b>\$241.9</b>	5
Replacement	Carbon Brush (set)	
181047		5

-	-
G	Tnakita


- brushes for easy serviceability
- "Tool=less" wheel guard for more adjustments

116577 .....\$**199.99** 





California residents see Prop 65 warnings www.P65Warnings.ca.gov Order By Phone: 800-458-6222 | Order Online: GranQuartz.com/Concrete



#### **Pearl**<sub>®</sub> Easy Hammer Trolley

The Easy Hammer<sup>®</sup> trolley is an innovative tool for fast and easy removal of a variety of flooring including all tiles, thin-set, vinyl, wood, cork and much more. No more struggling with trying to handle heavy jackhammers. The Easy Hammer® trolley can be easily adjusted to 5 different positions and is suited for most demolition jobs.

• Tool Weight: 65 lbs.

Stock No.	Description	Price
677340	Hammer Trolley	\$1,169.00
677341	Tile Stripper (includes shank 1-1/8" hex, head & blade)	199.95
677342	Replacement Blade	
955711	Makita HM1307CB - 35 lb Demolition Hammer	



Planetary Polishing Equipment



#### Klindex UFO 330 Variable Speed Planetary Polisher

The Klindex UFO 330 is a unique solution to producing planetary polishing results with a small tool investment. The UFO 33 uses the proven technology of a full-scale floor machine but in a much smaller package.

Some "planetary" countertop tools are really no more than hand grinders retrofitted with a gear case to create a planetary effect and are not built to withstand the rigors of professional use. The Klindex UFO 330 features a large, 1 horse power motor that is centered over the grinding head making the 36 lbs. machine superior in creating an even surface.

- 13" working width
- 1 hp motor power
- Power requirement: 1-phase, 110 or 220V, 10 Amp
- 1,000 RPM
- Weight: 36 lbs.
- Includes 3, 5" Aluminum backers
- Tank capacity: 2 Liters
- Made in Italy

 Stock No.
 Price

 993131
 \$4,140.00

#### Stock No. Description ...... Price

993116	Long handle for UFO 330 105CM \$778.80	
601403	Rigid Aluminum Backer 140MM 100.35	
993115	Replacement Hard Backer 140MM 36.20	
993129	Replacement Soft Backer 140MM 38.72	



Horsepower	1
Voltage	1ph x 110V / 220V
Tank Capacity	2 liter
Dedicated Breaker	10 Amp
Weight of Machine	36 lbs
Working Width	12" - 13"

made in Italu

# **INTER-TOOL**

#### 3-Head Planetary Polisher Model DS3011

A rugged planetary tool designed to produce a flat, swirl free finish on counter tops, floors, wall and steps.

The DS 3011 can utilize a variety of abrasive products to fit many different applications including grinding, polishing, and texturing natural stone, terrazzo, and concrete.

• Use 3 x 5" diamond polishing pads or grinding discs

Stock No.	Price
117752	\$2,600.00



6	
7	
	The second se
	INS:301
* 🔆	and the second se

Power	60 Hz
Voltage	115V
Drive Speed	2,500 Rpm
Platen Speed	405 Rpm
Dedicated Breaker	11 Amp
Weight of Machine	30 lbs
Working Width	12" - 13"

# Backer Pads

#### 69

# Diarex<sup>®</sup> Rigid Aluminum

#### Diarex<sup>®</sup> Rigid Aluminum Backup Heads

• 5	5/8"	-1	1
-----	------	----	---

,		
Stock No.	Description	Price
117158	3"	\$19.03
117159	4"	
117160		
105147	7"	



#### Diskit Threaded Foam Rubber Back-Up Heads

- Q.R.S.-backed, tough and flexible polyester urethane foam body
- Maximum 10,000 RPM
- Flexible edge allows pad to conform to surface contours
- M8 x 1-1/4" for Makita GV5000

Stock No.	Thread	Description	Price
912118	<sup>5</sup> /8″-11F	4" QRS	\$18.79
116806	<sup>5</sup> /8"-11F	5" PSA	15.59
116798	<sup>5</sup> /8"-11F	5" PSA/flx edge	15.59
116809	<sup>5</sup> /8"-11F	5" QRS	21.99
116802	M8-1/4"-M	5" PSA	15.59
116814	<sup>5</sup> /8"-11F	7" QRS	27.15
696104	<sup>5</sup> /8"-11F	7" canvas/flx	23.95
696105	<sup>5</sup> /8"-11F	7" PSA/flx	28.15



#### Diarex<sup>®</sup> Super Flexible Back-Up Head

• Q.R.S.	backed	
Stock No.	Description	Price
912188	4"	\$14.24

# ALPHR



# Alpha<sup>®</sup> Rigid Heads

Stock No.	Description	Price
116135	3"	\$24.99
116184	4"	
116257	5″	



#### Foam Hook & Loop Backer Heads

Semi-flexible foam backer heads

• J/ 0 - I	I	
Stock No.	Size	Price
363753	5″	\$11.34
363755	7"	

# DIAREX

# Diarex<sup>®</sup> Flexible Back-Up Head

• G.H.S. Dackeu				
Description	Price			
3"	\$10.66			
4"				
5″				
	Description           3"			

# ALPHR



# Alpha<sup>®</sup> Flexible Heads

- QRS-backed flexible, UltraFlex and rigid pad styles available
- 2" 5" diameter
- For use with any Q.R.S.-backed grinding or polishing disc
- <sup>5</sup>/8"-11 thread (metric threads available on request)

Stock No.	Diameter	Price
116098	2"	\$24.20
116099	3"	
116182	4"	
116192	5″	40.55

# Omni Cubed No-Spin Edger

The No Spin Edger replaces the No-Spin Backer pad with a more durable, non-marking rubber bumper, improved anodizing and spindle technology and an even more affordable price point. This highly durable, rigid refinishing backer with built-in vertical surface protection features a free-floating top disk with a built-in bumper that stops spinning while the polishing pad continues to work beneath it.

- Achieve fast and precise cut patterns against edges
- Easy way to eliminate vertical surface damage
- Faster and easier than traditional backer pads
- Reduces time, labor and fatigue

Stock No.	Description	Price
413917	4" No Spin Edger	
513917	5" No Spin Edger	
713917	7" No Spin Edger	195.00



Alpha<sup>®</sup> 3"

Advantage Granite

• Optimum polishing results

Capable of equaling or

They are directional to

area of the disc to

**PLUS** Triple Thick

**Resin Bond Wet** 

**Polishing Pads** 

• Professional quality

diamond polishing pads

for concrete, marble,

• 7mm thick (3"/76mm

granite & terrazzo

Beveled edges for

smooth cutting

diameter)

remove slurry

Surface Pro®

exceeding factory finishes

promote enhanced water

flow through the contact

on granite floors

#### Stone Care And Maintenance

#### Surface Pro<sup>®</sup> GOLD Terrazzo Restoration Pads

- Wet use
- Size: 76mm
- High quality polish for epoxy terrazzo, cement terrazzo. marble and even granite
- Lost cost per square foot
- Color coded velcro

Stock No.	Grit	Price
000380	30	\$15.50
000381	50	15.50
000382	120	15.50
000383	220	15.50
000384	400	15.50
000385	600	15.50
000386	800	15.50
000387	1800	15.50
000388	3500	15.50
000389	8500	15.50



#### Surface Pro Gold VTX Terrazzo Monroe Polish Pads

Grinding, polishing and maintenance of self leveling compounds, concrete, terrazzo and natural stone. Both wet and dry Monroe Systems Available. EXTREMELY Flexible System.

- No Resin swirls
- Long life and great shine results
- Can mount to your existing cleaning and polishing machine
- Several steps available from grinding to polishing for best results
- Many sizes are available to fit your equipment
- Best for epoxy, cement, terrazzo & marble



ALPHR

Stock No. Grit Price 300 .....**\$73.31** 116338 500 ...... 73.31 116339 1000 ...... 73.31 116340 116341 2000 ...... 73.31 116343 3000 ...... 73.31



	-	
Stock No.	Grit	Price
400937	50	\$16.25
400938	120	16.25
400939	220	16.25
400940	400	16.25
400941	600	16.25
400942	800	16.25
400943	1800	16.25
400944	3500	16.25
400945	8500	16.25

Stock No.	Size	Grit/Color	Price
401200	7″	400, Yellow	\$47.99
401201	7″	800, White	47.99
401202	7"	1800, Blue	47.99
401203	7″	3000, Gray	47.99
401205	7″	8500, Purple	47.99
401188	13″	400, Yellow	92.99
401189	13″	800, White	92.99
401190	13″	1800, Blue	92.99
400263	13″	3000, Gray	92.99
401224	13″	8500, Purple	92.99

Stock No.	Size	Grit/Color	Price
401240	15″	400, Yellow	<b>\$121.99</b>
401241	15″	800, White	<b>121.99</b>
401242	15″	1800, Blue	<b>121.99</b>
401243	15″	3000, Gray	<b>121.99</b>
401244		8500, Purple	
401219	16″	400, Yellow	123.99
401220	16″	800, White	123.99
401221	16"	1800, Blue	123.99
401222	16"	3000, Gray	123.99
401223	16″	8500, Purple	123.99
401167	17"	400, Yellow	125.99
401168	17"	800, White	125.99
401169	17"	1800, Blue	125.99
401170	17"	3000, Gray	125.99
401171	17"	8500, Purple	125.99
401162	20"	400, Yellow	<b>196.99</b>
401163	20"	800, White	<b>196.99</b>
401164	20"	1800, Blue	<b>196.99</b>
401165	20"	3000, Gray	<b>196.99</b>
401166	20"	8500, Purple	<b>196.99</b>

### Surface Pro<sup>®</sup> GOLD 3" Metal Pads

- Wet or Dry
- · Beveled edges for smooth cutting



- Long life up to 20,000 ft<sup>2</sup> or more
- 8mm thick 3"(82mm) Diameter
- Professional quality diamond pads
- Can be used with floor buffers or planetary machines
- Can be used for initial grind and as a transition disc

Stock No.	Desc.	Color	Grit	Price
400101	Metal	Blue	6	\$110.25
400090	Metal	Lime Green	24	82.95
400100	Metal	Green	46	82.95
400102	Metal	Gray	70	72.95
400105	Metal	Black	120	72.95
400107	Metal	Red	220	72.95
400104	Copper		120	57.95
400106				
400108				
400110				
400112				

#### **Rosex Pads**



4

4

4

ROSEX diamond resin discs are manufactured with higher seaments (8mm thick) for longer life and have a unique pattern for sludge removal. The flat surface grinds and polishes the stone to a high quality factory finish.

art No	Grit		Price
47391		50	
47392			\$15.00
47393		220	\$15.00
47394		400	\$15.00
47395		600	\$15.00
47396		800	\$15.00
47397		1800	\$15.00
47398		3500	\$15.00
47399		8500	\$15.00



#### Trapezoid Pads

These pads are specially designed to fit the pie shaped backer. They are great for use as a full restoration system for polishing marble and granite.

Stock No	Grit		Price
447500		50	\$18.00
447501		120	\$18.00
447502		220	\$18.00
447503		400	\$18.00
447504		600	\$18.00
447505		800	\$18.00
447506		1800	\$18.00
447507		3500	\$18.00

#### Order By Phone: 800-458-6222 | Order Online: GranQuartz.com/Concrete

#### Stone Care And Maintenance



#### Akabond 621KG Knife Grade Resin

- Clear adhesive resin
- 6 units per case

Stock No	. Description	Price
117227	Part A ( $1/_2$ Gal.), Part B (1 C	2t.) <b>\$72.95</b>





# 313P Premium

#### Water Based Impregnator


A silicone impregnator suitable for use on all natural stones & concrete regardless of finish type. For both interior and exterior applications.

• 100 to 200 sq. feet per quart depending on porosity of stone

Stock No.	Unit	Price Ea.	Cs Price/Qty.
100189	1 Quart	\$52.44	\$471.96/10
100176	5 Liters		

#### 314P Premium Impregnator

A silicone impregnator suitable for use on all natural stones & concrete regardless of finish type. For both interior and exterior applications.



Stock No.	Unit	Price Ea.	Cs Price/Qty.
100182	1/1 Quart	\$33.02	\$297.18/10
100183	1 Quart		489.51/10
100186	5 Liters		464.38/2
100184	10 Liters	478.63	861.53/2

# Cyanoacrylate Instant Glues

For use in general countertop repair

Stock Number	Description	Price
900200	Hot Stuff Glue Clear 2 oz.	\$10.50
900201	Super "T" Glue Clear 2 oz	
900202	Special "T" Glue Clear 2 oz	
900203	NCF Quick Accelerator Aerosol 6 oz.*	
900206	Super Solvent 2 oz	
900207	Hot Tips LG No-Clog Spouts	
900208	Pro-Tips Ext. Applicators	

\*Excessive use of accelerator on stone with high concentrations of iron may cause a "green bloom" discoloration.



# MAKE YOUR NEXT PURCHASE IN A GRANQUARTZ STORE.



#### VISIT ONE OF OUR 12 STORE LOCATIONS ACROSS THE U.S. More info: granquartz.com

and the second



#### 413S Professional Impregnator

413S is a highly effective silicone impregnator that is fast and easy to apply, cures quickly and offers the ultimate in long term stain protection on all stone surfaces. 413S is exceptionally effective on polished granite counter tops. 413S leaves the stone looking completely natural and is UV resistant.



• 150 to 200 sg. feet per guart depending on porosity of stone

Stock No.	Unit	Price Ea.	Cs Price/Qty.
100214	1/2 Liter	\$22.75	\$204.75/10
100215	1 Quart		
100218	5 Liters		
100216	10 Liters	228.24	410.83/2

#### 355E Color Enhancing Impregnator, Matte Finish

355E color enhancing silicone impregnator intended for use on honed or textured stone and concrete. Use in all interior applications and most exterior applications where color enhancement is desired. UV resistant.



• 75 to 150 sq. feet per quart depending on porosity of stone

Stock No.	Unit	Price Ea.	Cs Price/Qty.
100199	1 Quart	\$40.63	\$365.67/10
100201	5 Liters	158.71	285.68/2

#### 119M Marble and Granite Gloss

119M is a silicone wax based polish that cleans, protects and conditions any polished stone or ceramic surface. Ideal for maintaining polished natural stone bar tops, furniture, shower stalls, fireplaces, polished metals. 119M is safe and easy to use in homes or commercial cleaning operations.



• 150 to 300 sg. feet per quart depending on porosity of stone

Stock No.	Unit	Price Ea.	Cs Price/Qty.
100029	1 Liter	\$23.37	\$210.33/10

#### 353P Porous Stone Impregnator

353P offers maximum protection from water borne stains for porous stone. 353P is a silicone impregnator specifically formulated for honed and textured stone and is also excellent for masonry surfaces and unglazed clay tiles. Interior and exterior use, 353P allows the stone to breathe naturally, cures quickly, offers a totally natural appearance.



• 50 to 150 sq. feet per quart depending on porosity of stone

Stock No.	Unit	Price Ea.	Cs Price/Qty.
100195	1 Quart	\$32.53	\$292.77/10
100197	5 Liters	135.86	244.55/2

#### 357E Stone Sealer/Color Enhancer. Gloss Finish

357E is a modified acrylic sealer/color enhancer intended for use on textured stone only. Interior use only. 357E cures to an ultra hard, durable finish that enhances the natural appearance of the stone with a satin gloss and protects it from oil, grease and mineral deposits. 357E is UV resistant.



• 75 to 175 sq. feet per guart depending on porosity of stone

Stock No.	Unit	Price Ea.	Cs Price/Qty.
100202	1 Quart	\$38.71	\$348.39/10
100204	5 Liters	174 <b>.</b> 49	

# 214M Daily **Conditioner and Cleaner**

100% natural, pH neutral conditioning cleaner that is safe for all stone and concrete surfaces. 214M creates a slip resistant, buffable and dust repellent surface. Concentrated.



• 8,000 to 12,000 sq. feet per liter

Stock No.	Unit	Price Ea.	Cs Price/Qty.
100088	1 Liter	\$19.88	\$178.92/10
100091	5 Liters	\$82.95	149.31/2



#### 515C Periodic Intensive Cleaner

An extra strength degreaser, cleaner and grout film remover suitable for all hard surfaces. Concentrated formula.

• 100 to 600 sq. feet per liter

Stock No.	Unit	Price Ea.	Cs Price/Qty.
100243	1 Liter	\$24.19	\$217.71/10
100246	5 Liters	104.78	188.60/2



631C is a heavy duty alkaline-based cleaner for use on porcelain and unglazed ceramic tile and is excellent as a grout cleaner. 631C can be used to remove wax coatings, to clean oil and grease spills and is highly effective in restoring tiles that have darkened with

time due to ground in dirt and wax.

Price Ea.

1 Liter ...... \$26.42 ...... \$237.78/10

• 150 to 750 sq. feet per liter

Unit



#### 725C Granite Cleaner + Rust Inhibitor

725C is a heavy duty acid based cleaner for use on flamed or otherwise textured granite and other non-calcium natural stones. 725C quickly removes grout and mortar residues. lime and hard water mineral deposits, efflorescence,



For Interior and Exterior

surface rust and heavy construction dirt. 725C contains a rust inhibitor.

• 200 to 300 sq. feet per liter

Stock No.	Unit	Price Ea.	Cs Price/Qty.
100262	1 Liter	\$26.42	\$237.78/10
100264	5 Liters	118.30	212.94/2

#### Surface Pro® Marble Honing Powders

Specially formulated for light duty restoration of Marble, Limestone, Travertine, Terrazzo and other calcium containing stone surfaces. Surface Pro<sup>™</sup> Honing Powders are quick and easy to use & non-acidic.

#### **180** Grit

For restoring heavy traffic areas, removing etch marks, and small restoration jobs without the need of lippage removal. Follow with 320G Surface Pro® Powder.



Stock No.

100254

100256

Stock No.	Unit	Price
104185	10 lbs	\$74.40
104190	25 lbs	
104180	50 lbs	

#### SCS-VELOTEX **Polishing Powder for** White Marble & Terrazzo

A specially formulated polishing powder used to achieve the best quality polish on white marble and terrazzo. Velotex Produces great results on those that exhibit high amounts of crystal and those with low calcium content.

- 8 buckets per Case
- Coverage: 10 to 15 Sq. Meters per Kg.

Stock No.	Desc.	Price/ea.	Price/cs
115540	2Kg/4.4lbs	\$44.95	\$323.64/8

#### SCS-BLANCA Polishing Powder for Medium to Light Colored Granite

A special blend of metal oxides for use as the final abrasive polishing step after honing medium to light colored granite.

- 8 buckets per Case
- Coverage: 10 to 15 Sq. Meters per Kg.

Stock No.	Description	Price/ea.	Price/cs
115527	2Kg/4.4lbs	\$52.92	\$381.24/8



POTEA BLANG

#### 320 Grit

Cs Price/Qty.

For restoring medium traffic lanes, removing etch marks, and small restoration jobs without the need of lippage removal. Follow with 600G Surface Pro® Powder.

Stock No.	Unit	Price
104325	10 lbs	\$90.00
104330	25 lbs	
104320	50 lbs	

#### 600 Grit

For restoring fine traffic lanes, removing light etch marks, and steel wool scratches without the need of lippage removal.

Stock No.	Unit	Price
104603	10 lbs	\$111.95
104606	25 lbs	
104600	50 lbs	

#### SCS-GIALOTEX

#### **Polishing Powder for Colored** Marble and Terrazzo

This is a very effective and easy to use polishing powder for colored marble and terrazzo. Uniquely formulated to produce the maximum color and polish, Polishing Powder for Colored Marble and Terrazzo is an excellent final polishing step after honing.

• 8 buckets per Case

Stock No.	Desc.	Price/ea.	Price/cs
• Coverage:	10 to	15 Sq. Meters p	er Kg.

115536	2Kg/4.4lbs	\$44.95	\$323.64/8

#### SCS-POTEA GRIS Polishing Powder for Black and Very Dark Colored Granite

A special blend of metal oxides for use as the final abrasive polishing step after honing black and very dark granite.

- 8 buckets per Case
- Coverage: 10 to 15 Sq. Meters per Kg.

Dust and Silica Warning See Inside Front Cover

Stock No. Description 2Kg/4.4lbs ..... \$52.95 115538




Price/ea.



OTEA GRIS







# Dia-Glo™ Buffing Compound

Formulated to yield excellent buffing results on all stone surfaces. Available in four types: M for marble surfaces, terrazzo and agglomerated marble; D to enhance the rich colors and gloss in medium to dark stones; L for use on light colored granite; and S for restoring black granite to it's original gloss and deep color.



Stock No.	Description	Unit	Price
900374	M Powder	1 Quart	\$40.95
900373	M Powder	2 Gallons	321.95
900378	D Powder	1 Quart	
900372	D Powder	2 Gallons	301.95
900376	L Powder	1 Quart	
900371	L Powder	2 Gallons	301.95
900375	S Powder # 1	1 Pint	
900377	S Liquid # 2	1 Quart	
900381	S Liguid # 2	5 Quarts	

#### Mangia Macchia Spot Remover

Removes oil, grease, coffee, ketchup spots and others. Apply a layer of 5mm thickness. After 2/3 hours, once dry, remove using a brush. If necessary, repeat the application until complete removal of the spot. Keep in original container.



 Stock No.
 Size
 Price

 103371
 8.5 oz...........\$14.50

# SCS-CR-2

# Heavy Duty Crystallizer for Marble and Terrazzo

For use on marble and terrazzo surfaces to create a liquid-proof and slip-resistant gloss after honing or in intense traffic areas for maintenance.

• Coverage: 10 – 15 Sq. Meters/Liter, first application, 15 – 25 Sq. meters after initial treatment

Stock No.	Description	Price Ea.	Cs Price/Qty.
115531	5 Liters	\$52.95	\$190.62/4

# SCS-CR-5

#### Polishing Fluid for Black and Very Dark Granite

A very special, one of a kind, polishing fluid for use as the final step in the restoration of black and very dark colored granite. Use Black and Very Dark Granite Polishing Fluid after honing and powder polishing to "POP" the final polish and restore the rich dark color.




• Coverage: 15 – 20 Sq. Meters per Liter

Stock No.	Description	Price Ea.	Cs Price/Qty.
115533	5 Liters	\$114.05	\$410.58/4

# Reulin Polishing Powders

For high-gloss polishing of marble and granite with felt buffer.

- Tin oxide-based polishing powder for granite
- Oxalic acid-based polishing powder for marble
- 2 kg plastic bucket



# 113M 3-in-1

# Cleaner, Polisher and Protector Clean

Perfect for everyday use, 113M is formulated to keep natural and engineered stone surfaces, such as granite, marble, quartz, limestone, travertine, Corian®, Silestone®, ceramic and porcelain sparkling clean and looking brand new.

#### Protect

Regular use of 113M makes surfaces easier to clean and leaves a water-resistant protective coating to safeguard against spills, hard water dark spots and etching.

Stock No.	Unit	Price Ea.	Case Price/Qty.
100019	16 oz	\$16 <b>.</b> 99	\$140.30/12

# SCS-CR-3

#### Maintenance Crystallizer for Marble Terrazzo

Designed for quick polish maintenance of marble and terrazzo surfaces. Spanish Maintenance Crystallizer for Marble and Terrazzo is specifically recommended for use on white marble and is suitable for daily use on all marble and terrazzo.



-In-1

oray

Henne

• Coverage: 10 – 15 Sq. Meters/Liter, first application, 15 – 25 Sq. meters after initial treatment

Stock No.	Description	Price Ea.	Cs Price/Qty.
115532	5 Liters	. \$52.95	\$190.62/4

# SCS-CR-6

#### Polishing Fluid for Light Granite

A special, one of a kind, polishing fluid for use as the final step in restoration of medium to light colored granite. Use Light Granite Polishing Fluid after honing and powder polishing to "POP" the final polish and restore the full color.



• Coverage: 15 – 20 Sq. Meters/Liter

Stock No.	Description	Price Ea.	Cs Price/Qty.
115534	5 Liters	\$114.05	\$410.58/4



#### 106R Granite Polishing Paste

106R Granite Polishing Paste is a creamy paste that contains high quality polishing abrasives for granite polishing and repolishing. Use 106R as the final polishing step after diamond honing for a brilliant factory type polish, or for polish maintenance on a regular basis in commercial areas.



Stock No.	Unit	Price Ea.
100018	1 Kilogram	\$83.21

# Prime Grind M

product for swing machines.

Used as the primary maintenance product in automatic equipment or as a stand-alone

Stock No.	Unit	Price
113234	Prime Grind M, Gal	\$99.95

### Italian Craftsman Marble Polish

A non-wax polish for marble. Clean, polish and protect your counter tops, table tops and wall panels. Not recommended for floors.

Stock No.	Unit	Price
117295	16 oz	
117297	1 gal	





# **Compressed Felt Buffing Pads**

For use with polishing bars and powders

Stock No.	Description	Diameter	Price
116810	5/8"-11F	5″	\$76.60
116813	5/8"-11F	7"	<b>115.95</b>
115884	Fits Tornado I	4"	42.95
116285	QRS Backing	3"	12.95
116283	QRS Backing	4"	15.95
116282	QRS Backing	5″	21.95
696103	Buffer w/ Ctr. Hole.	6"	18.89

# 205X

# Marble Polishing Powder

205X Marble Polishing Powder is a blend of high quality Italian polishing materials. The solid form of this powder is the most popular polishing media used in Italian Marble Factories. Commonly referred to as "5X Powder".



Stock No.	Unit	Price Ea.
100052	2 kg	\$37.95
100053	10 kg	
100054	20 kg	



#### 206R

# Marble Polishing Compound

206R Marble Polishing Compound is a unique blend of high quality polishing materials. This product restores the polish to worn Marble. Limestone. Travertine. Terrazzo and other calcium containing stone using the same process with which the original factory finish was produced. The paste formula is easy to use.

Stock No.	Unit	Price Ea.
200006	5 lbs	\$54.65
200007	10 lbs	
200008	25 lbs	218.75



#### **Diarex®** Polishing Bars

Paste bars are melted into a buffer for high-gloss polishing of marble or granite.

Stock No.	Unit	Price
696479	Marble Polishing Bar (White)	\$10.52
696523	Granite Polishing Bar (Black)	10.29





# Floor Sanding Screens

- Silicon Carbide
- 25/Box

Stock No.	Diameter	Grade	Price Ea.
920450	17″	60	\$5.97
920452	17″		5.97
920454	17″	120	5.97
920460	17″		5.97
920465	17"		5.97

#### **Consolideck Heat High Performance Burnishing Pad**



91.5 degrees from friction melds Consolideck® LSGuard<sup>™</sup> into concrete floor for gloss and durability beyond compare.

- Embedded heat-shield
- stops rising heat and bounces it back to floor
- Double-sided for double service life
- All natural fibers glued together with nontransferring resin - no resin trails left on floor
- 5 pads per case

Stock No.	Diameter	Price Ea.
107474	27"	\$73.39

#### Surface Pro<sup>®</sup> SELECT Jumbo Steel Wool Pads

- Highest quality available
- Pre-shaped for smooth operation
- Packed 12 per case
- Individually poly-wrapped • Other sizes available for
- special order



Stock No.	Diameter	Grade	Price/Ea.	Price/ Case.
115054	17"	0		\$68.29
115055	17″			
115056	17"	2	7.05	
115057	19"	0	6.38	72.73
115058	19″		6.38	
115059	19"	2	6.38	72.73
115061	20"	0	8.81	
115062	20"		8.81	
115063	20"	2		



#### Craftsman's Choice Jumbo Steel Wool Diameter Grade

Stock No.	
447963	
447964	
447965	
447966	
447967	
447971	

#### 17″.....**\$65.16** 17″......**65.16** 19".....**108.00**

Price/Case

# Craftsman's Choice



Metrix	Flat St	eel Wo	loc
Stock No.	Diameter	Grade	Price/Case
447926	7″	0	\$29.00
447928	7"	1	
447929	7"	2	
447966	17"	00	
447933	17″	0	61.55
447935	17″	1	
447937	17″	2	
447964	19"	00	
447965	19"	0	
447966	19"	1	
447967	20"	00	
447971	20"	0	
447971	20"	1	

#### Steel Wool

- Sold in packs of 16
- 1 1/2" x 1 1/2" x 4"

,	,	
Stock No.	Description	Price
340295	Coarse #2	
698385	Medium #1	
695448	Fine #0	
698382	Very Fine #00	
340292	Extra Fine #000	
340296	Super Fine #0000	4.99
	1	



#### Surface Pro<sup>®</sup> 5 LB Steel Wool Roll

• Highest quality available • 12/case

Stock No.	Diameter	Grade	Price Ea.
340151	13″	0	\$20.67
340152	13″		
340153	13"	2	20.67

#### Surface Pro<sup>®</sup> SELECT Metrix Flat Steel Wool Pads

- Highest quality available
- Pre-shaped for smooth operation
- Packed 12 per case
- Individually poly-wrapped
- 7" stitched flat for higher speed • balance
- Other sizes available for special order
- Save 5% by buying in cases

Stock No.	Diameter	Grade	Price/Each	Price/ Case Ea.
115065	7"	0	\$2.68	\$32.16
115066	7"			
115067	7"	2		
115078	17″	0	5.99	
115079	17″		5.99	
115080	17"	2		
115084	20"	0		
115085	20"			
115086	20"	2		







#### MB Stone Care MB-12 Polishing Powder

MB Stone Care & Supply gives you their formula MB-12. This products is an amazing performer that polishes to a deep gloss - most of the times higher than factory. MB-12 Polishing Cream is specifically designed for "Dry-polishing," although it could also be used for wet-polishing."

Stock No.	Description	Price
359400	MB-12 Polishing Powder 1 pound	\$15.00

#### MB Stone Care MB-14 Honing Powder

Applied with a Hogs Hair Pads, honing powders can eliminate the window pane effect you would see when using diamond pads on a floor with lippage, providing an inexpensive solution for this common problem. Do not let the powder become completely dry when using. A somewhat loose mixture is recommended, adding water as you go.

Stock No.	Description	Grit	Size	Price
446558	MB-14 Honing Powder	150 Grit	1 lb	\$15.75
446559	MB-14 Honing Powder	250 Grit	1 lb	
446560	MB-14 Honing Powder	400 Grit	1 lb	
446561	MB-14 Honing Powder	600 Grit	1 lb	
446562	MB-14 Honing Powder	800 Grit	1 lb	15.75



#### MB Stone Care MB-20 Granite Polishing Cream

This polishing cream is an exclusive proprietary blend of abrasives and polishing agents that represents a breakthrough in the polishing of granite. This product is so effective that in some applications it can be used immediately after the 400 grit honing level to produce a final polish. This product is suitable for use as a floor or counter top polishing agent.

Stock No.	Description	Price
200020	MB-20 Granite Polishing Cream	2.2lb <b>\$90.49</b>





#### MB Stone Care MB-22 Marble/Terrazzo Polish

MB-22 E-Z marble and terrazzo polish, awesome polishing powder that won't etch surfaces from splatters. Excellent results when working on tougher stones such as Onyx and Thassos. Sold in 1 lb. increments

Stock No.	Description	Price
200101	MB-22 Marble and Terrazzo Polish	\$22.50





78

#### **Shop Supplies**



#### Pro Series<sup>®</sup> Single Edge Razor Blades

 Stock No.
 Description
 Price

 340066
 100 Blades per Box
 \$4.97

# Legend® Single Edge Razor Blades

Stock No.	Description	Price
340122	100 Blades per Box	\$5.19



#### **Retractable Utility Knife**

Stock No.	Description	Price
447902	Retractable Knife	\$3.81
447903	100 repl. blades	14.99



#### Komelon® 16'Speed Mark Tape Measure

Printed with fractional graduations.

- Length: 16'
- Acrylic Coated Steel Blade

Stock No.	Price
541600	\$7.50

#### GranQuartz<sup>®</sup> 25' Tape Measures

- Durable ABS case
- Length: 25'
- Triple riveted end hook

Price

\$8.59

• High carbon steel blade

<u>Stock No.</u> 340204



#### GranQuartz<sup>®</sup> Stainless Steel Tape Measures

- Durable rubberized case for easy grip
- Matte finish stainless steel tape
- Rust resistant

Stock No.	Length	Price
340215	16'	\$15.05
340216	25'	



# 



- Box of 200 10 x 14" sheets
- Cloth-like performance, disposable
- Handy dispenser box

Stock No.	Description	Price
340071	200 pcs per Box	\$15.75



# **PRIMO™** Wipes

- Solvent Resisitant Not affected by Acetone or Denatured Alcohol
- Tough, Durable and Reuseable
- Box of 400 vary in size 9"x15" to 16"x16"
- Lint-Free
- Made in the USA
- Cheaper than rags on a "\$ per piece" basis and last almost as long

Stock No.	Price
005945	\$39.99

# **Grout Sponges**

- Hydrophilic grout type
- 7 1/2"x 5 1/8"x2 1/4"

Stock	No.
34012	1

Price
\$2.25/ea.



TIFE



#### Radnor<sup>®</sup> Latex Gloves

- Ambidextrous, disposable
- 5 mil Latex
- Lightly Powdered
- 100/box
- Size: Large, 91/2"

Stock No.	Description	Price
340014	Cream Latex Gloves	\$7.35
340015	Green Latex Gloves	

#### T-Rex **Ferociously Strong** Duct Tape



• Made with heavy-duty knit cloth for long-lasting repairs or applications

Stock No. Description Price 152510 48mm x 35 yds..... **\$13.10** 



#### **CP27** Blue Tape

Stock No.	Description	Price
340061	2" 60 yds	\$8.99
340178	1″ 60 yds	



#### Industrial Crepe Tape

Stock No.	Description	Price
340059	1" Width	\$2.35
340060	2" Width	



#### Terry Cloth Rags

Stock No.	Description	Price
340045	10 lbs per Box	\$24.45
340046	25 lbs per Box	61.85

# **Cotton Rag Shirts**

Stock No.	Description	Price
340047	10 lbs per Box	\$23.90
695983	25 lbs per Box	

#### DIAREX<sup>®</sup> Spray Bottle

Convenient reusable 32 oz. capacity Handi-Hold spray bottle • Chemical resistant spray bottle



 
 Stock No.
 Description
 Price

 100258.......32
 0z. Spray Bottle........\$4.07
 

#### **Diarex**<sup>®</sup> **Mixing Cups**

#### **DIAREX**<sup>®</sup>

Description Stock No. Price Sleeve of 50 ..... \$6.79 100499



# **DIAREX**°



- Innovative design- flat scraping end and round stirring end
- 10 packs of 50

<u>Stock No.</u> 340042 Description Box of 500 ..... \$12.54


# Shop/Safety Supplies



#### Moldex<sup>®</sup> 7000 **Pre-Assembled Half Mask**

- Low profile angles cartridges have wider field of vision
- 5 total parts

• Drop d	own feature for more	custom fit
Stock No.	Description	Price
794100	7000 Half w/ P100 Small	\$30.38
794200	7000 Half w/ P100 Medium	
794300	7000 Half w/ P100 Large	
794000	P100 Filter	



#### Moldex® 1200N95 Dirt Dawgs<sup>®</sup> Disposable Respirator

- 100% PVC-Free
- 20 per box
- Dura-Mesh<sup>®</sup> shell resists collapsing in heat
- The contour molded nose bridge seals easily and comfortably without the user having to pinch metal nose-band

Stock No.	Description	Price
340013	Box of 20	\$28.00



#### 3M<sup>™</sup> Particulate Respirator 8210, N95

Designed to help provide comfortable, reliable worker respiratory protection against certain non oil-based particles.

- Welded strap attachment
- Cushioning nose foam
- Adjustable nose clip
- 20 per box

Stock No. Description 696109 ......Box of 20 ...... \$20.40





- More pliable and softer, more comfort
- Increase heat tolerance
- Increase durability

Stock No.	Description	Price
007801	. Description 78000 Half, Small	\$39.51
007802	78000 Half, Medium	
007803	78000 Half, Large	
794000	P100 Filter	11.68



# 7000, 7800 & 9000

Stock No.	Description	Price
710000	Organic Vapor Cartridge	\$16.72
792000	Piggy Back Adaptor	6.63





#### Moldex<sup>®</sup> 9000 Full Face

- Lightweight under 13 ounces
- Largest field of view of any full face with peripheral vision
- 9 total parts, fewest parts of any full face
- No metal
- Scratch resistant

Stock No		Price
009002	9000 Full Face -Medium	\$166.07
794000	P100 Filter	11.68



#### Moldex<sup>®</sup> 2300N95 **Disposable Respirator**

- 100% PVC-Free
- 10 per box
- Exhale valve reduces hot air build-up, keeping workers cooler and more comfortable

Stock No.	Description	Price
100070	Box of 10	\$33.65



#### Moldex<sup>®</sup> 2700N95 **Disposable Respirator**

- 100% PVC-Free
- 10 per box
- Handy Strap<sup>™</sup> with buckle allows quick release of mask.
- Ventex<sup>™</sup> exhale valve keeps you cool.
- Soft foam nose cushion for comfort
- Dura-Mesh™ shell protects filter.
- Softspun™ lining for increased

comfort		
Stock No.	Description	Price
340024	Box of 10	\$47.69

Price

#### Shop/Safety Supplies





- Comply with OSHA standards for qualitative fit testing
- Kit includes everything needed to perform fit testing on all Moldex respirators:
  - Aerosol
- Fit Test Hood
- Instructions and certifications
- Respirators sold separately

Stock No.	Description	Price
010200	Bitrex Fit Test Kit	\$346.33
050400	Bitrex Solution 2.5 ml	



#### Moldex<sup>®</sup> Spark Plugs Earplug Station

- Highest independently tested NRR 33db
- Available in box or industry leading PlugStation dispenser
- PlugStations give workers easy access to hearing protection

Stock No.	Description	Price
340021	Earplug Station 250 pc	\$45.61
340019	100 pairs w/cord	35.40

#### Moldex<sup>®</sup> M1 Premium Earmuffs

- Softcoat™ covering helps muffle transmitted noise
- M1 Premium Earmuff folds for easy storage
- M1 has a black-chrome, spring-steel band that doesn't twist out of shape like a wire band
- NRR29 Rating

 Stock No.
 Price

 340039
 \$38.63



# Moldex<sup>®</sup> Softies Foam Earplugs

- 200 box.
- Soft PVC-Free foam for all day comfort
- Tapered and longer length for easy fitting



 Stock No.
 Description
 Price

 696365
 Box of 200
 \$40.38

#### Moldex<sup>®</sup> Pura-Fit<sup>®</sup> Earplugs

- 200 pairs per box.
- 100% PVC-Free®
- Highest independently tested NRR 33
- Tapered and longer length for easy fitting and removal in any size ear canal

 Stock No.
 Description
 Price

 340020
 Box of 200
 \$39.69

# Moldex<sup>®</sup> Z2

#### Multi-Purpose Earmuffs

- Cost effective muff features three position headband
- Special molded grips make fitting and alignment quick and easy
- NRR25 Rating

 Stock No.
 Price

 340038
 \$16.23

MOLDEX

MOLDEX



#### Shop Supplies

EXCLUSIVELY AVAILABLE AT GRANQUARTZ FOR THE STONE AND CONCRETE INDUSTRIES

#### Pyramex Azera Safety Glasses

- Built-in rubber flange nose piece provides all day comfort
- 99.9% protection from harmful UV rays

Stock No.	Description	Price Ea.
340386	1 Pair/Clear Lens	\$6.99
340387	1 Pair/Amber Lens	



#### **Furix Safety Glasses**

- Wrap around style
- Lightweight
- Anti fog gray lens
- 99.9% protection from harmful UV rays

Stock No.	Description	Price Ea-
000754	1 Pair/Black frame	\$9.99

#### Ever-Lite Safety Glasses

Polycarbonate lens impact resistance and UV protection. Complies with ANSI standards.

Stock No.	Description	Price Ea-
340350	1 Pair/Clear Lens	\$4.99
340351	1 Pair/Amber Lens	5.49



#### Integra Safety Glasses

- 99% UV protection clear polycarbonate lens
- Anti-scratch coating

Stock No.	Price Ea-
340030	\$2.99





#### Conntek Lighted Power Cords

**Lighted Power Cords** Heavy duty power cords & GFCIs with power indicator lights at plug.

- Heavy duty contractor grade cords
- Lighted ends
- Available in 25' or 50' (cords)
- Available in 12 or 10 Volt/15Amp

Stock No.	Description	Price Ea.
202512	12/3, 25' Cord	
202515	12/3, 50' Cord	
202511	12/3, 100' Cord	
209103	3-Outlet GFCI	
145115	10/3, 25' Cord	
145135	10/3, 50' Cord	



#### Shop Supplies

<ul> <li>Paint Markers</li> <li>Quick drying</li> <li>Water resistant</li> <li>Smooth marking</li> <li>6 box / 72 case</li> </ul>			
Stock No.	Description	Price	
105183	Metal Tip/White	\$3.49	
105187	Metal Tip/Yellow	3.49	
693885	Metal Tip/Red	3.49	
105184	Fiber Tip/White	3.49	
105185	Fiber Tip/Black		
105186	Fiber Tip/Red		

#### Dixon<sup>®</sup> China Markers

- Ideal for marking on glass, plastic, film, paper, metal, rubber or smooth surfaces
- Easy peel off wrapper
- Needs no sharpening
- Sold in boxes of 12

Stock No.	Description	Price
340171	Red Box of	12 <b>\$8.29</b>
340172	Yellow Box of	12 <b>8.29</b>
340173	White Box of	12 <b>8.29</b>
340174	Black Box of	12 <b>8.29</b>

#### Velcro Strips

• Size: 4" x 12"	
Stock No.	Price
696469	\$5.27

#### **Oil Chalks**

- High quality marking on wet surfaces
- Sold in boxes of 12

#### **Glasochrome Pencils**

• Water soluble; difficult to remove

Stock No.	Description	Price
105179	Yellow Box of 12	2 <b>\$20.75</b>
105180	Red Box of 12	2 <b>20.75</b>
105181	White Box of 12	2 <b>20.75</b>

#### **Omnichrome Pencils**

Water soluble; easy to remove

Stock No.	Description	Price
105189	Yellow Box of 12	\$20.75
105190	Red Box of 12	20.75
105191	White Box of 12	20.75



#### Empire Combination Square

- 12" steel blade with inch graduations
- Machined square head

Order By Phone: 800-458-6222 | Order Online: GranQuartz.com/Concrete

- Self aligning drawbolt and hardened scriber
- Empire "True Blue" leveling vials are guaranteed to be accurate to within 0.0005" per inch

Stock No.	Price
003210	\$16.99



# MOHS Hardness Kit for Materials Testing

Use this convenient and portable tool to perform a scratch test on materials to determine MOHS Hardness value. On this scale, ranges from 1 to 10, Talc is softest at 1, Diamond is hardest at 10.

The kit includes 8 color coded and stamped Hardness Points, equal to MOHS 2 through 9, each affixed to a handy pin vise for maximum control in performing the scratch test. Example, if the No. 5 point scratches the material, but No. 4 point does not, then material's Hardness is between 4.0 and 5.0, or about 4.5.

Stock No.	Price
400109	\$96.25



Mohs Hardness Chart				
	Mohs Scale	Mineral		
Soft	1	Talcum		
	2	Salt		
	3	Limestone		
Medium Hard	4	Dolomite		
	5	Apatite		
	6	Feldspar		
Hard	7	Quartz		
	8	Topaz		
	9	Corundum		
	10	Diamond		

California residents see Prop 65 warnings www.P65Warnings.ca.gov

83



#### Terms and Conditions

#### **Credit Policy**

To qualify for open account status, a credit application must be completed in full. Satisfactory references are required. Those approved for open account are notified by mail. Companies not qualifying for open account are either C.O.D. or cash with order. The amount of credit we extend to a customer is subject to change or limitation at any time, either before or after the delivery or any part thereof of an order. Payment in cash may be required as a precedent to delivery. If a customer account is in arrears, we shall have the right, in addition to all other legal remedies, and without prejudice to any other of our rights, to defer further deliveries until full payment is received.

Receipt of payment, whether full or partial, shall in no way obligate us to extend further credit. In case the business of a customer is sold or transferred, or a customer becomes insolvent, or is sued by any creditor, or by customer, or a receiver is appointed for the customer or the customer's business, then in each such event the total amount shall be at once due and payable without notice or demand of any kind. Should a customer's check be returned by the bank, there will be a returned check charge, which is currently \$50. This fee is subject to change without notice.

A 2% credit card payment processing fee will be applied to all customer payments on account. Point of purchase credit card payments will not be charged a processing fee. To avoid credit card processing fee on account payments, please contact our accounts receivable department at 770-621-5211 for payment by check information

#### **Statement of Liability**

The following statement is made in lieu of all warranties, expressed or implied; GranQuartz and/or manufacturer's only obligation shall be to replace such quantity of product proven to be defective provided that such guarantees or replacement are a stated policy of the manufacturer.

GranQuartz and/or manufacturer shall not be liable for any injury, loss or damage, direct, incidental or consequential, arising out of the use or the inability to use the product. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection herewith. The foregoing may not be altered except by officers of GranQuartz.

#### **Shipping Policy**

Unless otherwise stipulated, goods covered within an order shall be shipped "FOB origin". Title to said goods pass to Buyer upon departure from the shipping point, regardless of risk of loss. Transportation charges on goods delivered FOB origin must be paid in accordance to customer terms noted on the invoice.

#### **Terms of Sale**

Our terms are net 30 from date of invoice, past due thereafter. A service charge of 1.5% per month will be charged on all accounts not paid by the month end. Firsttime shipments are sent C.O.D. or by credit card. If the first order is over \$500.00, we require payment by cash, money order, or certified check. We also accept Mastercard, VISA, American Express and Discover Card.

#### **Power Tool Repair Policy**

Company is not responsible for the warranty repair and/or maintenance service, please contact the manufacturer for the closest manufacturer warranty repair center for the following tools:

- Makita: 1-800-4MAKITA
- Flex: (402) 933-7759
- Metabo: 1-800-638-2264
- Alpha: 1-800-648-7229

#### Power Tool Warranties By Manufacturer

Alpha: Alpha power tools offers a one year limited warranty against factory defects on all tools purchased after January 1, 2016. Any tool returned during the warranty period that is found to be damaged or defective due to misuse or normal wear and tear and not as a result of manufacturing or material defects will be quoted a \$30.00 labor fee plus the cost of parts necessary for repair. NOTE: Misuse, improper service, altered, disassembled tools or tools determined to be repaired by an unauthorized service center will be subject to voided warranty. Non-warranty repairs will be charged a \$30.00 bench fee per tool before an estimate for repair is determined. Repaired tools will be shipped back to customer freight pre-paid. All unclaimed tools not resolved within a 90-day period become the property of Alpha. All quoted tools that are processed as Do-Not-Repair-Do-Not-Return (DNRDNR) will be returned to customer at the customer's expense. All tool repairs carry a 30-day warranty. Alpha offers repair centers in the USA. All Alpha warranty and non-warranty repairs are to be sent directly to Alpha repair centers by the customer. Customer is responsible for all freight charges when returning tools to Alpha for repair. An RGA must be obtained from Alpha prior to shipment. Tools may be

returned for repair to Alpha Professional Tools, 103 Bauer Dr., Oakland, NJ 07436-3102 (EASTERN USA) Telephone: 800-648-7229, Fax: 800-286-0114, email: tooldesk@ alpha-tools.com <u>or</u> A1 Industrial & eReplacementParts.com, 7036 South High Tech Dr., Midvale, UT 84047 (WESTERN USA) Telephone: 801-285-7232, email: dale@replacementparts.com.

#### Makita

All Makita power tools have a 1-year limited warranty against factory defects from date of purchase. Makita offers a tool replacement for any tool that fails within the first 30 days from date of purchase (please obtain an RGA from GranQuartz Customer Service prior to replacing the tool). All Makita warranty and non-warranty repairs are to be sent directly to Makita or an Authorized Repair Center by the customer. Telephone: 1-800-4MAKITA www.makitatools.com/en-us/Modules/Service/ServiceCenters.apsx

**Metabo**: All Metabo power tools have a 1-year limited warranty against factory defects from date of purchase. An additional 2-year limited warranty can be otbatined if the product is registered at www.metabo. com/xxl. Metabo offers a tool replacement for any tool that fails within the first 30 days from date of purchase. Please obtain an RGA from GranQuartz Customer Service prior to replacing the tool. All Metabo warranty and non-warranty repairs are to be sent directly to Metabo or an Authorized Repair Center by the customer. For a complete list of service s-Support.3649.0.html.

**Private Label Brands: Refers:** to All Gran-Quartz®, Pro Series®, Assassin®, and Diarex® branded air polishers. GranQuartz's private label tools have a 30 day limited warranty against factory defects from the date of purchase. All warranty repairs or out of warranty repairs should be sent directly to Romedy Power Tool Repair from the customer. Romedy Power Tool Repair, 121 Price Hills Trail, Sugar Hill, GA 30518. Telephone: 770-932-8175 Fax: 678-765-2685 romedy121@charter.net

LAVINA: Superabrasive warrants, from the time of delivery and receipt by the original customer, new and unused products sold by Superabrasive or Superabrasiveappointed distributors or dealers. Goods shall be free from defects in materials and workmanship. Superabrasive or a Superabrasive-appointed repair facility shall either replace or repair any defects in the Goods resulting from faulty design, materials, or workmanship. Products repaired or replaced during the warranty



period shall be covered by the foregoing warranty for the remainder of the original warranty period, or ninety (90) days from date of the repair or shipment of the replacement, whichever is longer.

Warranty period shall be 2 years from the time of delivery and receipt by the original customer, or 600 operating hours for X and S models, whichever occurs first. Superabrasive will cover the shipping charges for the transportation of the machine to Superabrasive (or an approved repair facility) and back to the customer (within the contiguous 48 United States) in the event that the damage occurs and is reported

#### Lavina continued:

within 200 operating hours (up to 2 years). Thereafter, the customer will have to cover the shipping charges to Superabrasive and back. Superabrasive shall not be liable for any defects that are caused by circumstances that occur after the Goods have been delivered and whilst the Goods are in the possession of the purchaser. Furthermore, the warranty does not include normal wear and tear or deterioration. Wear parts are not warranted.

Superabrasive is not liable for defects arising out of use of non-OEM parts.

Ermator: All Ermator devices have a 12month factory warranty for material and manufacturing defects. The warranty extends to 36 months (24 months for the S36P, T8600PT, T4000G and T7500G) when the warranty card is returned. The warranty does not cover the defect which are the result of normal wear and tear, negligence, defective use, unauthorized repair or the suction apparatus being connected to the incorrect voltage. In the event of any complaint, the suction apparatus or an agreed part of it must be returned to us or our authorized representative for warranty examination and for any warranty repair or replacement.

#### **Return Policy**

A Return Authorization Number (RGA#) is required for all product returns. An RGA# and shipping instructions can be obtained by contacting Customer Service. No returns will be accepted without an RGA#.

GranQuartz Customer Service: 800-458-6222

- A 15% re-stocking fee will be applied to all returned goods on stock material (non-defective products).
- All returns must be shipped back in original, unopened packaging in order to receive credit.
- No returns authorized after 90 days from date of purchase.
- No returns will be accepted or credit issued on used products, unless they are proven to be defective.
- All claims of shortages must be reported to customer service within 48 hours of receipt.
- No returns will be authorized on Hazmat products, chemicals, or adhesives.
- No returns will be authorized on special order items including special order CNC tools.
- Customers must pay shipping charges on all returns.
- Upon receipt and inspection of the product return, GranQuartz will issue a refund on shipping charges if it is proven that there was a shipping error or the product was defective. • Returns are limited to 10% of the previous 12 months net purchases.

#### PLEASE CHECK ALL CARTONS CAREFULLY

#### **Shipping Addresses:**

GranQuartz-East 3950 Steve Reynolds Blvd. Norcross, GA 30093

GranQuartz-West 4900 Zambrano St. Commerce, CA 90040

#### Mailing Address:

GranQuartz P.O. Box 1767 Norcross, GA 30091-1767

All purchases made from this catalog are subject to GranQuartz's Terms of Sale, (available at: www.GranQuartz.com/termsofsale). By purchasing any products through this catalog, you expressly accept and agree to such terms.

The information provided in this catalog is for general information purposes only and GranQuartz does not guarantee that it is accurate, current or complete. GranQuartz reserves the right to correct any errors, inaccuracies or omissions and to change or update information at any time without prior notice (including after you have submitted your order). Please note that such errors, inaccuracies or omissions may relate to product description, pricing and availability. Photos may vary. Pricing and shipping and handling rates are subject to change after publication without notice. We apologize for any inconvenience this may cause you.







# NEW Website with Full E-Commerce Functionality/

Shop 24/7 on granquartz.com and easily find all the tools and equipment you need with product specifications and details on all the latest tools in our extensive inventory!

Fast ordering process and improved site layout allows you to browse by specific product categories to narrow your search or jump to our digital catalogs to easily find the products you want by flipping through the pages.

Already know the item name or number? Just use the **Quick Order** feature to rapidly add products to your shopping cart.



Save time and money when you shop at YOUR convenience at granquartz.com/concrete!

# INDEX

AmeriPolish Products		
2D PL Multi-Silicate Densifier		
3D HS & HSL Densifiers		
3D SPE Stain Protector		
CFE2000 Multi-Purpose Cleaner.		
Classic Dye		
Color Juice E		
ColorSolve Solvent Dye Carrier. Edge Tint		
OS Integral Color		
Penetrating Agent Plus		
Surelock Dye		
SR2 & SR2 WB		
X-Link E WL		51
X-Link WB Surface Sealer		51
Back-up Heads		67
Blades		. 39
Buffers		60
Buffing Pads58	-59,	73
Builders Paper		. 55
Burnishers		
Burnishing Pads		
Cartridge Gun		
Cimex		
Coating Removal21		
Color Enhancer		
Concrete Cleaners		
Concrete Dyes		
Cup Wheels		
Densifiers47		
Drive Plates22, 25		
Dust Control		
Dust Masks		
Dust Shrouds		
Edge Pro 80		
Ear Protection		
Easy-Mask Tape & Drape		
Epoxies		
Eraser Hybrid Pads		2
Extension Cords		82
Eye Protection		82
EZ Polish Tooling, Chemicals & RA		
(Roughness Average) Meter		56
GelMaxx		. 38
Gloves, Latex		.79
Gorilla Saw		.46
Grinders	65	-66
Hearing Protection		. 80
Hippo Mixer		
Husqvarna		
Impregnator		

Joint Fill and Overlay Repair44-45
Lavina Equipment & Accesories7-17,
19-21, 23-24, 26, 28-30
3-Step Polishing Pads20, 23
5-Step Edge Master Cup Wheels43
Air Scrubber Dust Control System34
Bush Hammers23
Calibra Pads24
Corner Pro Triangle24
Edger17
Grinders8-13, 16-17
HD Copper Pads20
HD Resin Pads20
Nato Pads20
Plates19
Trapezoids Pads20, 21
Trowel Shine15
V-Harr Pads24
Velcro Protectors19
Vacuums (Dust Extraction)28-30
Waffel Polishing Pads15, 20
Level Set
Maintenance Pads
Makita Hand-Held Power Tools65, 67
Masking Supplies
Metabo Dust Control Equipment
Metabo Hand-Held Power Tools
Metabo Hand-Held Power Tools
Metal Grinding Pads2, 24, 70
Metal Grinding Pads2, 24, 70 Metzger McGuire44, 45
Metal Grinding Pads2, 24, 70 Metzger McGuire44, 45 Microfiber Handle & Pads55
Metal Grinding Pads2, 24, 70 Metzger McGuire44, 45 Microfiber Handle & Pads55 Mixing Equipment43
Metal Grinding Pads2, 24, 70 Metzger McGuire44, 45 Microfiber Handle & Pads55 Mixing Equipment43 Mixing Cups78
Metal Grinding Pads2, 24, 70Metzger McGuire44, 45Microfiber Handle & Pads55Mixing Equipment43Mixing Cups78MM80 & MM80P42
Metal Grinding Pads2, 24, 70 Metzger McGuire44, 45 Microfiber Handle & Pads55 Mixing Equipment43 Mixing Cups78 MM80 & MM80P42 Mudslinger Pads6
Metal Grinding Pads2, 24, 70Metzger McGuire44, 45Microfiber Handle & Pads55Mixing Equipment43Mixing Cups78MM80 & MM80P42Mudslinger Pads6MOHS Testing83
Metal Grinding Pads2, 24, 70Metzger McGuire44, 45Microfiber Handle & Pads55Mixing Equipment43Mixing Cups78MM80 & MM80P42Mudslinger Pads6MOHS Testing83Monroe VTX Terrazzo Polishing Pads70
Metal Grinding Pads2, 24, 70Metzger McGuire44, 45Microfiber Handle & Pads55Mixing Equipment43Mixing Cups78MM80 & MM80P42Mudslinger Pads6MOHS Testing83Monroe VTX Terrazzo Polishing Pads70Novair Dust Control Systems34
Metal Grinding Pads2, 24, 70Metzger McGuire44, 45Microfiber Handle & Pads55Mixing Equipment43Mixing Cups78MM80 & MM80P42Mudslinger Pads6MOHS Testing83Monroe VTX Terrazzo Polishing Pads70Novair Dust Control Systems34Overlay Products44-45
Metal Grinding Pads2, 24, 70Metzger McGuire44, 45Microfiber Handle & Pads55Mixing Equipment43Mixing Cups78MM80 & MM80P42Mudslinger Pads6MOHS Testing83Monroe VTX Terrazzo Polishing Pads70Novair Dust Control Systems34Overlay Products4383
Metal Grinding Pads2, 24, 70Metzger McGuire44, 45Microfiber Handle & Pads55Mixing Equipment43Mixing Cups78MM80 & MM80P42Mudslinger Pads6MOHS Testing83Monroe VTX Terrazzo Polishing Pads70Novair Dust Control Systems34Overlay Products44-45Paint Markers83Planetary Floor Machines63, 68
Metal Grinding Pads2, 24, 70Metzger McGuire44, 45Microfiber Handle & Pads55Mixing Equipment43Mixing Cups78MM80 & MM80P42Mudslinger Pads6MOHS Testing83Monroe VTX Terrazzo Polishing Pads70Novair Dust Control Systems34Overlay Products44-45Paint Markers83Planetary Floor Machines63, 68Polishing Compounds73-75, 77
Metal Grinding Pads2, 24, 70Metzger McGuire44, 45Microfiber Handle & Pads55Mixing Equipment43Mixing Cups78MM80 & MM80P42Mudslinger Pads6MOHS Testing83Monroe VTX Terrazzo Polishing Pads70Novair Dust Control Systems34Overlay Products44-45Paint Markers83Planetary Floor Machines63, 68Polishing Compounds73-75, 77Polishers Hand Held67, 68
Metal Grinding Pads2, 24, 70Metzger McGuire44, 45Microfiber Handle & Pads55Mixing Equipment43Mixing Cups78MM80 & MM80P42Mudslinger Pads6MOHS Testing83Monroe VTX Terrazzo Polishing Pads70Novair Dust Control Systems34Overlay Products44-45Paint Markers83Planetary Floor Machines63, 68Polishing Compounds73-75, 77Polishers Hand Held67, 68Polishing Pads2-6, 20, 24
Metal Grinding Pads2, 24, 70Metzger McGuire44, 45Microfiber Handle & Pads55Mixing Equipment43Mixing Cups78MM80 & MM80P42Mudslinger Pads6MOHS Testing83Monroe VTX Terrazzo Polishing Pads70Novair Dust Control Systems34Overlay Products44-45Paint Markers83Planetary Floor Machines63, 68Polishing Compounds73-75, 77Polishers Hand Held67, 68Polyurea Joint Filler44
Metal Grinding Pads2, 24, 70Metzger McGuire44, 45Microfiber Handle & Pads55Mixing Equipment43Mixing Cups78MM80 & MM80P42Mudslinger Pads6MOHS Testing83Monroe VTX Terrazzo Polishing Pads70Novair Dust Control Systems34Overlay Products44-45Paint Markers83Planetary Floor Machines63, 68Polishing Compounds73-75, 77Polishers Hand Held67, 68Polyurea Joint Filler44Power Tools65-67
Metal Grinding Pads2, 24, 70Metzger McGuire44, 45Microfiber Handle & Pads55Mixing Equipment43Mixing Cups78MM80 & MM80P42Mudslinger Pads6MOHS Testing83Monroe VTX Terrazzo Polishing Pads70Novair Dust Control Systems34Overlay Products44-45Paint Markers63, 68Polishing Compounds73-75, 77Polishers Hand Held67, 68Polyurea Joint Filler44Power Tools65-67Pre-Separators29, 33
Metal Grinding Pads2, 24, 70Metzger McGuire44, 45Microfiber Handle & Pads55Mixing Equipment43Mixing Cups78MM80 & MM80P42Mudslinger Pads6MOHS Testing83Monroe VTX Terrazzo Polishing Pads70Novair Dust Control Systems34Overlay Products44-45Paint Markers83Planetary Floor Machines63, 68Polishing Compounds73-75, 77Polishers Hand Held67, 68Polyurea Joint Filler44Power Tools65-67Pre-Separators29, 33Prosoco Products52-54
Metal Grinding Pads2, 24, 70Metzger McGuire44, 45Microfiber Handle & Pads55Mixing Equipment43Mixing Cups78MM80 & MM80P42Mudslinger Pads6MOHS Testing83Monroe VTX Terrazzo Polishing Pads70Novair Dust Control Systems34Overlay Products44-45Paint Markers63, 68Polishing Compounds73-75, 77Polishers Hand Held67, 68Polyurea Joint Filler44Power Tools65-67Pre-Separators29, 33

Cleaner/Degreaser	52
DailyKlean	53
DuraSheen	53
First Cut	52
GemTone Stain	54
Grind-N-Fill	52
GuardEXT	53
LS/CS Silicate Treatment	52
LS Guard Sealer/Protector	53
LSKlean Lithium Silicate Cleaner	53
Oil & Grease Remover	
Polishguard	
SafEtch	
SaltGuard	
SLX100 Water & Oil Repellent	
Wax & Cure Remover	
Prospec Level Set Overlay & Repair	
Quick Change Segments	
Quick Change Hybrid Segments20	
Quick Change Plates	
Quick Change Trapezoid Pads	
Rapid Floor (Metzger/McGuire)	
-	
Razor Blades	
Respirators	
RS-88 Polyurea	
Rubber Spacers	
Safety Equipment80-	
Safety Glasses	
Samich Legend CT	
Sanding Screens, Silicon Carbide	
Shop Supplies78-	
Silverback Joint Saw	
Sponges	
Sprayers, Spray Bottles55,	
Squeegees	
Steel Wool Buffing Pads	
Steel Wool Role Material	
Stone Buffing Machine60,	
Stone Care70-	
Superabrasive/Lavina8-17, 19-	
Surface Refinement Grout	
Swing Machines60-	61
Tape Measures	78
Transition Pads3, 4-5,	24
Tuck Point Blades	39
Turbo Blades	39
Utility Knife	78
Vacuums	-37
Velcro Strips	83,

# GranQuartz<sup>•</sup> CREDIT APPLICATION FORM

	Fax: (770) 621-9771	Ma	ail To:	GranQua		Norcross, GA 30093
Ple	ase Type or Print			3930 316	ve neyholds bivd, i	NOICIUSS, GA 30093
Cu	stomer	Telephone (	)_		Fax (	)
Ade	dress	City			State	Zip
Na	mes of Principals			-	Numbers	
	<b>be of Business</b> — Check One Corporation Incorporated in state of	on		(date)	Federal I.D. #	
🗅 F	Partnership Years Company in Business					
🗆 F	Proprietorship					
١	ears Company in Business					
Ba	nk Reference					
	ntact at Bank Telep bes of Accounts —	ohone())		ount Num	Fax()_ bers —	
1.	Contact	Telephone( City				
2.	Company Contact	Telephone (	)		Fax (	)
	Address					
3.	Company Contact Address	Telephone (				
Ple	ease include below any information you ma	ay believe helpful	_			
	signature below authorizes GranQuartz to obtain int e and Credit Terms outlined in this catalog.	formation from any b	ank or	company li	sted above and indica	tes agreement to Terms o
SIG	NATURE OF OFFICER/OWNER	TIT	LE			
Tv	PE OR PRINT NAME ABOVE	Da	TF			

# What You Need, When You Need It!

# We are THE PARTNER that HELPS YOU SHINE!

